































DSA Concepts Over... (16) WhatsApp Array Interview Expl... AI Career Portal Syst... AI Mock Intervie... Ask Gemini

localhost:3000/interview.html

☆ 🗂️ 📄 M ⋮

AI Career Portal

Dashboard Mock Interview Coding Practice Logout

Start Interview

Interview Results

Total Score: 62%

Good attempt! Review the feedback.

Score saved to Dashboard!

Q1: What is the difference between let, const, and var in JavaScript?

Time taken: 60 seconds

Score: 20%

Feedback: Your answer was too brief. Please elaborate more.

Q2: Explain what REST API is and how it works.

Time taken: 60 seconds

Score: 20%

Feedback: Your answer was too brief. Please elaborate more.

DSA Concepts Over... (16) WhatsApp Array Interview Expl... AI Career Portal Syst... Coding Practice - AI... Ask Gemini

localhost:3000/coding.html

☆ 🗂️ 📄 M ⋮

AI Career Portal

Dashboard Mock Interview Coding Practice Logout

Coding Practice

Solve coding challenges and improve your programming skills

Questions

All Easy Medium Hard

Two Sum

EASY

Given an array of integers nums and an integer target, return indices of the two...

Reverse String

EASY

Write a function that reverses a string....

Fizz Buzz

EASY

Write a program that outputs Fizz for multiples of 3, Buzz for multiples of 5....

Valid Parentheses

MEDIUM



Given a string containing parentheses, determine if it is valid....

Select a question from the left to start coding!

Language Python

Code Ed: JavaScript

Write your code here...



DSA Concepts Over... (16) WhatsApp Array Interview Exp... AI Career Portal Syst... Coding Practice - AI... Ask Gemini

localhost:3000/coding.html

Dashboard Mock Interview Coding Practice Logout

AI Career Portal

ALL Easy Medium Hard

Two Sum EASY
Given an array of integers nums and an integer target, return indices of the two...

Reverse String EASY
Write a function that reverses a string....

Fizz Buzz EASY
Write a program that outputs Fizz for multiples of 3, Buzz for multiples of 5....

Valid Parentheses MEDIUM
Given a string containing parentheses, determine if it is valid....

Maximum Subarray MEDIUM
Find the contiguous subarray with the largest sum....

Merge Intervals MEDIUM
Merge all overlapping intervals....

MEDIUM

Language

Java

Code Editor

```
public class ValidParentheses {  
  
    public static boolean isValid(String s) {  
  
        Stack<Character> stack = new Stack<>();  
  
        for (int i = 0; i < s.length(); i++) {  
  
            char ch = s.charAt(i);  
  
            if (ch == '(' || ch == '[' || ch == '{') {  
                stack.push(ch);  
            }  
        }  
    }  
}
```

Run Code Submit Solution

OUTPUT: