```
NAME: Mansi Uddhav Jadhav
ROLLNO: 26
SUBJECT: ADBMS-Assignment 1
Show Databases:
test> show databases
admin 40.00 KiB
config 84.00 KiB
local 80.00 KiB
mansi 40.00 KiB
Use Databases:
test> use mansi
switched to db mansi
Create Collection:
mansi> db.createCollection("ITstudent")
{ ok: 1 }
mansi> show collections;
ITstudent
student
TEstud
Insert:
mansi> db.ITstudent.insert({st_id:1,Name:"Mansi",Address:"Pune",Branch:"It"});
DeprecationWarning: Collection.insert() is deprecated. Use insertOne, insertMany, or bulkWrite.
{
 acknowledged: true,
insertedIds: { '0': ObjectId("63261ed311ecd899a0b7e9a4") }
}
mansi> db.ITstudent.insert({st_id:2,Name:"Ankita",Address:"Mumbai",Branch:"It"});
{
 acknowledged: true,
```

insertedIds: { '0': ObjectId("63261f0811ecd899a0b7e9a5") }

```
}
mansi> db.ITstudent.insert({st_id:3,Name:"Yash",Address:"Satara",Branch:"CS"});
{
 acknowledged: true,
 insertedIds: { '0': ObjectId("63261f2911ecd899a0b7e9a6") }
}
mansi> db.ITstudent.insert({st_id:4,Name:"Nikita",Address:"Nashik",Branch:"CS"});
{
 acknowledged: true,
 insertedIds: { '0': ObjectId("63261f4811ecd899a0b7e9a7") }
}
mansi> db.ITstudent.insert({st_id:5,Name:"Khushi",Address:"Pune",Branch:"E&Tc"});
{
 acknowledged: true,
 insertedIds: { '0': ObjectId("63261f7611ecd899a0b7e9a8") }
}
mansi> db.ITstudent.insert({st_id:6,Name:"Niraj",Address:"Delhi",Branch:"E&Tc"});
{
 acknowledged: true,
 insertedIds: { '0': ObjectId("63261f9411ecd899a0b7e9a9") }
}
mansi> db.ITstudent.insert({st_id:7,Name:"Amit",Address:"Kalyan",Branch:"IT"});
{
 acknowledged: true,
 insertedIds: { '0': ObjectId("63261fc911ecd899a0b7e9aa") }
}
mansi> db.ITstudent.insert({st_id:8,Name:"Asavari",Address:"Latur",Branch:"CS"});
{
 acknowledged: true,
 insertedIds: { '0': ObjectId("63261ff311ecd899a0b7e9ab") }
```

Find:

```
mansi> db.ITstudent.find().pretty();
[
{
  _id: ObjectId("63261ed311ecd899a0b7e9a4"),
  st_id: 1,
  Name: 'Mansi',
  Address: 'Pune',
  Branch: 'It'
},
{
  _id: ObjectId("63261f0811ecd899a0b7e9a5"),
  st_id: 2,
  Name: 'Ankita',
  Address: 'Mumbai',
  Branch: 'It'
},
{
  _id: ObjectId("63261f2911ecd899a0b7e9a6"),
  st_id: 3,
  Name: 'Yash',
  Address: 'Satara',
  Branch: 'CS'
},
  _id: ObjectId("63261f4811ecd899a0b7e9a7"),
  st_id: 4,
  Name: 'Nikita',
  Address: 'Nashik',
  Branch: 'CS'
},
{
```

```
_id: ObjectId("63261f7611ecd899a0b7e9a8"),
  st_id: 5,
  Name: 'Khushi',
  Address: 'Pune',
  Branch: 'E&Tc'
},
{
  _id: ObjectId("63261f9411ecd899a0b7e9a9"),
  st_id: 6,
  Name: 'Niraj',
  Address: 'Delhi',
  Branch: 'E&Tc'
},
{
  _id: ObjectId("63261fc911ecd899a0b7e9aa"),
  st_id: 7,
  Name: 'Amit',
  Address: 'Kalyan',
  Branch: 'IT'
},
  _id: ObjectId("63261ff311ecd899a0b7e9ab"),
  st_id: 8,
  Name: 'Asavari',
  Address: 'Latur',
  Branch: 'CS'
}
]
Remove:
```

mansi> db.ITstudent.remove({st_id:3});

```
DeprecationWarning: Collection.remove() is deprecated. Use deleteOne, deleteMany,
findOneAndDelete, or bulkWrite.
{ acknowledged: true, deletedCount: 1 }
mansi> db.ITstudent.find().pretty();
[
  _id: ObjectId("63261ed311ecd899a0b7e9a4"),
  st_id: 1,
  Name: 'Mansi',
  Address: 'Pune',
  Branch: 'It'
},
  _id: ObjectId("63261f0811ecd899a0b7e9a5"),
  st_id: 2,
  Name: 'Ankita',
  Address: 'Mumbai',
  Branch: 'It'
},
  _id: ObjectId("63261f4811ecd899a0b7e9a7"),
  st_id: 4,
  Name: 'Nikita',
  Address: 'Nashik',
  Branch: 'CS'
},
 {
  _id: ObjectId("63261f7611ecd899a0b7e9a8"),
  st_id: 5,
  Name: 'Khushi',
  Address: 'Pune',
```

```
Branch: 'E&Tc'
},
 {
  _id: ObjectId("63261f9411ecd899a0b7e9a9"),
  st_id: 6,
  Name: 'Niraj',
  Address: 'Delhi',
  Branch: 'E&Tc'
},
 {
  _id: ObjectId("63261fc911ecd899a0b7e9aa"),
  st_id: 7,
  Name: 'Amit',
  Address: 'Kalyan',
  Branch: 'IT'
},
 {
  _id: ObjectId("63261ff311ecd899a0b7e9ab"),
  st_id: 8,
  Name: 'Asavari',
  Address: 'Latur',
  Branch: 'CS'
}
]
Update:
mansi> db.ITstudent.update({Name:"Nikita"},{$set:{Name:"Sneha",upsert:true}});
DeprecationWarning: Collection.update() is deprecated. Use updateOne, updateMany, or bulkWrite.
{
 acknowledged: true,
insertedId: null,
 matchedCount: 1,
```

```
modifiedCount: 1,
upsertedCount: 0
}
mansi> db.ITstudent.find().pretty();
[
{
  _id: ObjectId("63261ed311ecd899a0b7e9a4"),
  st_id: 1,
  Name: 'Mansi',
  Address: 'Pune',
  Branch: 'It'
},
{
  _id: ObjectId("63261f0811ecd899a0b7e9a5"),
  st_id: 2,
  Name: 'Ankita',
  Address: 'Mumbai',
  Branch: 'It'
},
  _id: ObjectId("63261f4811ecd899a0b7e9a7"),
  st_id: 4,
  Name: 'Sneha',
  Address: 'Nashik',
  Branch: 'CS',
  upsert: true
},
  _id: ObjectId("63261f7611ecd899a0b7e9a8"),
  st_id: 5,
  Name: 'Khushi',
```

```
Address: 'Pune',
  Branch: 'E&Tc'
 },
 {
  _id: ObjectId("63261f9411ecd899a0b7e9a9"),
  st_id: 6,
  Name: 'Niraj',
  Address: 'Delhi',
  Branch: 'E&Tc'
 },
 {
  _id: ObjectId("63261fc911ecd899a0b7e9aa"),
  st_id: 7,
  Name: 'Amit',
  Address: 'Kalyan',
  Branch: 'IT'
 },
 {
  _id: ObjectId("63261ff311ecd899a0b7e9ab"),
  st_id: 8,
  Name: 'Asavari',
  Address: 'Latur',
  Branch: 'CS'
 }
]
Or:
mansi> db.ITstudent.find(\{\$or:[\{Address:"Pune"\}, \{Branch:"E\&TC"\}]\}).pretty();
[
  _id: ObjectId("63261ed311ecd899a0b7e9a4"),
  st_id: 1,
```

```
Name: 'Mansi',
  Address: 'Pune',
  Branch: 'It'
 },
 {
  _id: ObjectId("63261f7611ecd899a0b7e9a8"),
  st_id: 5,
  Name: 'Khushi',
  Address: 'Pune',
  Branch: 'E&Tc'
 }
]
And:
mansi> db.ITstudent.find(\{\$and:[\{st\_id:\{\$ne:1\}\}, \{st\_id:\{\$exists:true\}\}]\}).pretty();
[
  _id: ObjectId("63261f0811ecd899a0b7e9a5"),
  st_id: 2,
  Name: 'Ankita',
  Address: 'Mumbai',
  Branch: 'It'
 },
  _id: ObjectId("63261f4811ecd899a0b7e9a7"),
  st_id: 4,
  Name: 'Sneha',
  Address: 'Nashik',
  Branch: 'CS',
  upsert: true
 },
```

```
_id: ObjectId("63261f7611ecd899a0b7e9a8"),
  st_id: 5,
  Name: 'Khushi',
  Address: 'Pune',
  Branch: 'E&Tc'
},
 {
  _id: ObjectId("63261f9411ecd899a0b7e9a9"),
  st_id: 6,
  Name: 'Niraj',
  Address: 'Delhi',
  Branch: 'E&Tc'
},
{
  _id: ObjectId("63261fc911ecd899a0b7e9aa"),
  st_id: 7,
  Name: 'Amit',
  Address: 'Kalyan',
  Branch: 'IT'
},
  _id: ObjectId("63261ff311ecd899a0b7e9ab"),
  st_id: 8,
  Name: 'Asavari',
  Address: 'Latur',
  Branch: 'CS'
}
]
Equal:
mansi> db.ITstudent.find({st_id:{$eq:6}}).pretty();
[
```

```
{
  _id: ObjectId("63261f9411ecd899a0b7e9a9"),
  st_id: 6,
  Name: 'Niraj',
  Address: 'Delhi',
  Branch: 'E&Tc'
}
]
Not Equal:
mansi> db.ITstudent.find({Branch:{$ne:"CS"}}).pretty();
[
{
  _id: ObjectId("63261ed311ecd899a0b7e9a4"),
  st_id: 1,
  Name: 'Mansi',
  Address: 'Pune',
  Branch: 'It'
},
  _id: ObjectId("63261f0811ecd899a0b7e9a5"),
  st_id: 2,
  Name: 'Ankita',
  Address: 'Mumbai',
  Branch: 'It'
},
  _id: ObjectId("63261f7611ecd899a0b7e9a8"),
  st_id: 5,
  Name: 'Khushi',
  Address: 'Pune',
  Branch: 'E&Tc'
```

```
},
 {
  _id: ObjectId("63261f9411ecd899a0b7e9a9"),
  st_id: 6,
  Name: 'Niraj',
  Address: 'Delhi',
  Branch: 'E&Tc'
},
{
  _id: ObjectId("63261fc911ecd899a0b7e9aa"),
  st_id: 7,
  Name: 'Amit',
  Address: 'Kalyan',
  Branch: 'IT'
}
]
Greater Than:
mansi> db.ITstudent.find({st_id:{$gt:5}}).pretty();
[
  _id: ObjectId("63261f9411ecd899a0b7e9a9"),
  st_id: 6,
  Name: 'Niraj',
  Address: 'Delhi',
  Branch: 'E&Tc'
},
  _id: ObjectId("63261fc911ecd899a0b7e9aa"),
  st_id: 7,
  Name: 'Amit',
  Address: 'Kalyan',
```

```
Branch: 'IT'
},
 {
  _id: ObjectId("63261ff311ecd899a0b7e9ab"),
  st_id: 8,
  Name: 'Asavari',
  Address: 'Latur',
  Branch: 'CS'
}
]
Greater Than Equal to:
mansi> db.ITstudent.find({st_id:{$gte:6}}).pretty();
[
  _id: ObjectId("63261f9411ecd899a0b7e9a9"),
  st_id: 6,
  Name: 'Niraj',
  Address: 'Delhi',
  Branch: 'E&Tc'
},
  _id: ObjectId("63261fc911ecd899a0b7e9aa"),
  st_id: 7,
  Name: 'Amit',
  Address: 'Kalyan',
  Branch: 'IT'
},
  _id: ObjectId("63261ff311ecd899a0b7e9ab"),
  st_id: 8,
  Name: 'Asavari',
```

```
Address: 'Latur',
  Branch: 'CS'
 }
]
Less Than:
mansi> db.ITstudent.find({st_id:{$lt:5}}).pretty();
[
 {
  _id: ObjectId("63261ed311ecd899a0b7e9a4"),
  st_id: 1,
  Name: 'Mansi',
  Address: 'Pune',
  Branch: 'It'
 },
 {
  _id: ObjectId("63261f0811ecd899a0b7e9a5"),
  st_id: 2,
  Name: 'Ankita',
  Address: 'Mumbai',
  Branch: 'It'
 },
  _id: ObjectId("63261f4811ecd899a0b7e9a7"),
  st_id: 4,
  Name: 'Sneha',
  Address: 'Nashik',
  Branch: 'CS',
  upsert: true
 }
]
mansi> db.ITstudent.find({st_id:{$lt:2}}).pretty();
```

```
[
{
  _id: ObjectId("63261ed311ecd899a0b7e9a4"),
  st_id: 1,
  Name: 'Mansi',
  Address: 'Pune',
  Branch: 'It'
}
]
Less Than Equal to:
mansi> db.ITstudent.find({st_id:{$lte:2}}).pretty();
[
{
  _id: ObjectId("63261ed311ecd899a0b7e9a4"),
  st_id: 1,
  Name: 'Mansi',
  Address: 'Pune',
  Branch: 'It'
},
  _id: ObjectId("63261f0811ecd899a0b7e9a5"),
  st_id: 2,
  Name: 'Ankita',
  Address: 'Mumbai',
  Branch: 'It'
}
]
Not:
mansi> db.ITstudent.find({st_id:{$not:{$gte:3}}}).pretty();
[
{
```

```
_id: ObjectId("63261ed311ecd899a0b7e9a4"),
  st_id: 1,
  Name: 'Mansi',
  Address: 'Pune',
  Branch: 'It'
},
 {
  _id: ObjectId("63261f0811ecd899a0b7e9a5"),
  st_id: 2,
  Name: 'Ankita',
  Address: 'Mumbai',
  Branch: 'It'
}
]
Cursor:
mansi> var mycursor=db.ITstudent.find({Name:"Asavari"}).pretty();
mansi> mycursor;
[
  _id: ObjectId("63261ff311ecd899a0b7e9ab"),
  st_id: 8,
  Name: 'Asavari',
  Address: 'Latur',
  Branch: 'CS'
}
]
Sort: 1)Ascending
mansi> db.ITstudent.find().sort({key:1}).pretty();
[
{
```

```
_id: ObjectId("63261ed311ecd899a0b7e9a4"),
 st_id: 1,
 Name: 'Mansi',
 Address: 'Pune',
 Branch: 'It'
},
{
 _id: ObjectId("63261f0811ecd899a0b7e9a5"),
 st_id: 2,
 Name: 'Ankita',
 Address: 'Mumbai',
 Branch: 'It'
},
{
 _id: ObjectId("63261f4811ecd899a0b7e9a7"),
 st_id: 4,
 Name: 'Sneha',
 Address: 'Nashik',
 Branch: 'CS',
 upsert: true
},
 _id: ObjectId("63261f7611ecd899a0b7e9a8"),
 st_id: 5,
 Name: 'Khushi',
 Address: 'Pune',
 Branch: 'E&Tc'
},
 _id: ObjectId("63261f9411ecd899a0b7e9a9"),
 st_id: 6,
```

```
Name: 'Niraj',
  Address: 'Delhi',
  Branch: 'E&Tc'
 },
 {
  _id: ObjectId("63261fc911ecd899a0b7e9aa"),
  st_id: 7,
  Name: 'Amit',
  Address: 'Kalyan',
  Branch: 'IT'
 },
 {
  _id: ObjectId("63261ff311ecd899a0b7e9ab"),
  st_id: 8,
  Name: 'Asavari',
  Address: 'Latur',
  Branch: 'CS'
 }
]
Skip:
mansi> db.ITstudent.find({st_id:{$gt:3}}).limit(3).skip(3).pretty();
[
  _id: ObjectId("63261fc911ecd899a0b7e9aa"),
  st_id: 7,
  Name: 'Amit',
  Address: 'Kalyan',
  Branch: 'IT'
 },
  _id: ObjectId("63261ff311ecd899a0b7e9ab"),
```

```
st_id: 8,
  Name: 'Asavari',
  Address: 'Latur',
  Branch: 'CS'
 }
]
Limit:
mansi> db.ITstudent.find().limit(4).pretty();
[
 {
  _id: ObjectId("63261ed311ecd899a0b7e9a4"),
  st_id: 1,
  Name: 'Mansi',
  Address: 'Pune',
  Branch: 'It'
 },
 {
  _id: ObjectId("63261f0811ecd899a0b7e9a5"),
  st_id: 2,
  Name: 'Ankita',
  Address: 'Mumbai',
  Branch: 'It'
 },
  _id: ObjectId("63261f4811ecd899a0b7e9a7"),
  st_id: 4,
  Name: 'Sneha',
  Address: 'Nashik',
  Branch: 'CS',
  upsert: true
 },
```

```
{
  _id: ObjectId("63261f7611ecd899a0b7e9a8"),
  st_id: 5,
  Name: 'Khushi',
  Address: 'Pune',
  Branch: 'E&Tc'
}
]
Count:
mansi> db.ITstudent.count();
DeprecationWarning: Collection.count() is deprecated. Use countDocuments or
estimated Document Count.\\
7
Replace:
mansi>
db.ITstudent.replaceOne({Name:"Ankita"},{Name:"Ankita",increment:[{st_id:2,Branch:"IT"},{st_id:9,
Branch: "CS" }] });
 acknowledged: true,
insertedId: null,
 matchedCount: 1,
 modifiedCount: 1,
upsertedCount: 0
}
mansi> db.ITstudent.find().pretty();
[
  _id: ObjectId("63261ed311ecd899a0b7e9a4"),
  st_id: 1,
  Name: 'Mansi',
  Address: 'Pune',
  Branch: 'It'
```

```
},
{
 _id: ObjectId("63261f0811ecd899a0b7e9a5"),
 Name: 'Ankita',
 increment: [ { st_id: 2, Branch: 'IT' }, { st_id: 9, Branch: 'CS' } ]
},
{
 _id: ObjectId("63261f4811ecd899a0b7e9a7"),
 st_id: 4,
 Name: 'Sneha',
 Address: 'Nashik',
 Branch: 'CS',
 upsert: true
},
 _id: ObjectId("63261f7611ecd899a0b7e9a8"),
 st_id: 5,
 Name: 'Khushi',
 Address: 'Pune',
 Branch: 'E&Tc'
},
 _id: ObjectId("63261f9411ecd899a0b7e9a9"),
 st_id: 6,
 Name: 'Niraj',
 Address: 'Delhi',
 Branch: 'E&Tc'
},
 _id: ObjectId("63261fc911ecd899a0b7e9aa"),
 st_id: 7,
```

```
Name: 'Amit',
  Address: 'Kalyan',
  Branch: 'IT'
},
 {
  _id: ObjectId("63261ff311ecd899a0b7e9ab"),
  st_id: 8,
  Name: 'Asavari',
  Address: 'Latur',
  Branch: 'CS'
}
]
Find And Modify:
mansi> db.ITstudent.findAndModify({query:{name:"Mansi"},update:{$set:{st_id:10}}},upsert:true});
null
mansi> db.ITstudent.findAndModify({query:{name:"Mansi"},update:{$set:{st_id:1}},upsert:true});
{ _id: ObjectId("632629500f44e5b5e4b2ae71"), name: 'Mansi', st_id: 10 }
mansi> db.Itstudent.find().pretty();
mansi> db.ITstudent.find().pretty();
[
  _id: ObjectId("63261ed311ecd899a0b7e9a4"),
  st_id: 1,
  Name: 'Mansi',
  Address: 'Pune',
  Branch: 'It'
 },
  _id: ObjectId("63261f0811ecd899a0b7e9a5"),
  Name: 'Ankita',
```

```
increment: [ { st_id: 2, Branch: 'IT' }, { st_id: 9, Branch: 'CS' } ]
},
{
 _id: ObjectId("63261f4811ecd899a0b7e9a7"),
 st_id: 4,
 Name: 'Sneha',
 Address: 'Nashik',
 Branch: 'CS',
 upsert: true
},
 _id: ObjectId("63261f7611ecd899a0b7e9a8"),
 st_id: 5,
 Name: 'Khushi',
 Address: 'Pune',
 Branch: 'E&Tc'
},
{
 _id: ObjectId("63261f9411ecd899a0b7e9a9"),
 st_id: 6,
 Name: 'Niraj',
 Address: 'Delhi',
 Branch: 'E&Tc'
},
 _id: ObjectId("63261fc911ecd899a0b7e9aa"),
 st_id: 7,
 Name: 'Amit',
 Address: 'Kalyan',
 Branch: 'IT'
},
```

```
{
  _id: ObjectId("63261ff311ecd899a0b7e9ab"),
  st_id: 8,
  Name: 'Asavari',
  Address: 'Latur',
  Branch: 'CS'
 },
 {
  _id: ObjectId("632629500f44e5b5e4b2ae71"),
  name: 'Mansi',
  st_id: 1
 }
]
Drop:
mansi> db.ITstudent.drop();
true
mansi> db.ITstudent.find();
```