BUSINESS ANALYSIS | FUNCTIONAL DOCUMENTATION

Derived from the Figma design file (source of truth)

AutoComm

Overview Document – Functional Feature Documentation

Document Information

Project Name	AutoComm – Auto Calling & Message Platform
Document Name	AutoComm – Overview Document
Version	1.0
Date	29 September 2026
Source of Truth	Figma file "Auto calling - message" (Page 1, 90 screens)

This document describes what the system does and which fields and features are available, exactly as shown in the Figma design. It does not redesign the product and does not add features that are not in the design.

Table of Contents

1. Overview 6

1.1 About the Platform 6

1.2 Purpose 6

1.3 Who Uses It 6

1.4 Major Modules 6

1.5 Main Workflows and How the Modules Work Together 7

1.6 Documentation Conventions 7

1.7 Scope of the Reviewed Figma 7

2. Global Layout and Navigation 8

2.1 Top Bar 8

2.2 Left Navigation Menu 8

2.2.1 Dashboard "Get Started" shortcuts 8

2.3 Common List Behaviour 8

3. Login 9

3.1 Features 9

3.2 Login Screen (Enterprise layout) 9

3.3 Login Screen (Simple layout) and Error State 9

4. Dashboard 10

4.1 Features 10

4.2 Get Started Shortcuts 10

4.3 Summary Cards 10

4.4 Campaign Overview (list) 11

4.5 Recent Users (list) 11

4.6 Default Messages / Templates (list) 11

5. Campaigns 12

5.1 Campaign Landing Screen 12

5.2 WhatsApp Campaign List 12

5.3 Auto Calling Campaign List 13

5.4 Create Campaign - WhatsApp 14

5.5 Create Campaign - Auto Calling 14

5.6 Campaign Details 15

5.7 Deleted Campaigns 17

6. Templates 18

6.1 Templates Landing Screen . . . 18
6.2 Whatway (WhatsApp) Template List . . . 18
6.3 Create Whatway Template . . . 19
6.4 AgentLab (Voice) Template List . . . 20
6.5 Create AgentLab Voice Template . . . 20

7. Contacts and Groups . . . 22

7.1 Contact Directory . . . 22
7.2 Add New Contact . . . 23
7.3 Selecting Contacts (Bulk Actions) . . . 23
7.4 Contact Filters Panel . . . 23
7.5 Contacts Management (opened from Team Inbox) . . . 24
7.6 Groups . . . 25

8. Team Inbox . . . 27

8.1 Features . . . 27
8.2 Screen Elements . . . 27
8.3 Conversation More Menu . . . 27

9. Channels (WhatsApp Channel Settings) . . . 28

9.1 Channel Settings Screen . . . 28
9.2 Add New Channel / Edit Channel . . . 29
9.3 Send Test Message (popup) . . . 29
9.4 Business Profile . . . 29
9.5 Display Name Change (popup) . . . 30
9.6 Disconnect Channel (confirmation popup) . . . 30
9.7 Delete Channel (confirmation popup) . . . 30

10. AI Settings . . . 31

10.1 AI Provider Configuration . . . 31
10.2 Tabs . . . 31

11. Reports and Analytics . . . 33

11.1 WhatsApp Analytics ("Whatway (WhatsApp)") . . . 33
11.2 Auto Calling Analytics . . . 34

12. AI Agents . . . 35

12.1 AI Agents List . . . 35
12.2 Create Agent - Incoming Agent . . . 35
12.3 Create Agent - Flow Agent . . . 37
12.4 Edit Agent . . . 37

12.5 Delete Agent (confirmation popup) . . . 37
12.6 Version History (popup) . . . 37
12.7 Guided Wizard (6 steps) . . . 38

13. Knowledge Base . . . 39

13.1 Features . . . 39
13.2 Header Actions . . . 39
13.3 Summary Cards . . . 39
13.4 Knowledge Base List . . . 39
13.5 Add URL (popup) . . . 40
13.6 Upload File (popup) . . . 40
13.7 Create Text (popup) . . . 40
13.8 Delete Item (confirmation popup) . . . 40

14. Voice Library . . . 41

14.1 Features . . . 41
14.2 Voice Card Information . . . 41

15. Calls and Conversations . . . 42

15.1 Summary Cards . . . 42
15.2 Search and Filters . . . 42
15.3 Tabs . . . 42
15.4 Call List Columns / Row Information . . . 42
15.5 Call Details . . . 43

16. Quick CRM . . . 44

16.1 Features . . . 44
16.2 Categories (tabs and board columns) . . . 44
16.3 Filters and Search . . . 44
16.4 Lead Card (board) . . . 44
16.5 Other Views . . . 44
16.6 Lead Details . . . 45
16.7 CRM Filter Settings . . . 45

17. Phone Numbers and Incoming Connections . . . 46

17.1 Phone Numbers ("Manage Connections") . . . 46
17.2 Incoming Connections . . . 46
17.3 Create Incoming Connection (popup) . . . 46

18. API Documentation . . . 47

18.1 Navigation inside the Documentation . . . 47

18.2 Content Shown 47

19. Consolidated Reference 48

19.1 Statuses 48

19.2 Popups and Modals 49

19.3 Empty States 50

19.4 Export / Download / Import 51

19.5 Validations and Messages 51

20. User Flows 53

21. Super Admin Features 57

21.1 Login / Signup 57

21.2 Dashboard 57

21.3 Client Management 57

21.4 Email Template Management 59

21.5 Client User Management 59

21.6 Campaign Monitoring 59

21.7 Visual Flow Builder Management 60

21.8 Contact / User Monitoring 61

21.9 Channel & Integration Management 61

21.10 Template Management 61

21.11 Contact Management 62

21.12 Group Management 62

21.13 Team Inbox Management 62

21.14 Channel Management 62

21.15 AI Agent Management 63

21.16 Knowledge Base Management 63

21.17 Voice Library Management 63

21.18 Calls & Conversations 63

21.19 Quick CRM Management 64

21.20 Phone Number Management 64

21.21 Incoming Connections Management 65

21.22 Reports & Analytics 65

1. Overview

1.1 About the Platform

AutoComm is a web-based admin console used to run business communication over two channels: **WhatsApp messaging** (through the WhatsApp Business / Meta Cloud API, labelled "Whatway" in the design) and **automated voice calling** (AI voice agents, labelled "AgentLab" and "Auto Calling" in the design). The login screen describes it as an internal Communication Automation Console for WhatsApp and Auto Calling operations.

1.2 Purpose

The platform lets an operations team manage contacts, build audiences, create reusable message and voice templates, launch and monitor campaigns, handle incoming WhatsApp conversations, configure AI agents for inbound and outbound calls, and review call, message and lead analytics from a single place.

1.3 Who Uses It

- **Admin users** who sign in with a username / corporate email and password. The Figma shows the roles or labels "Super Admin", "Admin", "System Admin" and "Admin Operator" against the logged-in user.
- **Inbox agents** who work in the Team Inbox and reply to WhatsApp conversations.
- **Developers** who use the REST API documentation to integrate messaging, contacts, campaigns and account data.
- Detailed role-based permissions are **not clearly defined in the Figma**.

1.4 Major Modules

Module	Short description
Login	Sign-in screen and failed-login message.
Dashboard	Summary cards, quick actions, recent campaigns, recent users and default templates.
Campaigns	WhatsApp and Auto Calling campaigns: list, create, details, delete and restore.
Templates	Whatway (WhatsApp) templates and AgentLab (voice) templates.
Contacts & Groups	Contact directory, add/edit contact, import/export, groups and group members.
Team Inbox	Shared WhatsApp conversation inbox with conversation actions.
Channels	WhatsApp channel setup, health, test message, business profile, display name, disconnect and delete.
AI Settings	AI provider, training data, Q&A pairs, AI behaviour, escalation, test chat and data preview.
Reports & Analytics	WhatsApp analytics (overview, messages, campaigns) and Auto Calling analytics.
AI Agents	Incoming and Flow agents, create/edit/delete, version history and a 6-step Guided Wizard.
Knowledge Base	URL, file and text content used to train AI agents.
Voice Library	Browse and preview the voices available to agents.
Calls & Conversations	Call list, recordings, transcripts and call details.
Quick CRM	AI-categorised leads with pipeline board, lead details and CRM settings.
Phone Numbers & Incoming Connections	Dedicated phone numbers and linking incoming agents to numbers.
API Documentation	REST API reference: authentication, rate limiting and response format.

1.5 Main Workflows and How the Modules Work Together

- **Audience preparation:** Contacts are added (manually or by CSV import) and organised into Groups. Groups and contacts are then selected as the audience of a campaign.
- **WhatsApp campaign:** A Whatway template is created (submitted to Meta), then a WhatsApp campaign is created with that template and an audience. Results appear in Campaign Details and in Reports & Analytics.
- **Auto Calling campaign:** An AI Agent (with a voice, prompt and optional Knowledge Base) and a Phone Number are selected in the campaign. Contacts are uploaded by CSV. Calls appear in Calls & Conversations and qualified leads appear in Quick CRM.
- **Inbound handling:** WhatsApp replies arrive in the Team Inbox. Incoming voice calls are handled by an Incoming Agent linked to a Phone Number through an Incoming Connection.
- **Configuration:** Channels (WhatsApp credentials and health), AI Settings (text AI assistant) and Knowledge Base support the messaging and calling modules.

1.6 Documentation Conventions

- The Figma file is the only source. Nothing has been added from outside the design.
- Where something is unclear or not shown, it is marked **"Not clearly defined in the Figma."**
- **Control types** (dropdown, toggle, date picker, etc.) are taken from labels, placeholder text and layout in the design. Where the control could not be identified, it is marked "Not clearly defined".
- A red asterisk (*) next to a label in the Figma is shown here as **Required = Yes**. Fields labelled "(Optional)" are shown as **Optional**. Other fields show "-".
- Sample names, numbers and dates in the Figma (for example "James Thornton") are illustrative data and are only quoted here as examples.
- The design was reviewed as text and layout. Icons without text labels (for example row-action icons) are described only where their purpose is clear from the surrounding text.

1.7 Scope of the Reviewed Figma

The Figma file has one page ("Page 1") with **90 screens/frames** grouped into these sections: Log in & Dashboard, Campaigns screens, Template Flow, Contacts & Team inbox & group - message menu, Channels & AI settings, API Documentation, Analytics screens, Agent screen, Knowledge Base, Voice screen, Calls Screens, Quick CRM, and Phone number & Incoming connections.

2. Global Layout and Navigation

Objective: Describe the elements that appear on most screens once the user is signed in.

2.1 Top Bar

- Global search box (placeholder "Search users, campaigns, templates..." on most screens; a keyboard shortcut hint such as "/" or "Cmd+K" is shown on some screens).
- System status indicators: **WhatsApp: Online** and **Voice Gateway: Operational**.
- Logged-in user block with avatar initials, user name (for example "Admin User") and role label (for example "Super Admin").
- Breadcrumbs on inner pages (for example Dashboard / Campaigns / Campaign Details).

2.2 Left Navigation Menu

The menu items seen across the screens are listed below. The exact set and order differ slightly between frames.

Group	Menu items
Main Menu	Dashboard, Campaigns, Contacts, Templates, Reports, Settings, Users (shown on some frames)
Messages	Team Inbox, API Documentation, Channels
Auto Calling	Agents, Knowledge Base, Voice, Calls, Quick CRM, Phone Numbers, Incoming Connections
Footer	Help & Support

2.2.1 Dashboard "Get Started" shortcuts

The Dashboard also shows a Get Started block with four quick actions (see Dashboard).

2.3 Common List Behaviour

- Lists show a summary line such as "Showing 1 to 8 of 12,450 users".
- Pagination with Previous, page numbers and Next.
- A "Per page" / "Show" / "Rows per page" selector (values seen: 5, 6, 8, 10).
- Search box plus filter dropdowns, and a Clear Filters / Reset control on some lists.

3. Login

Objective: Allow an admin user to sign in to the console.

3.1 Features

- User can enter a username / corporate email and password and sign in.
- User can choose to remember the device for 30 days.
- User can open a "Forgot password?" link (the reset screens are not in the Figma).
- User can see system status (WhatsApp API & Voice Gateway Operational), Help Center, Terms of Service, Privacy Policy and Need Help? links.
- User sees an error message when the credentials are wrong.

3.2 Login Screen (Enterprise layout)

Field	Control Type	Required	Notes / Options
Username or Corporate Email	Text input	-	Example value: alex.vance@autocomm.io. A "Single Sign-On enabled" label is shown next to the field.
Password	Password input	-	"Forgot password?" link next to the label.
Remember this device for 30 days	Checkbox	Optional	
Sign In to AutoComm	Button	-	Submits the form.

Information shown on the screen

- Header: AutoComm, CORE OPS, "Communication Operations Platform"; badges "SSO-Ready Session" and "WhatsApp API & Voice Gateway Operational"; Help Center link.
- Left panel: "Enterprise Dual-Channel Orchestration" description; compliance labels "FIPS 140-2" and "SOC2 Type II & TCPA Compliant"; "Active Cluster Topology - Node-US-01 - v2.4.8-prod"; "99.98% Live".
- Footer text: "Protected by AutoComm Zero-Trust Security. Hardware key 2FA supported."; labels Mutual TLS Identity and Hardware 2FA Active; System Status; Terms of Service; Privacy Policy; Need Help?

3.3 Login Screen (Simple layout) and Error State

Field	Control Type	Required	Notes / Options
Username *	Text input	Yes	Placeholder "Enter username".
Password *	Password input	Yes	Placeholder "Enter password".
Login	Button	-	Submits the form.

Error message

- "Authentication failed: Invalid username or password. Please try again." (shown as a banner above the fields).

> **Note:** The Figma contains two different login layouts ("Login" and "Login -> Error"). Which one is final is not clearly defined in the Figma. Forgot-password screens, a 2FA / hardware key step and SSO screens are not designed; the 2FA and SSO text is informational only.

4. Dashboard

Objective: Give the user an overview of communication activity and quick access to common actions.

4.1 Features

- User can see summary cards for users, campaigns, messages and calls.
- User can start common tasks from the Get Started shortcuts.
- User can view a Campaign Overview list and open a campaign with View / View All.
- User can view Recent Users and open the full list with View All.
- User can view Default Messages / Templates, edit a template, or open the full list with View All Templates.
- User can use the global search box.

4.2 Get Started Shortcuts

Shortcut	Description shown
Create Campaign	Start a new WhatsApp or calling campaign
Add Contact	Add the new contact list
Create Template	Build a reusable message template
Create Calling Campaign	Set up an automated voice calling campaign

4.3 Summary Cards

- Total Users
- Recent Users
- Total Campaigns
- Ongoing Campaigns
- Completed Messages
- Failed Messages
- Completed Calls
- Failed Calls

> **Note:** The screen shows eight numeric values (for example 12,450 / 128 / 245 / 342 / 18 / 24,580 / 8,420 / 125). The exact mapping of each number to each card cannot be confirmed from the design text and is not clearly defined in the Figma.

4.4 Campaign Overview (list)

#	Column
1	Campaign Name
2	Type (WhatsApp, Auto Calling, WhatsApp + Calling)
3	Status
4	Audience
5	Progress (percentage)
6	Created (date)
7	Action: View

Statuses shown: Ongoing, Scheduled, Completed, Draft, Failed.

4.5 Recent Users (list)

#	Column
1	User (name)
2	Phone Number
3	Campaign
4	Last Activity (for example "2 min ago")
5	Status (Active, Pending, Inactive)

4.6 Default Messages / Templates (list)

#	Column
1	Template Name
2	Channel (WhatsApp, Calling)
3	Preview (message text with variables such as {amount}, {code})
4	Status (Active, Draft)
5	Action: Edit

5. Campaigns

Objective: Create, run, monitor, delete and restore WhatsApp and Auto Calling campaigns.

5.1 Campaign Landing Screen

Title "Campaigns" with the description "Create and manage your WhatsApp and automated calling campaigns." The header has a **Create Campaign** button.

Campaign Type Tabs / Counters

The screen shows three counters that switch the list: **WhatsApp Campaigns** (example 14), **Auto Calling Campaigns** (example 8) and **Deleted Campaigns** (labelled "Delete campaigns" on the list frames, example 8 / 0 / 4). An indicator "2 Active Dispatch Runs" is also shown. Only the fields of the selected tab are shown (see 5.2, 5.3 and 5.7).

5.2 WhatsApp Campaign List

Filters and search

- Search Campaign by name...
- Status: All (dropdown)
- Date: All Time (dropdown)
- Created By: All (dropdown)
- Template: All Templates (dropdown)
- Clear Filters

List columns

#	Column
1	Campaign Name (with a tag such as Onboarding, Billing, Marketing)
2	Audience / Users (count and segment name, for example "Segment: Tier-1 Users")
3	Message Template
4	Schedule (date / time)
5	Created Date
6	Status
7	Sent
8	Delivered
9	Failed
10	Actions

Actions (row menu)

- View Details
- Delete

Statuses

- Ongoing
- Scheduled
- Completed
- Paused
- Draft

Pagination: "Showing 1-5 of 14 campaigns", Per page (10), Previous, 1, 2, 3, Next.

5.3 Auto Calling Campaign List

Filters and search

- Search Campaign by name...
- Status: All
- Date: All Time
- Created By: All
- Template: All Templates
- Clear Filters

List columns

#	Column
1	Campaign Name (with tags such as Billing, Onboarding, Marketing)
2	Audience / Users (count and segment)
3	Message Template / Script
4	Schedule (for example "Today, 11:30 AM", "Not scheduled")
5	Status
6	Calls Made
7	Answered
8	Failed
9	Created Date
10	Actions

Actions (row menu)

- View Details
- Delete

Statuses

- Ongoing
- Scheduled
- Completed
- Paused
- Draft

Pagination: "Showing 1-7 of 8 campaigns", Per page (10), Previous, 1, 2, Next.

5.4 Create Campaign - WhatsApp

Title "Create Campaign" - "Configure audience, messaging template, scheduling, and channel delivery rules." The form is grouped into sections.

Field	Control Type	Required	Notes / Options
Campaign Name *	Text input	Yes	Placeholder "e.g. Summer Sale Announcement". Validation message shown: "Campaign name is required".
Description	Text area	Optional	Placeholder "Campaign objectives and notes...".
Template - Select Template	Dropdown	-	Helper text: "Your channel's WhatsApp messaging limit is Unlimited (UNKNOWN)."
Schedule Campaign (Optional)	Date-time picker	Optional	Format shown: mm/dd/yyyy --:-- --.
Enable auto-retry for failed messages	Toggle / checkbox (not clearly defined)	Optional	Helper text: "Automatically retries failed dispatches via alternative SMS or Voice fallback after 15 mins."
Campaign Filter by Group	Dropdown	-	Example value "test (1)" (group name with contact count).
Select Contacts	Checkbox list with Select All	-	Each row shows name, phone number and a "WhatsApp Valid" tag.

Actions

- Cancel
- Start Campaign

5.5 Create Campaign - Auto Calling

Title "Create Campaign" - "Fill in the details below to set up and launch your outbound voice campaign." Breadcrumb shows Campaign Details.

Field	Control Type	Required	Notes / Options
Campaign Name *	Text input	Yes	Example "Q1 Inbound Lead Outreach".
Campaign Type	Dropdown	-	Example value "Lead Qualification". Other types seen in the Figma: Lead, Feedback Collection.
Campaign Goal (Optional)	Text area	Optional	Placeholder asks for the campaign objective.
Select Agent *	Dropdown	Yes	Example "Maya - Conversational Lead Qualifier".
Phone Number *	Dropdown	Yes	Example "+1 (800) 459-2311 (Primary Outbound Toll Free)".
Visual Flow (Advanced, Optional)	Dropdown	Optional	Example "Interactive Multi-Turn Qualification Flow v3 (Recommended)".
Custom Script (Optional)	Text area	Optional	Supports variables such as {name} and {company}.
Enable Scheduling	Toggle	Optional	Section "Call Scheduling (Optional)": "Control when calls are made to ensure you reach contacts at appropriate times."
Start Time / End Time	Time pickers (hour, minute, AM/PM)	-	Examples 09:00 AM and 05:00 PM.
Days of Week	Day selection (Monday to Sunday)	-	Control style is not clearly defined.
Timezone	Dropdown	-	Example "America/New_York (EST, UTC-5)".

Field	Control Type	Required	Notes / Options
Add Contacts - Upload CSV	File upload	Optional	"Click to upload CSV file". Required column: phone_number. Optional: name, email and custom fields.
Download Template	Link / button	-	Downloads a sample CSV. Format example columns: phone_number, name, email, company.

- Note shown: "Ensure your file is UTF-8 encoded. Any extra columns will be preserved as custom variables in agent scripts."
- Note shown: "You can skip this step and add contacts later from the campaign details page."
- Actions: **Cancel**, **Create Campaign**.

5.6 Campaign Details

5.6.1 WhatsApp Campaign Details

Breadcrumb: Dashboard / Campaigns / Campaign Details. Header actions: **Back to Analytics**, **Export PDF**, **Export Excel**, **Export CSV**.

Campaign information

Field	Example / Notes
Type	marketing
Status	completed
API Type	mm_lite
Campaign Type	Not clearly defined (label shown, value not captured)
Template	inquiry_receipt_confirmation
Language	en_US
Created	Date and time
Scheduled	"Immediate" or date and time
Completed	Date and time
Description	Free text ("test")

Metrics

- Recipients
- Messages Sent
- Delivery Rate
- Read Rate
- Failure Rate

Recipient Details (list)

- Filter: All Statuses (dropdown)
- Columns: Name, Number, Status (for example read, delivered), Error Details
- Pagination: "Showing 1 to 5 of 18 recipients", Rows per page (5), Previous, Next

Target Audience

- Contact Groups - "3 group(s) selected" with the group names listed (for example Tier-1 Users, Active Leads, Support Inquiries).

5.6.2 Auto Calling Campaign Details

Breadcrumb: Dashboard > Campaigns > Campaign Details. **Back to Campaigns** link, **Export CSV** button, Campaign ID shown, and a type badge (for example "Lead").

Tabs

Tab	Content in the Figma
Contacts & Audience	Shown in detail (see below).
AI Voice Agents	Tab label only. Content not clearly defined in the Figma.
Analytics & Logs	Tab label only. Content not clearly defined in the Figma.
Settings	Tab label only. Content not clearly defined in the Figma.

Summary cards

- Status (example Pending)
- Total recipients
- Started (example "Not started")
- Progress (percentage)
- Successful Calls (with success rate)
- Failed Calls (with failure rate)
- Pending Calls (with % remaining)

Campaign Details & AI Configuration

Section header has an **Edit All Configuration** button. Description: "Configure telephony parameters, active conversational agent, and scheduling."

Field	Example
Campaign Name	-
Campaign Type	Lead / Feedback Collection
Status	Pending
AI Agent	Maya - Conversational Lead Qualifier
Telephony Outbound Number	+1 (800) 459-2311 (Primary Outbound)
Created	Sep 8, 2026 at 2:58 PM
Campaign Goal (Optional)	Free text
Call Scheduling Window	09:00 AM - 05:00 PM (Mon-Fri, IST)

Add contacts panel ("Add new contacts to this campaign")

- Upload CSV File - "Click to upload CSV file"; hint "Include columns: name, phone, email (optional)".
- CSV Format Example with columns phone_number, language, voice_id, first_message, prompt, city, other_dyn_variable.
- Download Sample CSV
- Buttons: Cancel, Save Changes
- "Hide Contacts" control collapses the panel.

Call Recipients (list)

- Heading shows total contacts (for example "0 Total contacts").
- Columns: Phone Number, Name, Email, Language, City, Status, Actions.

- Empty state: "No contacts added to this campaign yet".
- A plan indicator "Plan ACTIVE - Enterprise Scale" is shown at the bottom of the screen.

5.7 Deleted Campaigns

Description: "Manage your active, scheduled, and deleted automated communications." The Deleted Campaigns counter shows the note "Auto-purged after 30 days".

Filters and search

- Search deleted campaigns...
- Type: All Types (dropdown)
- Deleted Date: All Time (dropdown)
- Select All (bulk selection checkbox)

List columns

#	Column
1	Deleted Date (for example "2 days ago")
2	Campaign Name (with campaign ID such as CMP-9082-WA)
3	Channel / Type (for example WhatsApp Broadcast, Auto Calling, AI Voice, IVR Survey)
4	Audience (Recipients / Contacts count and segment)
5	Deleted By (user with avatar)
6	Actions: Restore

- Each row shows an auto-purge countdown (for example "Auto-purges in 28d").
- Pagination: "Showing 1-4 of 4 deleted campaigns", Items per page (10).

Restore confirmation message

- Title "Campaign Restored" - "The campaign has been reactivated with templates and contacts intact."

> **Note:** A delete-confirmation popup for campaigns is not shown in the Figma. The frame named "Campaign -> delete campaign" shows the Deleted Campaigns list and the restore message. Whether Delete asks for confirmation is not clearly defined in the Figma.

6. Templates

Objective: Create and manage reusable WhatsApp message templates (Whatway) and voice call templates (AgentLab).

6.1 Templates Landing Screen

Description: "Manage WhatsApp (Whatway) and Auto Calling (AgentLab) templates". Header actions: **Sync Meta API** and **+ Add Template**.

Template Type Tabs

Tab	Shows
Whatway Template (count, example 32)	WhatsApp templates (Meta approval based). See 6.2 and 6.3.
AgentLab Template (count, example 16)	Voice / IVR templates. See 6.4 and 6.5.

6.2 Whatway (WhatsApp) Template List

Summary cards

- Whatway WhatsApp (count)
- Total Templates
- AgentLab Voice (count)
- Dispatch Success (percentage)
- Sub-notes shown: "Meta Approved" percentage, "+6 this month", "12 Active Trunks", "+0.4% this week" (exact mapping to cards is not clearly defined).

Filters and search

- Filter templates... (search)
- Category: All
- Status: All
- Language: All
- More Filters

List columns

#	Column
1	Last Modified (date and time)
2	Template Spec & Preview (template name and message text with variables such as {{1}}, {{amount}})
3	Category (for example Utility / Onboarding, Transactional, Authentication, Alert, Compliance)
4	Language (for example EN (US), EN / ES, Multi (6))
5	Meta Status
6	Actions

Meta Status values shown: **Approved**, **In Review**. Pagination: "Showing 1 to 6 of 48 templates", Show (6) per page, Previous, 1, 2, 3, ..., 8, Next.

> **Note:** The individual row actions are icons without text in the design, so the action names are not clearly defined in the Figma. The Whatway list also contains one AgentLab voice script row ("AgentLab Balance Reminder Voice Script", status Active); this looks like sample data.

6.3 Create Whatway Template

Title "Add Whatway Template" / "Create Whatway Template" - "Configure WhatsApp Business API HSM template specification for campaigns and automated dispatches." Header: **Back**, **Meta Sync**. A **Live Template Preview** (phone-style preview with business name "AutoComm Official" and "Verified Business") updates with the content.

Section 1 - Basic Information (Required Fields *)

Field	Control Type	Required	Notes / Options
Template Name *	Text input	Yes	Label "Unique Meta identifier"; example "seasonal_promo_discount_q3". Hint: "Lowercase letters, numbers, and underscores only. This cannot be modified once approved."
Category *	Dropdown	Yes	Example value "Marketing".
Language *	Dropdown	Yes	Example value "English (US)".
Marketing Type	Dropdown (not clearly defined)	-	Example value "Custom Promotional".

Section 2 - Header Configuration (Optional Header)

Field	Control Type	Required	Notes / Options
Header Format	Option selector	Optional	Options: None, Text, Image, Video, Document.
Header Title	Text input	Optional	Character counter (example 44 / 60). **Add Variable {{1}}** button. Hint: "Keep headers concise to grab immediate recipient attention."

Section 3 - Message Body *

Field	Control Type	Required	Notes / Options
Message Body *	Text area	Yes	"Max 1024 chars" with counter (example 178 / 1024). Buttons: Emoji, **+ Add Variable**. Hint: "Variables must be sequential: {{1}}, {{2}}, {{3}}".
Sample Parameter Values (Required for Meta Review)	Text inputs (one per variable)	Yes	Rows such as {{1}} Customer Name = Sarah Jenkins, {{2}} Promo Code = SAVE30, {{3}} Expiry Date = June 30. "Previews real content" in the live preview.

Section 4 - Footer & Interactive Actions (Optional CTA Triggers)

Field	Control Type	Required	Notes / Options
Footer Disclaimer	Text input	Optional	Counter (example 49 / 60). Hint about including opt-out guidance such as "Reply STOP".
Interactive Buttons (Up to 3)	Repeatable button rows with **Add Button**	Optional	Button types shown: Quick Reply (label), Visit Website URL (label + URL, for example https://autocomm.io/redeem?code={{2}}), Phone Call (label + phone number).

Meta Compliance Pre-Check panel

- Result indicator "100% Pass".

- Checks listed: variable ordering is sequential; no promotional claims in auth payload; opt-out text present in message footer.
- Information: estimated approval SLA (~15 minutes via Cloud API); Quality Score (Tier-1 High); Meta Guidelines link.
- System Telemetry: Optimal, Latency 142ms, Node US-East-01, "Verified Meta Account".

Actions

- Cancel
- Create Template

6.4 AgentLab (Voice) Template List

Description: "Manage WhatsApp (Whatway) and Auto Calling (AgentLab) voice templates".

Summary cards

- Call Connection Success (percentage)
- Total Voice Templates
- Active Trunks / SIP
- Synthesis Engine (example "Neural TTS v2.4", "ElevenLabs & OpenAI")

Filters and search

- Search voice scripts, TTS voices, IVR prompts...
- Category: All
- Voice Model: All
- Language: All
- Status: All
- More Filters

List columns

#	Column
1	Duration / Status (for example "~42s", Active)
2	Last Modified
3	Voice Template Spec & TTS Preview (template name, voice such as Azure Guy Neural, script text with variables)
4	Category (for example Voice Call / Billing, Authentication / IVR, Transactional, Compliance / Agent, Support / Inbound IVR, Marketing / Survey)
5	Voice & Language (for example "EN-US - 1.0x / Natural")
6	Actions

Statuses shown: **Active**, **In Review**, **Draft**. Pagination: "Showing 1 to 6 of 16 templates", Show (6) per page.

> **Note:** Row action names are not clearly defined in the Figma (icons only).

6.5 Create AgentLab Voice Template

Title "Create AgentLab Voice Template" - "Configure automated AI voice calling scripts, prompts, tones, and conversational personality."

Section 1 - Template Specifications

Field	Control Type	Required	Notes / Options
Template Name *	Text input	Yes	Example "agentlab_balance_reminder_v2". Hint: "Lowercase letters, numbers, and underscores only. Used to invoke template via API and Dial Trunks."
Category *	Dropdown	Yes	Example "Voice Call / Billing & Collections".
Synthesis Language & Accent	Dropdown	-	Example "English (US) - Neutral".
Description *	Text area	Yes	

Information panel: SIP Trunk Status (Operational), TTS Latency (118ms), Active Engine (AgentLab v2.4).

Section 2 - Prompt & Conversational Flow

Field	Control Type	Required	Notes / Options
First Message (Call Greeting) *	Text area	Yes	Counter (example 142 / 300 chars). Variable legend: {{first_name}} = Recipient Name, {{amount}} = Outstanding Due, {{due_date}} = Due Date.
Prompt (Agent Behavior & System Instructions) *	Text area	Yes	Labelled "Agent Persona Directives"; "Model: GPT-4o-mini-voice" shown.

Section 3 - Voice Tone & Personality Settings

Field	Control Type	Required	Notes / Options
Suggested Voice Tone *	Option cards (single choice)	Yes	Professional (Calm, clear, corporate), Empathetic (Warm, supportive, gentle), Urgent (Direct, alert, time-sensitive), Friendly (Conversational, upbeat).
Suggested Personality *	Option cards (single choice)	Yes	Financial Advisor, Support Specialist, Compliance Officer (each with a short description).

Actions

- Cancel
- Create Voice Template

7. Contacts and Groups

Objective: Maintain the contact database and organise contacts into groups that can be used as campaign audiences.

7.1 Contact Directory

Title "Contacts" - "Manage and view all registered platform users and contact records".

Features

- User can view all contacts and summary counts.
- User can search, filter, add, edit, import and export contacts.
- User can download a sample Excel file for import.
- User can select contacts and act on them in bulk (7.3).
- User can open a filter panel by channel type (7.4).

Summary cards

- Total Contacts
- Active contact
- WhatsApp Enabled
- Voice Calling Enabled
- Sub-notes shown: "+3.2% this month", "94.9% reachable rate", "97.2% coverage", "Automated IVR ready".

Toolbar

- Search users by name, email, or number...
- Filter users...
- Status: All Users (dropdown)
- Channel: All (dropdown)
- Month selector (example "June 2025") - control type not clearly defined
- Export CSV
- Import CSV
- Download sample excel
- Add New Contact

List columns

#	Column
1	Date Added
2	User (avatar initials, name, @handle)
3	Email Address
4	Phone Number
5	Channels (tags: WhatsApp, Voice)
6	Status
7	Actions

- Statuses: **Active**, **Pending**, **Inactive**.
- Action available: **Edit**.
- Pagination: "Showing 1 to 8 of 12,450 users", Show (8) per page, Previous, 1, 2, 3, ..., 1557, Next.

7.2 Add New Contact

Title "Add New Contact" - "Add the contact list". Section "User Information - Enter user identity and contact channels".

Field	Control Type	Required	Notes / Options
Full Name *	Text input	Yes	Example "James Thornton".
Corporate Email Address *	Text input	Yes	Example "james.thornton@enterprise.com".
Primary / Calling Phone Number *	Country code dropdown + number input	Yes	Example "+1 (US/CA)" + "(555) 201-4832".
WhatsApp Messaging Channel - Same as Primary Phone	Checkbox / toggle (not clearly defined)	Optional	Helper: "Configure delivery for bot notifications and campaigns".
Dedicated WhatsApp Number	Country code dropdown + number input	Optional	Example "+44 (UK)" + "7911 842109". Used when it differs from the primary phone.

- Actions: **Cancel**, **Add Contact**.
- A Gateway Telemetry box shows Latency (142ms) and Cluster (Node-US-01) for information.

7.3 Selecting Contacts (Bulk Actions)

When a contact row is selected, a bar shows "1 Contact selected" with these actions:

- Add Group
- Export Selected
- Add to group
- Delete selected

> **Note:** "Add Group" and "Add to group" both appear in the bulk bar. The difference between them is not clearly defined in the Figma.

7.4 Contact Filters Panel

Opening the Channel filter shows a panel titled **FILTER BY CHANNEL TYPE** with a **Reset** action and these options:

Option	Description shown
Groups (count, example 42)	Segmented audience & internal groups
Contacts (count, example 12,450)	Individual phone & WhatsApp contacts
View All Channel Integrations	Link at the bottom of the panel

7.5 Contacts Management (opened from Team Inbox)

Opening "View Contact" from the Team Inbox shows a Contacts Management screen: "Manage your WhatsApp contacts, groups, and audience records", with an **Add New Contact** button.

- Search contacts, phone numbers, email...
- Filters: All Groups, All Statuses
- Buttons: Export All Contacts, Import Contacts, Download Sample Excel

#	Column
1	Contact (name and email)
2	Phone
3	Groups (for example "No groups")
4	Status (for example ACTIVE)
5	Last Contact (for example "Never")
6	Actions ("..." menu)

Row menu options: **Edit Contact**, **Add to Group**, **Block Contact**, **Delete Contact**. Pagination: "Showing 1 to 5 of 12,450 contacts", Rows (10), Previous, 1, 2, 3, Next.

Edit Contact form ("Update contact information")

Field	Control Type	Required	Notes / Options
Name	Text input	-	
Phone Number	Text input	-	Example 27786466123.
Email (Optional)	Text input	Optional	
Groups - Select group	Dropdown	-	

- Actions: **Cancel** and an update action. The text "Contact updated" appears in the frame; whether it is the button label or a success message is not clearly defined.

Add to Group popup ("Manage Groups")

- Description: "Add or remove this contact from groups."
- Group list with selectable items (for example Internal_group_1 shown as Selected, Internal_group_2, Internal_group_3, Internal_group_4).
- Actions: **Close**, **Save Changes**.

Contact Directory variant with Groups column

Another frame ("Contacts Directory") shows the columns Contact (name and role), Phone, Email, Groups, Status and Actions (**Manage**), with filters All Groups and All Statuses and buttons Export and Import. The **Add Group** popup opens from this screen.

7.6 Groups

7.6.1 Groups Directory

Title "Contact Groups" - "Organize recipient audiences for automated voice calls, broadcasts, and IVR workflows."

- Header buttons: **Export**, **Create Group**.
- Search groups by name or description.
- Sort selector: Newest first.
- Each group card shows: group name, description, contact count (for example "15 contacts") and Created date.
- Group card actions: **Members**, **Send campaign**, **Edit**, **Delete**.
- Pagination: "Showing 1 to 6 of 42 groups", Show (10 per page), Previous, 1, 2, 3, ..., 5, Next.

7.6.2 Add Group (quick form)

Title "Add Group" - "Create a new contact group to segment and organize your audience."

Field	Control Type	Required	Notes / Options
Group Name *	Text input	Yes	Placeholder "e.g. Internal_group_5 or VIP Customers".
Description (optional)	Text area	Optional	Placeholder "Enter group description or purpose (optional)".

- Actions: **Cancel**, **Create Group**.

7.6.3 Edit Group

The Edit Group frame reuses the same form with the values filled in (Group Name and Description). The title and button still read "Add Group" and "Create Group"; the edit-specific labels are not clearly defined in the Figma.

7.6.4 Create Group with Contact Selection (2 steps)

Title "Create New Contact Group" - "Configure group details and select contacts to include in this group". Header buttons: **Cancel** and **Save & Create Group (n)** where n is the number of selected contacts.

Step 1 of 2 - Group Metadata & Channel Allocation ("Target Group Profile")

Field	Control Type	Required	Notes / Options
Group Name *	Text input	Yes	Example "VIP Customer Care Escalations"; a group ID (for example "grp_tier1_care") is shown.
Group Category	Dropdown	-	Example "Customer Segments".
Description & Operational Notes	Text area	-	

Step 2 - Select Audience Contacts ("Audience Builder")

- Search contacts by name, email, or phone...
- Filters: Channel: All (WhatsApp & Voice), Status: All, **Ungrouped Only**

#	Column
1	Contact Details (name and job title)
2	Email Address
3	Phone Number
4	Enabled Channels (WhatsApp, Voice)
5	Current Groups (or "No groups")
6	Status

#	Column
7	Action (selection)

- Pagination: "Showing 1 to 10 of 12,450 contacts", Show (10) per page.
- Selection bar: "14 contacts selected", Target group name, **Deselect All**, **Create Group with 14 Contacts**.
- Note: "Channels auto-allocated based on contact capabilities".

Success screen

- Title "Group Created Successfully!" - "Your new contact group has been created and synced across WhatsApp & Voice channels."
- Summary: Group Name, Total Contacts, Assigned Channels (WhatsApp & Voice Calling), Created Date (Just now), Status (Active).
- Actions: **Close**, **Go to Groups**.
- The list behind shows columns Group Name (with member count), Contacts, Channels, Created Date, Status, Actions.

7.6.5 Group Members

Opened with **Members** on a group card. Title "Members of “group name”" with the count (for example "1 contacts in this group").

- Header buttons: **Add Contacts**, **Import CSV**, **Create New Group**, **Export CSV**.
- Search members; "Select all on this page" checkbox.
- Member rows show name, phone number, email and Status (for example Active).
- A group list panel on the left shows group names, contact counts and created dates ("All groups details and management").
- Pagination: "Showing 1 of 1 contact", Previous, 1, Next.

> **Note:** Delete Group confirmation and the "Send campaign" action flow are not shown in the Figma (not clearly defined). The Add Contacts action in Group Members does not have its own screen.

8. Team Inbox

Objective: Let the team read and reply to WhatsApp conversations in one shared inbox.

8.1 Features

- User can view all WhatsApp conversations for the connected inbox channel.
- User can search conversations.
- User can filter conversations by All, Unread, WA, Widget and Assigned.
- User can open a conversation and read the message thread (including template messages).
- User can mark a conversation as Open or Resolved.
- User can view or block the contact and delete the chat.
- User can sync the inbox.
- User can open Browse Templates when the 24-hour session has expired.

8.2 Screen Elements

Element	Details
Inbox connection	Label "Inbox connection:" with the channel name (example "capermint") and a **Sync** action.
Search	Search... box above the conversation list.
Filter tabs	All, Unread (count), WA, Widget, Assigned.
Conversation list	Heading "ALL CONVERSATIONS (260)" grouped by day (for example Yesterday). Each item shows contact name and number, avatar initial, time ago (for example 1d) and the last message preview.
Conversation header	Contact name and number, a status tag (**OPEN**) and the text "WhatsApp Direct Messaging - Assigned to AutoComm Bot".
Message thread	Messages with timestamps. Template messages appear as "[template: template_name]".
Message area (session closed)	Banner "24-hour window expired"; text "You can only send template messages now to initiate contact."; button **Browse Templates**; input disabled with "Templates only (24-hr session closed)"; tag "HSM Required".
Message input (session open)	Placeholder "Type a message". The open-session state is not clearly defined in the Figma.
Health Telemetry	Dispatch Latency (142ms) and Cluster Active (Node-US-01).

8.3 Conversation More Menu

Group	Options
STATUS	Mark as Open, Mark as Resolved
Contact	View Contact, Block Contact
Chat	Delete Chat

- **View Contact** opens the Contacts Management screen (see 7.5). The frames show its row menu (Edit Contact, Add to Group, Block Contact, Delete Contact), the Edit Contact form and the Add to Group popup.
- Conversation statuses shown: **OPEN**; **Resolved** (from the Mark as Resolved option).

> **Note:** Assigning a conversation to an agent, sending a template from Browse Templates, and confirmation popups for Block Contact and Delete Chat are not shown in the Figma (not clearly defined).

9. Channels (WhatsApp Channel Settings)

Objective: Connect and manage WhatsApp Business API channels used for messaging and campaigns.

9.1 Channel Settings Screen

The page has two top tabs: **Channel Settings** and **AI Settings** (see Module 10). The left sub-menu shows **WhatsApp Channels**, **SMS Gateways** and **Webhooks & API**. Only WhatsApp Channels is designed. Description: "Configure your WhatsApp Business API channels for Cloud API and MM Lite".

Features

- User can view connected WhatsApp channels and their details.
- User can add a new channel, edit a channel, and copy the Channel ID.
- User can send a test message, open the business profile, and request a display name change.
- User can disconnect or delete a channel.
- User can check channel health and refresh it.
- User can re-subscribe delivery webhooks (header button and Delivery Webhooks panel).

Header actions

- Re-subscribe Webhooks
- Add New Channel

Channel card

Item	Details
Channel name and phone	Example "Capermint Technologies (+919081044426)"
Status	Active
Details	Channel ID (with Copy), Meta App ID, Phone, Phone Number ID, Business Account ID, Display Name
Actions	Test, Edit, Profile, Disconnect, Delete, Copy (Channel ID)

Channel Health panel

Item	Values shown
Overall	Healthy; "Last checked 1 minute ago"; **Refresh** action
Account Mode	LIVE
Quality Rating	GREEN
Messaging Limit	Unconfirmed
Throughput	STANDARD
Verification	EXPIRED
Name Status	APPROVED
Messaging Availability	AVAILABLE (entities listed: PHONE_NUMBER, WABA, BUSINESS, APP)
Delivery Webhooks	Subscribed; **Re-subscribe** action

Footer text: "AutoComm Server - v3.4.2 Connected".

9.2 Add New Channel / Edit Channel

Create screen: "Add New WhatsApp Channel" ("Configure your WhatsApp Business API credentials and settings."). Edit screen: "Edit WhatsApp Channel" ("Manage API keys, webhooks, and routing credentials").

Field	Control Type	Required	Notes / Options
Channel Name	Text input	-	Helper: "A friendly name to identify this channel".
Phone Number	Text input	-	Helper: "The WhatsApp Business phone number". Example +1234567890.
Meta App ID	Text input	-	Helper: "Your Meta (Facebook) App ID".
Phone Number ID	Text input	-	Helper: "Found in Meta Business Suite under WhatsApp settings".
WhatsApp Business Account ID	Text input	-	Helper: "Your WhatsApp Business Account ID from Meta".
Access Token	Text input	-	Helper: "Your permanent access token from Meta".
Business Account ID (Optional)	Text input	Optional	Helper: "Your Meta Business Account ID (optional)".
Throughput Rate	Display / input (not clearly defined)	-	Shown only on the Add New Channel frame (example "80 msg/sec"), with a LIVE indicator and Channel ID.

- Actions on Add: **Cancel**, **Create Channel**. Actions on Edit: **Cancel**, **Update Channel**.

> **Note:** Required marks (*) are not shown for these fields. Some example values in the Add frame look mismatched with their labels (for example a name under Business Account ID), so field-level rules are not clearly defined in the Figma.

9.3 Send Test Message (popup)

- Description: "Send a test WhatsApp message to verify your channel configuration".
- Fields: **Phone Number** (hint "Enter without + or spaces (e.g., 919310797700)"), **Message** (default text "Hello! This is a test message from WhatsWay.").
- Actions: **Cancel**, **Send Test Message**.

9.4 Business Profile

Title "Business Profile" - "Edit the WhatsApp Business Profile for capermint".

Field	Control Type	Required	Notes / Options
Display Name	Read-only text + **Change** button	-	Hint: "To change your display name, click Change to submit a request for Meta review."
Profile Photo	File upload	Optional	"JPEG or PNG, max 5MB".
About	Text input	-	Character counter (example 24/139).
Description	Text area	-	Character counter (example 138/512).
Address	Text input	-	
Email	Text input	-	
Websites (max 2)	Text inputs with **Remove**	-	Up to two website URLs.
Industry	Dropdown	-	Example "Other".

- Actions: **Cancel**, **Save Profile**.

9.5 Display Name Change (popup)

- Description: "Manage the WhatsApp display name... Changes require Meta review (usually 24-48 hours)."
- Shows Current Display Name, Status (Approved) and Phone.
- Field: **Request New Display Name** (text input, placeholder "Enter new display name..."). Rules shown: must match business branding and legal documents; no emojis or special characters; 3-512 characters; up to 10 changes per 30 days.
- Actions: **Close**, **Submit for Review**.

9.6 Disconnect Channel (confirmation popup)

- Message: "Are you sure you want to disconnect this WhatsApp channel?"
- "This will:" deregister the phone number from Cloud API; stop all incoming and outgoing messages through this platform; mark the channel as inactive. "You can reconnect the channel later if needed."
- Actions: **Cancel**, **Disconnect**.

9.7 Delete Channel (confirmation popup)

- Message: "Are you sure you want to permanently delete this WhatsApp channel?" and "Warning: This action cannot be undone."
- Shows the channel name and number. Consequences listed: permanently removes the channel configuration and Meta API credentials; disconnects the number from the platform; active automation dispatches and webhook listeners are terminated; historical message logs are locked and archived per compliance retention policy.
- Actions: **Cancel**, **Delete Channel**.

10. AI Settings

Objective: Configure and train the AI assistant used in the chat widget and Team Inbox.

Title "AI Training & Knowledge Base" - "Train your AI assistant with custom data, Q&A pairs, and configure behavior. This training data is shared across the chat widget and team inbox." The page is reached from the **AI Settings** tab next to Channel Settings.

10.1 AI Provider Configuration

Status label **Assistant Active** (shown as Active on some frames). Description: "Select your AI model provider and credentials. You must save these settings before activating the assistant."

Field	Control Type	Required	Notes / Options
Provider	Dropdown	-	Example "Google Vertex AI (Gemini)".
Authentication	Information text	-	"Uses vertex_credential.json service account - no API key needed."
Model	Dropdown	-	Example "Gemini 1.5 Flash" (another frame shows "Gemini 3.5 Flash").
Temperature	Slider	-	Example 0.1. "Higher = more creative, Lower = more precise".
Max Tokens	Number input	-	Shown on the AI Behavior frame (example 2048).
Trigger Words	Tag input with **+** button	-	"AI will only respond when a message contains one of these words (applies to both widget chat and team inbox)". Placeholder "e.g., hello, help, pricing". When empty: "No trigger words defined - AI will respond to all messages".

- Action: **Save Provider Settings**.
- Counters shown: Sources, Chunks, Q&A Pairs (example 0 / 0 / 5).

10.2 Tabs

Tabs: **Training Data**, **Q&A Pairs**, **AI Behavior**, **Escalation**, **Test Chat**, **Data Preview**. Only the selected tab's content is shown.

10.2.1 Training Data

Section	Fields and actions
Knowledge Base Integration	"Sync your knowledge base articles as AI training data". Button **Train from Knowledge Base** ("Use KB articles to answer customer questions").
Website URL Training	"Add website URLs to scrape and train the AI from". Fields: URL (placeholder https://example.com/about), Source name (optional). Buttons: **+**, **Add URL**.
Document Upload	"Upload PDF, TXT, CSV, DOCX, or Markdown files". Button **Upload Document**. Note "Max 10MB. Supported: PDF, TXT, CSV, DOCX, MD".

10.2.2 Q&A Pairs

Field	Control Type	Required	Notes / Options
Question	Text input	-	Example "What are your business hours?".
Answer	Text area	-	Example business-hours answer.
Category	Dropdown	-	Example "General".

- Actions: **Add Q&A Pair**.

- "Existing Q&A Pairs (5)" list grouped by category (for example Getting Started, Support, Analytics) showing the question (Q:) and answer (A:).

> **Note:** Edit and delete actions for existing Q&A pairs are not shown in the Figma (not clearly defined).

10.2.3 AI Behavior

Field	Control Type	Required	Notes / Options
System Prompt	Text area	-	"Define how the AI should behave and respond to customers". Counter (example 240 / 4000 characters).
Response Tone	Dropdown	-	Example "Friendly".
Max Response Length	Dropdown	-	Example "Medium (~200 words)".
Fallback Message	Text input	-	"Shown when the AI cannot generate a response".

- Action: **Save AI Settings**.

10.2.4 Escalation ("Escalation Rules")

"Configure when the AI should transfer conversations to human agents".

Field	Control Type	Required	Notes / Options
Enable Auto-Escalation	Toggle	-	"Automatically transfer to an agent when AI can't help".
Max Unanswered Attempts	Dropdown	-	Example "After 3 failed attempts".
Trigger Phrases	Tag input	-	Placeholder "e.g., speak to manager"; examples: speak to agent, talk to human, real person.
Escalation Message	Text input	-	"Message shown to user when transferring to an agent".

- Action: **Save Escalation Rules**.

10.2.5 Test Chat ("Test AI Chat")

- "Test how your AI responds using current training data and settings".
- Message area with the text "Send a message to test the AI - Uses your actual training data and system prompt".
- Input: "Type a test message...".

10.2.6 Data Preview ("Training Data Overview")

- "All indexed content the AI uses to answer questions".
- Shows the list "Q&A Pairs (5)" with each question and answer. Website and document sources are not shown (count 0).

11. Reports and Analytics

Objective: Let the user review message and call performance.

11.1 WhatsApp Analytics ("Whatway (WhatsApp)")

Title "Analytics & Performance" - "Comprehensive delivery rates, engagement metrics, and campaign conversion telemetry." Date range selector (example "Last 30 Days: Oct 1 - Oct 30, 2026") and an **Export** button. Sub-tabs: **Overview**, **Messages**, **Campaigns**.

11.1.1 Overview tab

- KPI cards: Total Messages, Delivery Rate, Read Rate, Reply Rate, Failure Rate.
- Chart "Message Performance" (period selector "Last 7 days"; legend Delivered and Failed / Other; dates on the horizontal axis).
- Summary block: Total, Delivered, Active Campaigns, Total Campaigns, Unique Contacts, Total Recipients.
- Footer note: "All message telemetry synchronized live with AutoComm Meta WABA gateway." and System Telemetry (Dispatch Latency 142ms, Gateway Node US-East-01).

11.1.2 Messages tab ("Messaging Analytics")

- Description: "Monitor and analyze communication throughput across automated channels".
- KPI cards: Outbound Messages, Inbound Messages, Average Response Time.
- Chart "Message Activity by Hour" - distribution of outbound and inbound messages over a 24-hour cycle, with a peak label (example "Peak: 14:00 (21 msgs)").

11.1.3 Campaigns tab ("Campaigns Analytics")

- KPI cards: Total Sent, Total Delivered, Total Read, Total Failed.
- Section "Campaign Performance" with **Filter** and **Export CSV** buttons.
- Pagination: "Showing 1 to 7 of 7 campaign entries", Previous, 1, Next.

#	Column
1	Campaign (name and type tag such as marketing)
2	Status (completed, failed)
3	Recipients
4	Sent
5	Delivered
6	Read
7	Rate
8	Actions: View Details

> **Note:** One Campaigns frame ("Campaigns -> all") also shows an All Calls / Incoming / Outgoing switch and the charts "Campaign Success Rate" and "Sentiment Analysis" above the WhatsApp campaign table. Whether these belong to the WhatsApp Campaigns tab is not clearly defined in the Figma.

11.2 Auto Calling Analytics

Title "Auto Calling Analytics" - "Comprehensive voice call insights and performance metrics". Controls: date range selector (example "Last 7 Days") and **Export Report**.

Direction tabs

Tab	Content
All Calls	KPI cards and charts for all calls.
Incoming	Same layout, filtered to incoming calls, plus the "Inbound Trunk Line Carrier" panel.
Outgoing	Same layout, filtered to outgoing calls.

KPI cards

- Total Calls (with "completed today")
- Success Rate ("Standard benchmark: 75%")
- Qualified Leads ("Based on qualification criteria")
- Avg Duration ("minutes per call")

Charts

- **Daily Call Volume** - "Call frequency over the selected 7-day period" (Monday to Sunday).
- **Lead Distribution** - "Categorization of call outcome states" (for example Qualified, Unassigned / No Data).
- **Campaign Success Rate** - "Target: 95%".
- **Sentiment Analysis** - "AI voice emotional tone detection".

Inbound Trunk Line Carrier panel (Incoming tab)

- SIP Server (example us-east-sip.autocomm.telephony), Codec (G.711u / Opus), Latency (24ms), status "Active Trunk", link **Trunk Settings**.

Empty states shown

- Daily Call Volume: "No Data" - "No call volume recorded for this time window" / "Incoming call events will graph here once recorded".
- Campaign Success Rate: "No campaign metrics evaluated for current filter".
- Sentiment Analysis / Lead Distribution: "No data".

12. AI Agents

Objective: Create and manage conversational AI agents that handle voice calls (and WhatsApp, per the Voice / WhatsApp switch shown on the agent screens).

12.1 AI Agents List

Title "AI Agents" - "Create and manage your conversational AI agents". Header buttons: **Guided Wizard** and **New Agent** ("Create New Agent").

Summary cards

- Total Agents
- Incoming (Incoming triggers)
- Flow (Flow orchestrations)

Tabs and filters

Tab	Shows
All (count)	All agents
Incoming (count)	Incoming agents - open-ended conversations for receiving calls
Flow (count)	Flow agents - deterministic flow-based agents for campaigns

- Engine filter: **All Engines** (dropdown).
- Search agents...

Agent card

- Agent name and type badge (Incoming or Flow).
- Voice and language (for example "Bella - Professional, Bright, Warm - English").
- Voice tone and personality (for example "Professional - Helpful").
- Prompt / description preview text.
- Actions: **Version History**, **Configure** (edit), **Delete**.
- Extra details on the detailed card view: Voice Engine, Language, Fallbacks (example WhatsApp Dispatch), Telephony Channel (example Twilio SIP Trunk), Concurrent Lines (example 25 Channels), Latency Target (example 320ms avg).

12.2 Create Agent - Incoming Agent

Screen has a **Back to AI Agents** link. The form has numbered sections.

1. Agent Type *

Option	Description shown
Incoming Agent	Open-ended AI conversations. Best for receiving calls on purchased phone numbers and human-like natural dialogue.
Flow Agent	Deterministic flow-based execution. Best for bulk campaigns, reminders, confirmations, and predictable scripted interactions.

Agent Basics & Persona

Field	Control Type	Required	Notes / Options
Agent Name *	Text input	Yes	Example "Customer Support Agent".
Voice Tone	Dropdown	-	Example "Professional".
Personality	Dropdown	-	Example "Helpful".

Telephony & Speech Engine

Field	Control Type	Required	Notes / Options
Telephony Provider Stack	Option cards (single choice)	-	ElevenLabs + Twilio (premium voice quality, 30+ languages, lowest jitter); OpenAI + Twilio (real-time AI, international SIP routing); OpenAI + Plivo (real-time AI, optimized for domestic & India numbers).
Voice Profile *	Dropdown + **Listen Preview**	Yes	Example "Bella - Professional, Bright, Warm".
Language & Accent *	Dropdown	Yes	

AI Model & Voice Tuning

Field	Control Type	Required	Notes / Options
LLM Model *	Dropdown	Yes	Example "GPT-4o Mini (OpenAI)" with tag "Free Tier Included".
Temperature	Slider	-	Example 0.5. Scale labels: Deterministic (0.2), Creative (0.5), More Creative (0.8).
Stability	Slider	-	Example 55%.
Similarity Boost	Slider	-	Example 85%.
Speech Speed	Slider	-	Example 1.00x.

The last three fields are grouped as **Acoustic Modulation**; the first two are grouped as **LLM Intelligence Parameters**.

Start from a Pre-built Template (Optional)

- "Apply a validated agent prompt, voice calibration, and variables."
- Search templates by name or description...
- Filter chips: All Templates (6), Agent Presets, Sales, Support, Appointment, Survey.

Template	Description shown	Style
Appointment Scheduling	Efficient appointment scheduling assistant for {{company_name}}.	Friendly, efficient, organized
Customer Service Representative	Empathetic customer service specialist handling inquiries and issues.	Empathetic, patient, solution-focused
Debt Collection & Recovery	Professional and compliant payment reminder and arrangement specialist.	Professional, compliant, firm
Event Registration Desk	Enthusiastic event concierge confirming attendance and answering venue questions.	Enthusiastic, warm
Lead Qualification (Inbound)	Strategic lead qualification specialist gathering intent and budget.	Inquisitive, sharp
Outbound Campaign Specialist	Professional outbound outreach agent for notifications and feedback.	Persuasive, polite

- Each template card shows the tag "agent_preset", "System", a usage count (for example "1x used"), its variables (for example {{company_name}}, {{agent_name}}) and a **Use Template** button.

Prompt, Knowledge Base and Tools

Field	Control Type	Required	Notes / Options
System Instructions / Core Prompt *	Text area	Yes	"Supports dynamic variables: {{company_name}}, {{customer_name}}".
First message	Text input	-	Example "Hello! How can I help you today?".
Knowledge Base (Optional)	Selector	Optional	"Select knowledge base documents to train this agent".
Enable Call Transfer	Toggle	-	Agent can transfer calls to human operators when requested.
Enable Language Detection	Toggle	-	Automatically detect and respond in the caller's language (99 languages).
Enable End Conversation	Toggle	-	Let the agent end the conversation when appropriate.
Enable Appointment Booking	Toggle	-	Let the agent book appointments during calls.

- Actions: **Cancel**, **Create Agent**.

12.3 Create Agent - Flow Agent

When **Flow Agent** is selected, the form shows the same Agent Type, Agent Basics, Telephony & Speech Engine, AI Model & Voice Tuning, System Instructions, First message and Knowledge Base sections, with these differences:

- A **Conversation Flow** block is shown with **Max Conversation Duration** (dropdown; value "1 min" shown, with other values such as 10 min and 30 min appearing in the frame).
- The Pre-built Template block and the System Tools toggles are not shown.
- Actions: **Cancel**, **Create Agent**.

> **Note:** The content of the "Conversation Flow" block (flow builder or flow selector) and the "Visual Flow" design are not clearly defined in the Figma.

12.4 Edit Agent

Title "Edit AI Agents" with **Back to AI Agents**. The form is the same as Create Agent (Incoming). Buttons shown: **Cancel** and **Create Agent** (the label is not changed for editing; the edit-specific label is not clearly defined).

12.5 Delete Agent (confirmation popup)

- Title "Delete Agent".
- Message: "Are you sure you want to delete “agent name”? This action cannot be undone and will permanently remove the agent from your account."
- Actions: **Cancel**, **Delete**.

12.6 Version History (popup)

- Title "Version History" - "View and restore previous versions of agent name".
- Empty state: "No Version History" - "Version history will appear here when you make changes to this agent."
- Action: **Done**.

- Version numbers (for example v1.0.4, v2.1.0) appear on the detailed agent cards. The list of versions and the restore action are not clearly defined in the Figma.

12.7 Guided Wizard (6 steps)

Opened with **Guided Wizard**. Title "Create AI Agent" with the progress text "Step n of 6". Common buttons: **Back**, **Cancel**, **Continue**.

Step	Content
Step 1: Use Case	Question "What will your AI agent do?" - "Choose a use case to get started with optimized settings and pre-trained prompts." Options: Receptionist (Recommended), Appointment Setter, Lead Qualification, Survey & Feedback, Customer Service, Custom Agent (each with a short description). Note: "Estimated setup: 3 mins".
Step 2: Basic Info	"Name your agent and choose its voice engine architecture." Fields: Agent Name * (example "My Receptionist Agent"), Telephony & Engine Provider * (ElevenLabs + Twilio, OpenAI + Twilio, OpenAI + Plivo), Voice * (example "Rachel - Professional, Calm (ElevenLabs)"), Language (example "English (US & International)").
Step 3: Personality	"Personality & Tone". **Voice Tone** options: Professional (Default), Friendly, Empathetic, Confident, Casual. **Personality** options: Helpful, Professional, Patient, Inquisitive, Curious, Energetic (each with a short description).
Step 4: Prompts	"Configure Prompts" with **Use Template**. Fields: System Prompt * (with **Optimize** button, model tag "GPT-4o Telephony Fine-tuned", character count, "Detected Variable" such as {{company_name}}); First Message (Initial Caller Greeting) - "Spoken immediately on connect", variables list and estimated audio length. Buttons: **Save Draft**, Back, Continue.
Step 5: Voice	"Fine-tune Voice": "OpenAI voice settings are optimized automatically". Shows **Selected Voice** (example Alloy - "Neutral and balanced", Default).
Step 6: Review	"Review Your Agent" - summary of Use Case, Name, Telephony Provider, Voice (with **Sample**), Language, Voice Tone, Response Buffer (example "Realtime WebRTC (~400ms)"), Personality, System Prompt and First Message. Button **Create Agent**.

Prompt Templates popup (Step 4 - Use Template)

- Title "Prompt Templates" - "Choose a template to use as a starting point".
- Search templates by name or description...
- Filter chips: All Templates, Agent Presets, Sales, Support, Appointment, Survey, General.
- Templates: Appointment Setter, Customer Service Agent, Debt Collection Agent, Event Registration Agent, Lead Qualification Agent, Outbound Sales Agent. Each shows tags, description, prompt preview, variables, style, usage count and a **Use** button.

> **Note:** The wizard frames show extra statistics in the page background (for example active agents, latency, resolution rate) and buttons such as "Bulk Export" and "Export Config". These belong to the agent fleet page, not to the wizard steps, and their behaviour is not clearly defined in the Figma.

13. Knowledge Base

Objective: Store website links, files and text that AI agents use as training content.

Title "Knowledge Base" - "Train your AI agents with custom knowledge".

13.1 Features

- User can add a URL, upload a file, or create a text entry.
- User can search and filter items by type.
- User can see the AI status, chunks and size of each item.
- User can delete an item.
- User can see total storage used against the limit.

13.2 Header Actions

- Add URL
- Add Files
- Create Text

13.3 Summary Cards

- Total Items
- Knowledge Chunks
- Docs & URLs
- Text Entries
- Storage Used (example "16.05 KB / 20 MB")

13.4 Knowledge Base List

- Search Knowledge Base...
- Filter: All Types (dropdown)

#	Column
1	Name
2	Type (for example url)
3	AI Status (for example Ready)
4	Chunks
5	Size
6	Created (date)
7	Actions

Pagination: "Showing 1 to 1 of 1 items", Per page (10). The delete action is the only row action shown (see 13.8); other row actions are not clearly defined in the Figma.

13.5 Add URL (popup)

Title "Add URL to Knowledge Base" - "Add a webpage URL. The content will be fetched and indexed for AI-powered search."

Field	Control Type	Required	Notes / Options
URL	Text input	-	Example https://example.com/docs.
Name (optional)	Text input	Optional	

- Actions: **Cancel**, **Add URL**.

13.6 Upload File (popup)

Title "Upload File to Knowledge Base" - "Upload text-based files (TXT, MD, HTML, JSON, XML, CSV) up to 20MB. Content will be indexed for AI search."

Field	Control Type	Required	Notes / Options
File	File upload (**Choose File**)	-	
Name (optional)	Text input	Optional	Placeholder "Document name".

- Actions: **Cancel**, **Upload File**.

13.7 Create Text (popup)

Title "Create Text Document" - "Add custom text content that will be indexed for AI-powered search (max 300,000 characters)."

Field	Control Type	Required	Notes / Options
Name	Text input	-	Placeholder "FAQ, Product Info, etc.".
Content	Text area	-	Placeholder "Enter your text content here..."; counter "0 / 300,000 characters".

- Actions: **Cancel**, **Add Text**.

13.8 Delete Item (confirmation popup)

- Title "Delete Knowledge Base Item?"
- Message: "Are you sure you want to delete “item name”? This action cannot be undone and will remove the item and all its indexed data."
- Actions: **Cancel**, **Delete**.

14. Voice Library

Objective: Let the user browse and preview the voices that can be used by AI agents.

Title "Voice Library" - "Browse and preview 21 voices for your agents". Status label "TTS Engine Operational".

14.1 Features

- User can search voices by name, accent, or description.
- User can browse voice cards and preview a voice (as described in the page subtitle).
- User can see how many voices are shown (example "Showing 12 of 21 voices") and the Total Voices card.

14.2 Voice Card Information

- Voice name and short description (for example "Bella - Professional, Bright, Warm")
- Language (English)
- Gender (Female, Male, Neutral)
- Accent (American, British, Australian)
- Category (Premade)
- Age group (Young, Middle_aged)

> **Note:** The preview / play control and any filters or pagination for the remaining voices are not clearly defined in the Figma.

15. Calls and Conversations

Objective: Review all calls with their recordings, transcripts and AI analysis.

Title "Calls & Conversations" - "View recordings, transcripts, and AI analysis". Status label "Service Operational". Header button: **Export**.

15.1 Summary Cards

- Total Calls
- Completed
- Incoming
- Outgoing

15.2 Search and Filters

- Search calls...
- All Status (dropdown)
- All Sentiment (dropdown)
- All Directions (dropdown)
- All Leads (dropdown)

15.3 Tabs

Tab	Shows
All (count)	All calls. Row shows status, duration and time. Actions: View Details, Recording, Transcript (where available).
Transcribed (count)	Only calls that have a transcript.
Recordings (count)	Calls with recordings. Row also shows "Audio Ready", direction and source (for example "Outgoing - Campaign: Sales Q3", "Incoming - Support Route") and download options "HQ Recording (WAV)" / "HQ Recording (MP3)" and "Transcript (English)".

15.4 Call List Columns / Row Information

#	Column
1	Phone number
2	Telephony / voice provider (for example ElevenLabs, OpenAI + Twilio)
3	Status
4	Duration
5	Time (for example "Yesterday", "5 months ago")
6	Actions: View Details, Recording, Transcript

- Statuses shown: **initiated**, **completed**, **failed**.
- Failed calls show a reason (example "Line Busy / No Answer").
- Pagination: "Showing 1 to 5 of 122 calls", Per page (10), Previous, 1, 2, 3, 4, ..., 25, Next.

15.5 Call Details

Opened with **View Details**. Header: **Back to Calls**, **Previous** / **Next** (move between calls), call number, provider, status, **Export Logs**.

- Header information: call direction (for example "Outgoing Call"), "To:" number, Duration, Date & Time, Transcript (value or None), Recording (value or None).

Tabs

Tab	Content
Overview	**AI Summary** (empty state: "No AI summary available for this call. The call may still be processing or did not complete successfully."), STATUS, DURATION, CALL TIME.
Transcription	**Call Transcript** (empty state: "No transcript available for this call. The call may still be processing or did not complete successfully.").
Client data	**Call Metadata**: Call ID, Created At, and **Additional Metadata** (JSON text with fields such as flowId, source, flowName, testCall, fromNumber).

> **Note:** The screen with a populated transcript, audio player controls and sentiment values is not shown in the Figma (not clearly defined).

16. Quick CRM

Objective: Show leads that the AI categorises from calls, so the team can follow them up.

Title "Qualified Leads" - "View and manage AI-categorized leads". Header button: **Export**.

16.1 Features

- User can view leads by AI category on a board, with a count per category.
- User can search leads by name, phone, email or tag, and filter by source.
- User can open a lead to see details, notes and activity.
- User can add a lead and add notes.
- User can configure how leads are displayed (CRM Filter Settings).
- User can see lead statistics.

16.2 Categories (tabs and board columns)

- All Leads
- Warm Lead
- Hot Lead
- Appointment Booked
- Form Submitted
- Call Transfer
- Need Follow Up

Each category shows a count. Columns with no leads show the empty state "No leads" and "Drop leads here" (drag-and-drop is implied by this text).

16.3 Filters and Search

- Search leads by name, phone, email, or tag...
- All Sources (dropdown)
- Filter leads... (in the pipeline screen)

16.4 Lead Card (board)

- Lead score (for example 75)
- Phone number
- AI summary excerpt of the conversation
- Time since the call (for example "153d ago")

16.5 Other Views

Two more lead views appear in separate frames (their tab names are not visible in the design text):

List view

- Fields shown per lead: score, phone number, status (for example "new"), date.

Statistics view

- Cards: Total Leads, Avg. Lead Score, From Campaigns, From Incoming.
- **Leads by Category** (Warm Lead, Hot Lead with counts).
- **Sentiment Breakdown**: Positive, Neutral, Negative (with percentage and count).

16.6 Lead Details

Pipeline screen title "Qualified Leads Pipeline" with the count "48 Active", a **+ Add Lead** button and category lists (for example Warm Lead (14), Hot Lead (8), Appointment Booked (12), Call Transfer (6)).

- **Lead Details** panel: category tag, LEAD SCORE (for example "75/100 Qualified"), Telephony Qualification ID (for example LD-83921-X9), phone number, company name, AI Agent name, call date and time.
- **AI Conversational Analysis & Intent** - summary text of the conversation.
- Tabs: **Notes** and **Activity**. Notes tab has **Add Notes** with **Add Note** and **Close** buttons.

> **Note:** The content of the Activity tab (timeline entries) is not shown; only the tab is displayed. Edit and delete for leads and notes are not clearly defined in the Figma.

16.7 CRM Filter Settings

"Configure how leads are displayed and filtered in your CRM."

Field	Control Type	Required	Notes / Options
Hide leads without phone	Toggle	-	"Only show leads that have a valid phone number".
Hot Lead Threshold	Number / selector (not clearly defined)	-	Example "80+". Part of "Lead Score Thresholds": "Define score ranges for Hot and Warm lead classifications".
Warm Lead Threshold	Number / selector (not clearly defined)	-	Example "50+".
Visible Categories	Toggles or checkboxes (not clearly defined)	-	"Choose which AI categories to show in the kanban view": Appointment Booked, Form Submitted, Call Transfer, Need Follow Up, Hot Lead, Warm Lead.

- Actions: **Cancel**, **Save Settings**.

17. Phone Numbers and Incoming Connections

Objective: Manage dedicated phone numbers and connect incoming agents to those numbers.

17.1 Phone Numbers ("Manage Connections")

"Manage your dedicated phone numbers for inbound and outbound calls".

Summary cards

- Total Numbers
- Active
- Connected
- Credits/Month

Phone number card

- Number (example +1 (415) 483-4524) and status **Active**.
- Country (US), Monthly Cost (example "50 credits").
- Connection state text: "Not connected to any agent".
- Action: **Release**.

> **Note:** An action to buy / add a phone number is not shown in the Figma. A confirmation popup for Release is also not shown (not clearly defined).

17.2 Incoming Connections

"Connect incoming agents to your phone numbers for receiving calls". Header button: **New Connection**.

- Connections are grouped by provider stack: **Twilio + ElevenLabs**, **Plivo + OpenAI**, **Twilio + OpenAI**.
- Each provider group shows counters: active, available and agents (for example "0 active / 1 available / 4 agents").
- Empty state: "No Connections" - "Create your first connection to start receiving calls on your phone numbers" with the button **Create Your First Connection**.

17.3 Create Incoming Connection (popup)

"Connect an incoming agent to a phone number for receiving calls".

Field	Control Type	Required	Notes / Options
Incoming Agent *	Dropdown	Yes	Placeholder "Select an incoming agent...".
Phone Number *	Dropdown	Yes	Placeholder "Select a phone number...".

- Actions: **Cancel**, **Create Connection**.

> **Note:** Edit / remove connection actions and the list of existing connections are not shown in the Figma (not clearly defined).

18. API Documentation

Objective: Give developers a reference for using the REST API.

Title "REST API Reference" - "Use the REST API to integrate messaging, contacts, campaigns, and more into your applications. All endpoints require authentication via API key and secret headers." A search box "Search API endpoints, methods..." is provided.

18.1 Navigation inside the Documentation

Group	Items
NAVIGATION	REST API Reference, Authentication, Rate Limiting, Messaging, Contacts, Account
DEVELOPER	Webhooks, API Settings & Keys, Error Codes

18.2 Content Shown

- **Base URL** and the standard response format: { success: boolean, data?: any, error?: string }.
- **Authentication:** every request must include the headers X-API-Key, X-API-Secret and X-Channel-Id (X-Channel-Id is required if the API key covers all channels; a channel_id query parameter can be used instead). API keys are generated from the Settings page. A warning says to keep the secret safe and revoke it if compromised.
- **Example authenticated request** (cURL, GET on the account endpoint) with a **Copy** button, and a sample **Response** (200 OK, application/json).
- **Rate Limiting:** 120 requests per minute per API key; burst allowance 30 requests per second; cooldown window 60 seconds; exceeding the limit returns a 429 Too Many Requests status.
- Button **Download as HTML**.

> **Note:** Endpoint details for Messaging, Contacts, Account, Webhooks, API Settings & Keys and Error Codes are only shown as menu items. Their content is not clearly defined in the Figma. The API Settings & Keys screen (where keys are generated) is not designed.

19. Consolidated Reference

This section collects, in one place, items that are also described inside each module.

19.1 Statuses

Where	Statuses shown
WhatsApp and Auto Calling campaigns	Ongoing, Scheduled, Completed, Paused, Draft (dashboard also shows Failed)
WhatsApp campaign details (recipients)	read, delivered (recipient message status); campaign status "completed"
Auto Calling campaign details	Pending (campaign); recipient statuses not clearly defined
Campaign analytics	completed, failed
Contacts	Active, Pending, Inactive
Group	Active
Whatway (WhatsApp) templates - Meta Status	Approved, In Review
AgentLab (voice) templates	Active, In Review, Draft
Dashboard templates	Active, Draft
Team Inbox conversation	OPEN, Resolved
WhatsApp channel	Active; health: Healthy; Account Mode LIVE; Quality Rating GREEN; Verification EXPIRED; Name Status APPROVED; Messaging Availability AVAILABLE; Delivery Webhooks Subscribed
AI assistant	Assistant Active / Active
Knowledge Base item (AI Status)	Ready
Calls	initiated, completed, failed
Phone number	Active; "Not connected to any agent"
Quick CRM categories	Warm Lead, Hot Lead, Appointment Booked, Form Submitted, Call Transfer, Need Follow Up; list view status "new"
Agent type	Incoming, Flow

19.2 Popups and Modals

Popup	Where	Content / Actions
Send Test Message	Channels	Phone Number, Message. Cancel, Send Test Message
Display Name change	Channels > Profile	Request New Display Name. Close, Submit for Review
Disconnect Channel (confirmation)	Channels	Warning list. Cancel, Disconnect
Delete Channel (confirmation)	Channels	"Action cannot be undone" warning. Cancel, Delete Channel
Add Group	Contacts	Group Name, Description. Cancel, Create Group
Manage Groups (Add to Group)	Contacts	Group selection list. Close, Save Changes
Edit Contact	Contacts	Name, Phone Number, Email, Groups. Cancel and update action
Create Group success	Groups	Success message and summary. Close, Go to Groups
Campaign Restored (message)	Deleted Campaigns	"The campaign has been reactivated with templates and contacts intact."
Delete Agent (confirmation)	AI Agents	Cancel, Delete
Version History	AI Agents	Empty state message. Done
Prompt Templates	AI Agent Wizard Step 4	Search, filters, template cards with Use button
Add URL	Knowledge Base	URL, Name. Cancel, Add URL
Upload File	Knowledge Base	File, Name. Cancel, Upload File
Create Text Document	Knowledge Base	Name, Content. Cancel, Add Text
Delete Knowledge Base Item (confirmation)	Knowledge Base	Cancel, Delete
Add contacts to campaign panel	Auto Calling campaign details	Upload CSV. Cancel, Save Changes
Add Note	Quick CRM lead details	Add Note, Close
Create Incoming Connection	Incoming Connections	Incoming Agent, Phone Number. Cancel, Create Connection
CRM Filter Settings	Quick CRM	Toggles and thresholds. Cancel, Save Settings

19.3 Empty States

Where	Message shown
Auto Calling campaign - Call Recipients	"No contacts added to this campaign yet"
AI Agent - Version History	"No Version History" - "Version history will appear here when you make changes to this agent."
AI Settings - Trigger Words	"No trigger words defined - AI will respond to all messages"
Call Details - AI Summary	"No AI summary available for this call. The call may still be processing or did not complete successfully."
Call Details - Transcription	"No transcript available for this call. The call may still be processing or did not complete successfully."
Call Details - Recording / Transcript	Value "None" shown in the header
Quick CRM board columns	"No leads" / "Drop leads here"
Incoming Connections	"No Connections" - "Create your first connection to start receiving calls on your phone numbers" with button Create Your First Connection
Auto Calling Analytics - Daily Call Volume	"No Data" - "No call volume recorded for this time window"; "Incoming call events will graph here once recorded"
Auto Calling Analytics - other charts	"No campaign metrics evaluated for current filter" (Campaign Success Rate); "No data" (Sentiment Analysis, Lead Distribution)
Contacts - groups column	"No groups"
Phone Numbers	"Not connected to any agent"

Empty states for search with no result (for example "No records found", "No campaigns available", "No contacts available") are **not shown in the Figma**.

19.4 Export / Download / Import

Where	Action	Format / Data
Campaign Details (WhatsApp)	Export PDF, Export Excel, Export CSV	PDF, Excel, CSV - campaign details
Campaign Details (Auto Calling)	Export CSV	CSV - campaign data
Auto Calling campaign create / add contacts	Download Template / Download Sample CSV	CSV sample with phone_number, name, email, company (create) and phone_number, language, voice_id, first_message, prompt, city, other_dyn_variable (details)
Contacts	Export CSV, Import CSV, Download sample excel, Export Selected	CSV; Excel sample; selected contacts
Contacts Management	Export All Contacts, Import Contacts, Download Sample Excel	Format of export not stated; Excel sample
Contact Directory / Groups	Export, Import	Format not stated
Groups Directory	Export	Format not stated
Group Members	Export CSV, Import CSV	CSV - group members
Whatway Analytics	Export	Format not stated
Campaign Performance (analytics)	Export CSV	CSV - campaign performance
Auto Calling Analytics	Export Report	Format not stated
Calls & Conversations	Export; Export Logs (call details)	Format not stated
Calls - Recordings tab	HQ Recording (WAV) / (MP3); Transcript (English)	WAV, MP3 audio; transcript
Quick CRM	Export	Format not stated
API Documentation	Download as HTML	HTML
AI Agents wizard background	Bulk Export, Export Config	Not clearly defined

19.5 Validations and Messages

Only validations and rules that are visible in the Figma are listed.

Area	Rule / Message shown
Login	"Authentication failed: Invalid username or password. Please try again." Username and Password marked required (*).
WhatsApp campaign	"Campaign name is required". Contacts show a "WhatsApp Valid" tag.
Contact form	Full Name, Corporate Email Address and Primary / Calling Phone Number are required (*).
Whatway template	Name: lowercase letters, numbers and underscores only; cannot be changed once approved. Header max 60 characters; Body max 1024 characters; Footer max 60 characters. Variables must be sequential {{1}}, {{2}}, {{3}}. Sample values required for Meta review. Up to 3 buttons. Meta Compliance Pre-Check.
Voice template	Name: lowercase letters, numbers and underscores only. First Message max 300 characters. Name, Category, Description, First Message, Prompt, Voice Tone and Personality marked required (*).
Auto Calling CSV upload	phone_number column required; name, email and custom fields optional; UTF-8 file; extra columns kept as custom variables.
Test message	Phone number entered without + or spaces.
Business profile	Profile photo JPEG or PNG, max 5MB; About up to 139 characters; Description up to 512 characters; up to 2 websites.
Display name	3-512 characters; no emojis or special characters; must match branding; up to 10 changes per 30 days; Meta review takes 24-48 hours.
Team Inbox	After 24 hours the session is closed; only template messages (HSM required) can be sent.

Area	Rule / Message shown
AI Settings	Settings must be saved before the assistant is activated. Document upload: PDF, TXT, CSV, DOCX, MD, max 10MB. System prompt max 4000 characters.
Knowledge Base	File types TXT, MD, HTML, JSON, XML, CSV up to 20MB; text max 300,000 characters; storage limit shown as 20 MB.
Deleted campaigns	Auto-purged after 30 days.
Confirmations	Disconnect Channel, Delete Channel, Delete Agent and Delete Knowledge Base Item show confirmation popups.
AI Agent form	Agent Name, Voice Profile, Language & Accent, LLM Model and System Instructions marked required (*).
Incoming Connection	Incoming Agent and Phone Number marked required (*).

Note: Backend validations that cannot be identified from the design (for example duplicate names, phone number format checks) are not documented because they are not clearly defined in the Figma.

20. User Flows

The flows below are built from the screen names, screen order and buttons in the Figma. Steps that have no screen in the Figma are marked.

20.1 Login to Dashboard

1	User opens the Login screen
2	User enters username / corporate email and password (optionally selects Remember this device)
3	User selects Sign In (Login)
4	If the credentials are wrong, the error "Authentication failed..." is shown and the user tries again
5	If correct, the Dashboard opens

20.2 Create and Start a WhatsApp Campaign

1	User selects Campaigns from the menu (or Create Campaign on the Dashboard)
2	User selects Create Campaign
3	User enters Campaign Name (required) and optional Description
4	User selects a Template
5	User optionally sets Schedule Campaign and auto-retry
6	User filters by Group and selects contacts
7	User selects Start Campaign
8	Campaign appears in the WhatsApp Campaigns list
9	User opens View Details to see metrics and recipient status

20.3 Create an Auto Calling Campaign

1	User selects Create Calling Campaign (Dashboard) or Create Campaign in the Auto Calling list
2	User enters Campaign Name and selects Campaign Type
3	User selects an Agent and a Phone Number
4	User optionally selects a Visual Flow or writes a Custom Script
5	User optionally enables Call Scheduling (times, days, timezone)
6	User uploads a contact CSV (or skips and adds contacts later)
7	User selects Create Campaign
8	User opens Campaign Details to view status and call statistics and to add contacts
9	Calls appear in Calls & Conversations

20.4 Delete and Restore a Campaign

1	User opens the campaign list and the row menu
2	User selects Delete (a confirmation popup is not shown in the Figma)
3	Campaign moves to Deleted Campaigns (auto-purged after 30 days)
4	User opens the Deleted Campaigns list
5	User selects Restore
6	Message "Campaign Restored" is shown

20.5 Create a Whatway (WhatsApp) Template

1	User opens Templates > Whatway Template
2	User selects + Add Template
3	User fills Basic Information, Header, Message Body with sample values, Footer and Buttons
4	User checks the Live Template Preview and the Meta Compliance Pre-Check
5	User selects Create Template
6	Template is submitted to Meta; Meta Status shows In Review or Approved
7	Approved template can be selected in a WhatsApp campaign

20.6 Create an AgentLab Voice Template

1	User opens Templates > AgentLab Template
2	User selects + Add Template
3	User enters Template Specifications
4	User writes the First Message and Prompt
5	User selects Voice Tone and Personality
6	User selects Create Voice Template

20.7 Add Contacts and Create a Group

1	User opens Contacts
2	User selects Add New Contact (or Import CSV)
3	User enters Full Name, Email, Phone and optional WhatsApp number
4	User selects Add Contact
5	User opens Groups and selects Create Group
6	Step 1: user enters Group Name, Category and Description
7	Step 2: user searches / filters and selects contacts
8	User selects Create Group with n Contacts
9	Success screen "Group Created Successfully!" is shown; user selects Go to Groups
10	User selects Send campaign on the group card (the campaign screen after this is not shown in the Figma)

20.8 Handle a Team Inbox Conversation

1	User opens Team Inbox
2	User selects a filter tab (All, Unread, WA, Widget, Assigned) or searches
3	User opens a conversation
4	If the 24-hour window is open the user can type a message (screen not shown); if closed the user selects Browse Templates
5	User uses the More menu to Mark as Open / Resolved, View Contact, Block Contact or Delete Chat

20.9 Set Up a WhatsApp Channel

1	User opens Channels > WhatsApp Channels
2	User selects Add New Channel
3	User enters Channel Name, Phone Number, Meta App ID, Phone Number ID, WhatsApp Business Account ID and Access Token
4	User selects Create Channel
5	User selects Test to send a test message
6	User checks Channel Health and re-subscribes webhooks if needed
7	User opens Profile to edit the business profile, or requests a new Display Name
8	If needed, user selects Disconnect or Delete and confirms

20.10 Configure the AI Assistant

1	User opens Channels & AI Settings > AI Settings
2	User selects Provider, Model and Temperature and saves provider settings
3	User adds training data (Knowledge Base, Website URL, Document Upload) and Q&A pairs
4	User sets AI Behavior (trigger words, system prompt, tone, length, fallback message)
5	User sets Escalation rules
6	User uses Test Chat and Data Preview to verify

20.11 Create an AI Agent (manual)

1	User opens AI Agents and selects New Agent
2	User selects Agent Type (Incoming or Flow)
3	User enters Agent Basics and selects Telephony Provider Stack, Voice and Language
4	User sets LLM Model and voice tuning
5	User optionally applies a pre-built template
6	User writes the prompt and first message, selects a Knowledge Base and system tools (Incoming)
7	User selects Create Agent

20.12 Create an AI Agent (Guided Wizard)

1	User selects Guided Wizard
2	Step 1: choose a use case
3	Step 2: enter basic info, provider, voice and language
4	Step 3: choose voice tone and personality
5	Step 4: write or apply a prompt template and first message
6	Step 5: review voice settings
7	Step 6: review and select Create Agent

20.13 Add Knowledge Base Content

1	User opens Knowledge Base
2	User selects Add URL, Add Files or Create Text
3	User completes the popup and confirms
4	Item appears in the list with AI Status
5	User attaches the Knowledge Base when creating or editing an agent

20.14 Set Up Incoming Calls and Review Results

1	User opens Phone Numbers and checks the number (adding a number is not shown in the Figma)
2	User creates an Incoming Agent
3	User opens Incoming Connections and selects New Connection
4	User selects Incoming Agent and Phone Number and selects Create Connection
5	Incoming calls appear in Calls & Conversations
6	Call Details show the AI Summary, Transcription and Client data
7	Qualified leads appear in Quick CRM by category
8	User reviews Auto Calling Analytics

21. Super Admin Features

21.1 Login / Signup

User can login with below details

- Username
- Password

21.2 Dashboard

Super admin can view the below details

- Total Clients
- Active Clients
- Inactive Clients
- Suspended Clients
- Total Client Users
- Active Users
- Total Campaigns
- Active Campaigns
- Total Messages
- Total Calls
- Total Contacts
- Total Templates
- Total AI Agents
- Total Active Flows
- Total Phone Numbers

Quick actions

- Create Client
- View Clients
- Manage Credits
- View Reports
- View Audit Logs

21.3 Client Management

- Allow the Super Admin to create, view, manage and control all client accounts from one place.
- Automatically provide newly created client login details.

Client creation flow

Step	Description
1	Create Client
2	Client Account Created
3	System Generates Login Credentials
4	Credentials Sent to Registered Email ID

Search and filters

- Search by Client Name
- Search by Email
- Search by Client ID
- Status
- Plan
- Created Date
- Last Login
- Credit Status

Create client

- Client ID
- Client Name
- Company Name
- Admin Email
- Contact Number
- Assigned Phone Number
- Status
- Created Date
- Last Login
- Actions

Actions

- View
- Edit
- Activate
- Deactivate
- Suspend
- Reset Password
- Resend Credentials
- Manage Phone Numbers
- Delete client

21.4 Email Template Management

Email templates

- Welcome Email
- Client Credential Email
- Password Reset
- Account Activation
- Account Suspension
- User Invitation
- Phone Number Assignment
- Flow Assignment
- Flow Activation
- System Notification

Actions

- Create
- Edit
- Preview
- Activate/Deactivate
- Test Email

21.5 Client User Management

Allow Super Admin to manage users belonging to each client.

- View client users
- Add user
  - Name
  - Email
  - Contact Number
  - Status
  - Created Date
  - Last Login
- Edit user
- Activate/deactivate user
- Delete/archive user

21.6 Campaign Monitoring

Super Admin can monitor campaigns across all clients.

- View all client campaigns
- Search campaign
- Filter by client
- Filter by campaign type

- Filter by status
- View campaign details
- View campaign performance
- Export campaign data

21.7 Visual Flow Builder Management

Superadmin can edit/delete/create a flow builder.

Flow Listing

- Flow Name
- Flow Description
- Node ID
- Last Updated Date
- Active/Inactive Toggle
- Flow status

Create a flow

- Flow Name
- Flow Description
- Voice Agent – Optional
- Status

Super Admin can drag and drop nodes onto the canvas.

Node	Purpose	Fields
Message	Send a message	• Node ID • Write message • Wait for response before process
Question	Ask a question	• Node ID • Question • Variable name (Use lowercase with underscores (e.g., transfer_consent, user_age)) • Wait for response before process
Condition	Create branch/decision logic	• Node ID • Condition • True Branch -> Go To • False Branch -> Go To
Appointment	Book an appointment	• Node ID • Appointment type (time : 30 min consultation)
Form	Collect customer information	• Node ID • Select form • Introduction Message • Form Fields
Webhook	Trigger external webhook	• Node ID • Webhook URL
Transfer	Transfer the call/conversation	• Node ID • Phone number
Delay	wait	• Node ID • Duration in seconds

Node	Purpose	Fields
Play audio	play audio file	• Node ID • Audio File upload • Allow caller to interrupt playback
End	end conversion	• Node ID • End message

After creating a flow, Super Admin can assign it to one or more clients.

Flow assignment

- Flow Name
- Client
- Voice Agent
- Assigned Phone Number
- Status
- Effective Date

21.8 Contact / User Monitoring

Super Admin can view platform-level contact statistics.

- View client contacts
- Search contacts
- Filter by client
- Filter by channel
- Filter by status
- Export contacts
- View contact details

21.9 Channel & Integration Management

Allow Super Admin to monitor or manage client communication integrations.

- View client WhatsApp channels
- View channel status
- View connected number
- View Business Profile
- View connection health
- View integration status
- Enable/disable integration
- Disconnect integration
- View integration errors

21.10 Template Management

Super Admin can view and manage templates across all clients.

- View Templates

- Search
- Filter
- Delete Template
- Activate/Deactivate
- View Template Details

21.11 Contact Management

Super Admin can view and manage contacts belonging to clients.

- View Contacts
- Search Contacts
- Filter Contacts
- Add Contact
- Edit Contact
- Delete Contact
- Import Contacts
- Export Contacts
- Bulk Actions
- Manage Groups
- View Contact Details

21.12 Group Management

- View Groups
- Delete Group
- View Group Contacts

21.13 Team Inbox Management

Super Admin can view and manage client conversations.

- View Conversations
- Search Conversations
- Filter Conversations
- View Customer Details
- View Conversation History
- Close Conversation
- Reopen Conversation

21.14 Channel Management

Super Admin can manage client communication channels.

- View Channels
- Channel information

  - Client
  - Channel Name
  - WhatsApp Number
  - Business Profile
  - Connection Status
- Configure Channel
- Disconnect Channel
- Delete Channel
- Enable/Disable Channel

21.15 AI Agent Management

- View All AI Agents
- Delete Agent
- Activate/Deactivate Agent
- View Agent Details
- View Version History
- Assign Agent to Client

21.16 Knowledge Base Management

- View Knowledge Bases
- Delete
- Activate/Deactivate
- View Sources (Link, text, upload file)
- Manage Knowledge Sources

21.17 Voice Library Management

- View Voices
- Delete Voice
- Activate/Deactivate Voice

21.18 Calls & Conversations

Super Admin can view calling activities across all clients.

- View Calls
- Search Calls
- Filter Calls
- View Call Details
- View Call Recording where available
- View Call Status
- View Call Duration

- View Call Outcome
- Export Call Data

21.19 Quick CRM Management

- View Client CRM Data
- Search Customers
- View Customer Details
- View Interaction History
- View Calls
- View Messages
- View Notes
- Manage CRM Records

21.20 Phone Number Management

Super Admin can maintain available phone numbers and assign them to specific clients.

- Add Phone Number
- View Number
- Edit Number
- Assign Number
- Reassign Number
- Unassign Number
- Activate Number
  - Phone Number
  - Client
  - Channel
  - Purpose
  - Assigned Date
  - Status
- Deactivate Number
- Delete Number
- View Number Details
  - Phone Number
  - Number ID
  - Country
  - Client
  - Status
  - Channel
  - Assigned Date
  - Connection Status

21.21 Incoming Connections Management

- View Incoming Connections
- Activate/Deactivate
- Delete Connection
- Assign Connection to Client
- View Connection Status
- View Connection Logs

21.22 Reports & Analytics

Super Admin can view platform-level and client-level reports.

- Client Report
- Campaign Report
- WhatsApp Message Report
- Calling Report
- Contact Report
- User Activity Report
- AI Agent Report
- Flow Report
- Phone Number Report
- Channel Report