

IconExperience Icon Collection

Software Development



Contents

1	Appli	cation	3
	1.1	Application-General	3
	1.2	Application-Enterprise	3
	1.3	Application-Window	4
	1.4	Application Server	<u>5</u>
2	Debu	<u>ugging</u>	5
3	Cont	rol Flow	3 3 3 4 5 5 6 6 8 8 9
	3.1	Element	<u>6</u>
	3.2	Branch	8
	3.3	Breakpoint	8
	3.4	Step	9
4	Com	ponents	9
5	Code		10
6	Java	<u>(TM)</u>	10
	6.1	JAR	10
	6.2	WAR	<u>11</u>
	6.3	Beans	12
	6.4	Others	12
7	Othe	<u>rs</u>	13
8	Layo	<u>ut</u>	<u>13</u>
9	Logic		<u>14</u>
10	Cor	nsole	<u>14</u>
11	Cor	npression	<u>14</u>
12	Gra	phing	15

1 Application (59 icons)

1.1 Application-General (17 icons)

application	A	A	<u></u>	
application_add	A	Ą	A	
application_certificate	A			
application_connection	a			
application_delete	<u> </u>			
application_edit	ía.			
application_error	æ		æ	×
application_information	A	6		
application_lock	<i>6</i>	<u></u>		
application_network	2	.	<u>_</u>	
application_new	8	<u> </u>	2	
application_ok	6			
application_preferences	A			
application_run	A	A	<u> </u>	
application_stop	<u>A</u>	<u></u>	A	
application_view	A	A		
application_warning	ía.	<u> </u>		1

1.2 Application-Enterprise (14 icons)

application_enterprise	M			
application_enterprise_add	16	4	4	
application_enterprise_certificate	V.			

application_enterprise_delete	A			*
application_enterprise_edit	1 22			
application_enterprise_error	Æ		×	₩
application_enterprise_information	16	6		(1)
application_enterprise_new	P.			
application_enterprise_ok	6	(6)		
application_enterprise_preferences	R			
application_enterprise_run	/s	A		
application_enterprise_stop	F			
application_enterprise_view	Ø	Á		
application_enterprise_warning	/A			!

1.3 Application-Window (16 icons)

	P	A	A
ā			
>			
(R	(Ax		×
a	1		
			
<u>~</u>		<u></u>	<u></u>
			A
	Z	T.	Top.
		M	
			

window_application_enterprise_error	ĪX.	1×	1×	
window_application_enterprise_information	6			
window_application_enterprise_ok				
window_application_enterprise_warning				

1.4 Application Server (12 icons)

application_server	<i>□</i>		
application_server_add	₽ ₽		
application_server_delete	2		
application_server_edit	<i>i</i>		
application_server_error	ĨZ.		×
application_server_information	R		
application_server_new	\$	2	
application_server_ok	<i>i</i> ≥		
application_server_preferences	R		
application_server_run	<i>□</i>		
application_server_stop	₽		
application_server_warning	7		

2 Debugging (23 icons)

bug_green	*	**	**	***
bug_red	*	**	***	**
bug_yellow	*	**	***	***
bug-mail	A			
debug	***	***	*	\$
debug_add	毒	**	**	***

debug_delete	**	2		
debug_edit	***	***	***	-
debug_error	瘤	1		
debug_information	***	***	***************************************	****
debug_into	*	₩	***	**
debug_next	海	**	**	**
debug_ok	港	***	***	***
debug_pause	霜	***		****
debug_preferences	**	***	**	***
debug_previous	*	**		
debug_reset	*	**		
debug_run	**	**	**	***
debug_step_forward	78	**	***	***
debug_stop	**	***	***	***
debug_time	**	***	***	***
debug_view	**	(\O_{\cdots}	*
debug_warning	淹	**	**	***

3 Control Flow (66 icons)

3.1 Element (32 icons)

element				
element_add	₹.	Ę.	-	
element_copy	.			
element_delete	<i>₽</i>	***	X	×
element_down	•	•	•	

element_edit element_error element_find element_information element_into element_into_input element_new_after element_new_before element_next element_ok element_preferences element_preferences element_refresh element_run element_run element_selection element_selection element_stop element_up element_up element_up element_view element_view element_varning elements1 elements2					
element_find element_information element_into element_into input element_new element_new_after element_new_before element_next element_preferences element_preferences element_replace element_replace element_selection element_stop element_time element_up element_view element_view element_view element_view element_view element_view element_view element_warning element_warning element_selection element_warning element_warning element_selection element_view element_warning element_selection element_warning element_selection element_warning element_warning element_selection element_warning element_warning element_selection element_warning element_selection element_warning element_selection element_warning element_warning element_warning element_warning	element_edit	"	"	>	
element_into element_into element_into element_into element_new element_new_after element_new_before element_next element_preferences element_preferences element_refresh element_replace element_selection element_selection element_stop element_time element_view element_varning element_warning element_warning element_warning element_warning element_warning element_into	element_error	-	E		×
element_into element_into element_into element_new element_new_after element_new_before element_next element_ok element_preferences element_previous element_refresh element_replace element_selection element_selection element_stop element_time element_view element_view element_varning element_warning element_warning element_stop element_varning element_warning element_warning element_stap element_warning element_stap element_varning element_stap element_warning element_stap element_warning element_stap element_warning	element_find	ൟ	-		
element_into_input element_new element_new_after element_new_before element_next element_next element_preferences element_preferences element_refresh element_replace element_replace element_selection element_selection_delete element_time element_up element_view element_view element_warning elements1	element_information	•	•	•	•
element_new element_new_after element_new_before element_next element_ok element_preferences element_previous element_refresh element_replace element_replace element_selection element_stop element_time element_view element_view element_view element_warming element_stop element_view element_warming element_stop element_warming element_stop element_view element_warming element_stop element_warming elements1	element_into	→ ■	⇒	->	
element_new element_new_after element_new_before element_ok element_preferences element_previous element_refresh element_replace element_run element_selection element_stop element_time element_view element_view element_varning element_stop element_view element_varning element_selection element_varning element_stop element_varning element_varning element_selection element_selection element_varning element_selement_selection element_view element_view element_view element_varning element_selement	element_into_input	₩.	→	T.	
element_new_before element_next element_ok element_preferences element_refresh element_replace element_run element_selection element_selection_delete element_time element_up element_view element_view element_view element_warning elements1	element_new	%	<u>@</u>	?	*
element_new_berore element_next element_ok element_preferences element_previous element_refresh element_replace element_run element_selection element_selection_delete element_time element_time element_up element_view element_warning elements1	element_new_after	%	%	%	
element_next element_preferences element_previous element_refresh element_replace element_run element_selection element_selection_delete element_time element_up element_view element_view element_warning elements1	element_new_before	2=	2	2	
element_preferences element_previous element_refresh element_replace element_run element_selection element_selection_delete element_time element_up element_view element_warning elements1	element_next	5	4		
element_preferences element_refresh element_replace element_run element_selection element_selection_delete element_time element_up element_view element_warning elements1	element_ok	•	•		
element_refresh element_replace element_run element_selection element_selection_delete element_stop element_time element_up element_view element_view element_warning elements1	element_preferences	•	₹		
element_replace element_replace element_run element_selection element_selection_delete element_stop element_time element_up element_view element_view element_warning elements1	element_previous	=	=	=	
element_replace element_run element_selection element_selection_delete element_stop element_time element_up element_view element_view element_warning elements1	element_refresh	₩.	•	•	
element_run element_selection element_selection_delete element_stop element_time element_up element_view element_view element_warning elements1	element_replace	The state of the s			
element_selection_delete element_stop element_time element_up element_view element_warning elements1	element_run	₽,	•	•	
element_stop element_time element_up element_view element_warning elements1	element_selection				
element_time element_up element_view element_warning elements1	element_selection_delete	=			
element_view element_warning elements1	element_stop	-	<u></u>		
element_view element_warning elements1	element_time	•	•	•	
element_view element_warning elements1	element_up	<u>a</u>	<u></u>	₽	
elements1	element_view	Q			
elements1	element_warning	₹.	<u></u>	<u></u>	1
elements2	elements1	-	-		
	elements2				

elements_selection		
elements_selection_delete		

3.2 Branch (8 icons)

branch	-=	~=		
branch_add	3 2	₹=	**	
branch_delete	2	~	7	
branch_edit	=2	=2	-5	
branch_element	~=	~		
branch_element_new	~	-		
branch_find	₩.	₹		
branch_view	" "			

3.3 Breakpoint (18 icons)

breakpoint				
breakpoint_add	Ę	Ę	_	
breakpoint_delete	P	A	×	×
breakpoint_down	Щ.	G.		
breakpoint_edit	•	>		
breakpoint_error	E	×	×	×
breakpoint_find	-	-		
breakpoint_information	•	6		•
breakpoint_into	₩	•		
breakpoint_new	1	e	ř	
breakpoint_ok	6	.		
breakpoint_run	II,			

breakpoint_up	■	<u>r</u>	Û	
breakpoint_warning	.			<u></u>
breakpoint_selection				
breakpoint_selection_delete				
breakpoints	=			
breakpoints_delete				X

3.4 Step (8 icons)

step	99	99		99
step_add	€	<i>₽</i> ₽	<i></i>	
step_delete	£9	Q.P	20	
step_edit	05	93	93	<i>9</i>
step_new	99	99	99	99
step_pause	<i>98</i>	8	9	
step_run	₽₿	88	<i></i>	
step_stop	92	₽#	98	

4 Components (13 icons)

component	A	Å	Æ	
component_add	r.	r.		
component_delete	ģ	ž.	, C	
component_edit	R	2	R	
component_find	***	**	8	
component_green	A	Å	Æ	
component_new	Æ	£		
component_preferences	R	R	R	

component_red	Æ	Å	Æ	
component_replace	Ro.	r.	r.	
component_view	ís.	ř.	ř.	
component_yellow	Æ	£	£	<u>F</u>
components	il.	ik.		

5 Code (12 icons)

text_code	E.			
text_code_add	Esp			
text_code_delete		~	=	
text_code_edit	>	>	>	
text_code_line	=		<u>-</u>	-
text_code_beanshell		5	5	
text_code_c	Fc	Æ	Ē	<u></u> C
text_code_colored	F		弄	-
text_code_cplusplus	₹.	E	<u>-</u>	C++
text_code_csharp	Ē#	Ē#	Č#	- C#
text_code_java	3	ā	5	5
text_code_javascript	īs	Ī	ĪS	ĪS

6 Java (TM) (50 icons)

6.1 JAR (24 icons)

jar	ā			
jar_add	(Ā	<u>~</u>	7	
jar_delete	ā	ā		

jar_edit	ॐ	>		
jar_into	€	€	₹	
jar_new	a	8	*	
jar_out	₫*			2
jar_preferences	<u>~</u>	₩		
jar_view	<u>a</u>	Q		
jar_bean	a		>	
jar_bean_add	(A)	~		
jar_bean_delete	<u> </u>	<u></u>	5	
jar_bean_edit	⊘	⊘		
jar_bean_into	5	5		
jar_bean_new	6	8	6	6
jar_bean_out		3	3	
jar_bean_preferences	(ii)	<u>~</u>		
jar_bean_view	<u> </u>			
jar_bean_enterprise	5	6		
jar_bean_enterprise_add				
jar_bean_enterprise_delete	5	5		
jar_bean_enterprise_edit	5			
jar_bean_enterprise_preferences				
jar_bean_enterprise_view				

6.2 WAR (8 icons)

war	5			
war_add				

war_delete	ā	ā	<u>~</u>	
war_edit	ॐ		>	
war_into	•	5	<u> </u>	5
war_out	3	3	3	
war_preferences	•	≅	~	
war_view	<u>Q</u>			

6.3 Beans (14 icons)

0	0		
(P	G	
@			
0	Ø		
≫	>		
<i>a</i>			
Q	Q		
>	Ø		
A	A	C.	
5	6		
廖	Ø		
>	>		
R			
D	Q		

6.4 Others (4 icons)

cup	3	3	3	
cup_add	3	3		

cup_delete	₽	23	3	
cup_edit	≫	>>	>	>

7 Others (12 icons)

oszillograph		-wh-	-1 // /	
registry	₽	*		
registry_delete	*			
registry_edit	€	**		
thread	3	<u></u>		
thread_add	3	<u></u>	<u></u>	
thread_delete	2	<u></u>		
thread_edit	3	<u></u>		
thread_pause	3	3	<u></u>	
thread_run	3	<u> </u>		
thread_stop	3	<u></u>		
memory	4	4	4	

8 Layout (13 icons)

layout_center	▣			
layout_east	I	□	耳	
layout_horizontal	Ħ	Ħ	Ħ	
layout_north	Ħ	<u> </u>	□	
layout_northeast	Ľ	H	口	
layout_northwest	Ħ		口	
layout_south	III.			
layout_southeast	I.	II.	T ₄	

layout_southwest	Ħ	Ħ	∺	
layout_vertical	Щ	11	111	
layout_west	□	Ħ	耳	
back				
front		<u>.</u>		

9 Logic (3 icons)

logic_and	3	0	(1)	
logic_not	0	0		
logic_or	(3)			

10 Console (9 icons)

console		-	On the Fing to part of the State of the Stat	to one many ter billed them to #
console_error	Ī x		×	to the fixing to shifted taken to
console_information	•			to One filting to hilber thing
console_network	9	=	-	to the thing to the time to th
console_ok				to done today we still the still to all the still the sti
console_pause				Company to billion to be a second to the sec
console_run				the Code Market has billion to live or all
console_stop	-			to one trong to billed thins
console_warning	7	<u> </u>	- <u>^</u>	Para Maria

11 Compression (4 icons)

compress	₽			
compress2	\$	<i></i> ₽	*	\$
compress_green		P		

compress2_red	<i>₽</i>	₽	*		
---------------	----------	----------	----------	--	--

12 Graphing (13 icons)

graph_edge	8	1	~	
graph_edge_curved	می	عم	مح	
graph_edge_directed	P	₽		
graph_node	•	•	•	•
shape_circle				
shape_ellipse				
shape_triangle	<u> </u>			
shape_square				
shape_rectangle				
shape_rhomb	♦	♦	\Diamond	
shape_pentagon	۵			
shape_hexagon	•			
shape_octagon	•			

Index

application 3	application_view 3
application_add 3	application_warning 3
application_certificate 3	back 14
application_connection 3	branch 8
application_delete 3	branch_add 8
application_edit 3	branch_delete 8
application_enterprise 3	branch_edit 8
application_enterprise_add 3	branch_element 8
application_enterprise_certificate 3	branch_element_new 8
application_enterprise_delete 3	branch_find 8
application_enterprise_edit 4	branch_view 8
application_enterprise_error 4	breakpoint 8
application_enterprise_information 4	breakpoint_add 8
application_enterprise_new 4	breakpoint_delete 8
application_enterprise_ok 4	breakpoint_down 8
application_enterprise_preferences 4	breakpoint_edit 8
application_enterprise_run 4	breakpoint_error 8
application_enterprise_stop 4	breakpoint_find 8
application_enterprise_view 4	breakpoint_information 8
application_enterprise_warning 4	breakpoint_into 8
application_error 3	breakpoint_new 8
application_information 3	breakpoint_ok 8
application_lock 3	breakpoint_run 8
application_network 3	breakpoint_selection 9
application_new 3	breakpoint_selection_delete 9
application_ok 3	breakpoint_up 9
application_preferences 3	breakpoint_warning 9
application_run 3	breakpoints 9
application_server 5	breakpoints_delete 9
application_server_add 5	bug-mail 5
application_server_delete 5	bug_green 5
application_server_edit 5	bug_red 5
application_server_error 5	bug_yellow 5
application_server_information 5	coffeebean 12
application_server_new 5	coffeebean_add 12
application_server_ok 5	coffeebean_delete 12
application_server_preferences 5	coffeebean_edit 12
application_server_run 5	coffeebean_enterprise 12
application_server_stop 5	coffeebean_enterprise_add 12
application_server_warning 5	coffeebean_enterprise_delete 12
application_stop 3	coffeebean_enterprise_edit 12

coffeebean_enterprise_new 12	debug_next 6
coffeebean_enterprise_preferences 12	debug_ok 6
coffeebean_enterprise_view 12	debug_pause 6
coffeebean_new 12	debug_preferences 6
coffeebean_preferences 12	debug_previous 6
coffeebean_view 12	debug_reset 6
component 9	debug_run 6
component_add 9	debug_step_forward 6
component_delete 9	debug_stop 6
component_edit 9	debug_time 6
component_find 9	debug_view 6
component_green 9	debug_warning 6
component_new 9	element 6
component_preferences 9	element_add 6
component_red 10	element_copy 6
component_replace 10	element_delete 6
component_view 10	element_down 6
component_yellow 10	element_edit 7
components <u>10</u>	element_error 7
compress 14	element_find 7
compress2 14	element_information 7
compress2_red 15	element_into 7
compress_green 14	element_into_input 7
console 14	element_new 7
console_error 14	element_new_after 7
console_information 14	element_new_before 7
console_network 14	element_next 7
console_ok 14	element_ok 7
console_pause 14	element_preferences 7
console_run 14	element_previous 7
console_stop 14	element_refresh 7
console_warning 14	element_replace 7
<u>cup</u> <u>12</u>	element_run 7
cup_add 12	element_selection 7
cup_delete 13	element_selection_delete 7
cup_edit 13	element_stop 7
debug <u>5</u>	element_time 7
debug_add 5	element_up 7
debug_delete 6	element_view 7
debug_edit 6	element_warning 7
debug_error 6	elements1 7
debug_information 6	elements2 7
debug_into 6	elements_selection 7

elements_selection_delete 7	<u>logic_or</u> 14
front 14	memory 13
graph_edge 15	oszillograph 13
graph_edge_curved 15	registry 13
graph_edge_directed 15	registry_delete 13
graph_node 15	registry_edit 13
jar 10	shape_circle 15
jar_add 10	shape_ellipse 15
jar_bean 11	shape_hexagon 15
jar_bean_add 11	shape_octagon 15
jar_bean_delete 11	shape_pentagon 15
jar_bean_edit 11	shape_rectangle 15
jar_bean_enterprise 11	shape_rhomb 15
jar_bean_enterprise_add 11	shape_square 15
jar_bean_enterprise_delete 11	shape_triangle 15
jar_bean_enterprise_edit 11	step 9
jar_bean_enterprise_preferences 11	step_add 9
jar_bean_enterprise_view 11	step_delete 9
jar_bean_into 11	step_edit 9
jar_bean_new 11	step_new 9
jar_bean_out 11	step_pause 9
jar_bean_preferences 11	step_run 9
jar_bean_view 11	step_stop 9
jar_delete 10	text_code 10
jar_edit 10	text_code_add 10
jar_into 11	text_code_beanshell 10
jar_new 11	text_code_c 10
jar_out 11	text_code_colored 10
jar_preferences 11	text_code_cplusplus 10
jar_view 11	text_code_csharp 10
layout_center 13	text_code_delete 10
layout_east 13	text_code_edit 10
layout_horizontal 13	text_code_java 10
layout_north 13	text_code_javascript 10
layout_northeast 13	text_code_line 10
layout_northwest 13	thread 13
layout_south 13	thread_add 13
layout_southeast 13	thread_delete 13
layout_southwest 14	thread_edit 13
layout_vertical 14	thread_pause 13
layout_west 14	thread_run 13
logic_and 14	thread_stop 13
logic_not 14	<u>war</u> <u>11</u>

```
war_add 11
war_delete 11
war_edit 12
war_into 12
war_out 12
war_preferences 12
war_view 12
window_application 4
window_application_add 4
window_application_delete 4
window_application_edit 4
window_application_enterprise 4
window_application_enterprise_add 4
window_application_enterprise_delete 4
window_application_enterprise_edit 4
window_application_enterprise_error 4
window_application_enterprise_information 5
window_application_enterprise_ok 5
window_application_enterprise_warning 5
window_application_error 4
window_application_information 4
window_application_ok 4
window_application_warning 4
```