

IconExperience Icon Collection

Business and Data



Contents

1	Com	merce	<u>3</u>
	1.1	Money	3
	1.2	Gold	4
	1.3	Shopping	4
	1.4	Others	<u>5</u>
2	Offic	<u>e</u>	<u>5</u>
	2.1	Business People	<u>5</u>
	2.2	Briefcases	<u>6</u>
	2.3	Date and Time	<u>6</u>
	2.4	Address	<u>7</u>
	2.5	Notes	3 3 4 4 5 5 5 6 6 7 7 8 8 8 9 9 9 10
	2.6	<u>Pins</u>	8
	2.7	Messages	8
	2.8	Misc. Office Equipment	8
	2.9	Gestures	9
	2.10	<u>Telephone</u>	9
3	Data		<u>10</u>
	3.1	<u>Data</u>	<u>10</u>
	3.2	Index	<u>11</u>
	3.3	Filtering	<u>12</u>
	3.4	Sorting	<u>12</u>
	3.5	<u>Tables</u>	<u>13</u>
	;	3.5.1 Plain Tables	<u>13</u>
	;	3.5.2 Columns/Rows	<u>14</u>
	;	3.5.3 Window Tables	<u>14</u>
	3.6	Chart and Presentation	<u>15</u>
4	Law		<u>16</u>
5	Educ	cation	16

1 Commerce (56 icons)

1.1 Money (24 icons)

money	& .	.	<u>,</u>	
money2	₽	₽	39	5
money2_add	釋	=	3	
money2_delete	₽	?		
money2_edit	₽	<i>₹</i>	5	
money_envelope				
money_envelope_add	∕		4	
money_envelope_delete	<u> </u>			
money_envelope_edit	%	②		
moneybag	<u>~</u>	<u>~</u>	&	4
moneybag_dollar	å	Š	s	S
moneybag_euro	ă	Č	Č	E
currency_dollar	6	(S)	\$	\$
currency_euro	©	(€	€
currency_pound	(3)	(E)	(E)	£
currency_won	₩	₩	***	**
currency_yen	8	*	¥	¥
currency_yuan	5	큔	큔	元
wallet_closed	•	>		
wallet_closed_add	₹	•		
wallet_closed_delete	€			
wallet_closed_edit	•	ॐ	*	

wallet_open	<i></i> ≽	≫	>	
nonprofit	8	③	③	(3)

1.2 Gold (10 icons)

goldbar				
goldbar_add	\	\	4	
goldbar_delete	æ.	*	-	*
goldbars	>	>		
chest	**	***************************************		
chest_add	7	荐		
chest_delete	2	***		
chest_edit	5	***	***	
chest_into	3	***	***************************************	
chest_out	**	***	***************************************	***

1.3 Shopping (13 icons)

shoppingbasket	6	©	©	
shoppingbasket_add	F			
shoppingbasket_delete	20	S		
shoppingbasket_edit	•			
shoppingbasket_full	***	•		
shoppingcart_full	4			
shoppingcart	#			
shoppingcart_add	4	4		
shoppingcart_delete	₽.			
shoppingcart_edit	9	्री		

cashier	∌	3 -	3 -	
shelf	igiêl			
shelf_empty	睁		E STATE OF THE STA	

1.4 Others (9 icons)

auction_hammer	43	***	3	3
barcode		[]	10100	0181021
creditcards	=	=		
creditcards_add	=	=		
creditcards_delete	=	=		
smartcard	1			
rfid	a			
paragraph	8	8	8	3
percent	%	%	%	%

2 Office (104 icons)

2.1 Business People (9 icons)

businessman	\$	<u>\$</u>		
businessman_add	â.			
businessman_delete	A.	200		
businessman_edit	2	<u> </u>	<u>&</u>	-
businessman_find		-		
businessman_preferences	2	₽		
businessman_view	<u> </u>	<u> </u>		
businessman2	3	3		

businessmen	42			

2.2 Briefcases (11 icons)

briefcase	©			
briefcase_add	(p			
briefcase_delete	©	***	2	**
briefcase_document	(C)	(E		
briefcase_edit				
briefcase_into	9	<u></u>		
briefcase_out	©			
briefcase_view				
briefcase2	=	-		-
briefcase2_document	<u></u>	E		
briefcase2_view				

2.3 Date and Time (13 icons)

calendar	72	12	12	79999 12
calendar_down	3	13	111	777777
calendar_preferences	72	13	12	12
calendar_up	***	72	12	12
calendar_warning	7	13	12	12
date-time	™	12	12	12
date-time_preferences	®		m 💙	12
calendar_1	(*************************************	77777	777777	79999
calendar_3	(3)	3	3	7)))))
calendar_5	(***)	5	99999 5	777777 5

calendar_7	"" "	77	79999	777777 7
calendar_31	34	31	31	99999 31
calendar_52	52	52 52	99999 52	99999 52

2.4 Address (6 icons)

address_book			
address_book2	4	4	
address_book3	a		
address_book_add	-		
address_book_delete	R		
address_book_edit	•	<i>></i>	

2.5 Notes (13 icons)

note			
note_add	-		
note_delete	~		
note_edit	>		
note_error	æ	×	× X
note_find	66		
note_information	6		
note_new	(5)		
note_ok	6		
note_pinned			
note_view	Q		
note_warning	5		
note_plain			

2.6 Pins (6 icons)

pin_blue	8	8	5	2
pin_green	8	8	8	8
pin_grey	٤	8	8	8
pin_orange	8	8	6	P
pin_red	۶	8	9	P
pin_yellow	8	8	5	8

2.7 Messages (10 icons)

message	(
message_add		Ę.		
message_delete	@		×	
message_edit	₽	?		
message_error	R	×		×
message_information	a			
message_ok				
message_warning	a			
messages	8	P		
thought	Ģ		Ş	٩

2.8 Misc. Office Equipment (9 icons)

paperclip	0			
paperclip_add	•			
paperclip_delete	2	2		
paperclip_edit	№	>>	>	

cabinet	B	1	E	=
laserpointer	7	1	1	1
office_chair	38	*	2	7
rubberstamp	>	>	>	•
stapler	>	>	9	9

2.9 Gestures (11 icons)

hand_money	S	6		
hand_offer	46	4		
hand_paper	&	6		
hand_point	•	*	*	
hand_point2	₫	₫	₫	d
hand_point_disk	₩ <u>.</u>			
hand_point_find	**			
hand_stop	2	2	2	4
hand_red_card	J			
hand_yellow_card	J	<i>.</i>		
handshake	**	❤		

2.10 Telephone (16 icons)

phone_call	Ø₽.			
phone_conference	€			
phone_hang_up	*	7		•
phone_hold	en e	Sil.		
phone_pick_up	4	4		
phone_recall	G.		6	62

phone_redirect	e\$	€\$	C	
phone_reject	2	<u>چ</u>	2	
phone_speaker	G		6	
receiver	•	•	•	5
receiver2	P	6	6	
telephone	00			
fax	6	(b)		
mobilephone1	6			
mobilephone2	B	B	8	
mobilephone3	8			

3 Data (122 icons)

3.1 Data (31 icons)

	1	I	ı	
data				
data_add	Ę.	ç	Ę.	
data_certificate	■,			
data_connection	■.	6		
data_copy				
data_delete	2		×	×
data_disk	Ē,			
data_down	3 .			
data_edit	ब्			
data_error	Ē	×	×	×
data_find	-			
data_forbidden	6	a		

data_gear	6			
data_information	6		•	
data_into	•3	©	§	
data_lock	7		<u></u>	
data_new	9	***	*	
data_next	*	S	3	5
data_ok	6	•		
data_out	■*		3	
data_preferences	•			
data_previous	*3	***		
data_refresh	3			
data_replace	7		7	
data_scroll	₽		C	
data_table				
data_time	6			
data_unknown	E .	! ?	?	?
data_up				
data_view	Q ,			
data_warning	7 .	<u></u>		

3.2 Index (11 icons)

index	=			
index_add	To the second	*	C	
index_delete	*			×
index_down	©	(5)		

index_edit	*	>	
index_new	©	*	
index_preferences	-		
index_refresh			
index_replace	6		
index_up	**		
index_view	©		

3.3 Filtering (8 icons)

funnel	8	9	9	7
funnel_add	S		4	
funnel_delete	2	~		×
funnel_down	8	7	7	7
funnel_new	9	•	•	
funnel_preferences	9	8		
funnel_up	4	7	7	
funnel_edit	9	>	7	7

3.4 Sorting (12 icons)

sort_down	1	1		
sort_up	î	Î	1	1
sort_ascending	14	î	14	1
sort_descending	N,	1.	17	
down_minus	1	1-	1-	-
down_plus	16•	14	14	1
up_minus	1-	1-	1-	1

up_plus	16	14	14	1
up_down	\$	1	1	1
up_down_question	\$?	⊕ ?	‡ ?	‡?
sort_az_ascending	a Z _A	a Z A	1 ZA	↑ Z A
sort_az_descending	₽ ^A Z	₽ A Z	♣ A Z	♣ AZ

3.5 Tables (50 icons)

3.5.1 Plain Tables (18 icons)

i.e	4	4	
SE	×	24	*
₩	>		
×	×	×	*
	•	•	•
<u> </u>	P		
2			
100			- F
J.	<u> </u>		1
₩			
		24	*

tables_edit				
-------------	---------	--	--	--

3.5.2 Columns/Rows (14 icons)

•	-cp	4	
-	-	4	
4	4	4	
2		×	*
□	>		
•		-c	
u _o	-	4	
#			
*		×	*
₩	₩		
			

3.5.3 Window Tables (18 icons)

table_selection_all			
table_selection_block			
table_selection_cell			
table_selection_column			
table_selection_row			
table_sql			
table_sql_add	•	B	

table_sql_check			
table_sql_create	o o		
table_sql_delete	×		×
table_sql_error			×
table_sql_information	0	O	0
table_sql_ok	>		
table_sql_run			
table_sql_select	(iii)		
table_sql_view			
table_sql_warning	A		
table_sql_stop	.		

3.6 Chart and Presentation (10 icons)

chart		<u>~</u>		
column-chart	216	alls	all	alli
dot-chart	588	183	9 00	
gantt-chart	F.	T	# T	#T
line-chart	2*4	X	X	206
pie-chart	•	•		
pie-chart_view	Q	Q	Q	
radar-chart	۵			
presentation	Ţ	R		
presentation_chart	Q	i i	Ş	

4 Law (3 icons)

codes_of_law	4	4	4	4
courthouse	1	1	1	
judge	&	&	&	8

5 Education (4 icons)

graduate	3			
graduation_hat1	**	**	*	
graduation_hat2	**	*		
blackboard	Pac	P [*] g	PK g	P _{BC}

Index

address_book 7	cashier 5
address_book2 7	chart 15
address_book3 7	chest 4
address_book_add 7	chest_add 4
address_book_delete 7	chest_delete 4
address_book_edit 7	chest_edit 4
auction_hammer 5	chest_into 4
barcode 5	chest_out 4
blackboard 16	codes_of_law 16
briefcase 6	column 14
briefcase2 6	column-chart 15
briefcase2_document 6	column_add 14
briefcase2_view 6	column_add_after 14
briefcase_add 6	column_add_before 14
briefcase_delete 6	column_delete 14
<u>briefcase_document</u> <u>6</u>	column_edit 14
briefcase_edit 6	column_preferences 14
briefcase_into 6	courthouse 16
briefcase_out 6	creditcards 5
briefcase_view 6	creditcards_add 5
businessman 5	creditcards_delete 5
businessman2 5	currency_dollar 3
businessman_add 5	currency_euro 3
businessman_delete 5	currency_pound 3
businessman_edit 5	currency_won 3
businessman_find 5	currency_yen 3
businessman_preferences 5	currency_yuan 3
businessman_view 5	data 10
<u>businessmen</u> <u>5</u>	data_add 10
cabinet 9	data_certificate 10
calendar 6	data_connection 10
calendar_1 6	data_copy 10
calendar_3 6	data_delete 10
calendar_31 7	data_disk 10
calendar_5 6	data_down 10
calendar_52 7	data_edit 10
calendar_7 7	data_error 10
calendar_down 6	data_find 10
calendar_preferences 6	data_forbidden 10
calendar_up 6	data_gear 11
calendar_warning 6	data_information 11

data_into 11	hand_point2 9
data_lock 11	hand_point_disk 9
data_new 11	hand_point_find 9
data_next 11	hand_red_card 9
data_ok 11	hand_stop 9
data_out 11	hand_yellow_card 9
data_preferences 11	handshake 9
data_previous 11	index 11
data_refresh 11	index_add 11
data_replace 11	index_delete 11
data_scroll 11	index_down 11
data_table 11	index_edit 11
data_time 11	index_new 12
data_unknown 11	index_preferences 12
data_up 11	index_refresh 12
data_view 11	index_replace 12
data_warning 11	index_up 12
date-time 6	index_view 12
date-time_preferences 6	judge 16
dot-chart 15	laserpointer 9
down_minus 12	line-chart 15
down_plus 12	message 8
<u>fax</u> <u>10</u>	message_add 8
funnel 12	message_delete 8
funnel_add 12	message_edit 8
funnel_delete 12	message_error 8
funnel_down 12	message_information 8
funnel_edit 12	message_ok 8
funnel_new 12	message_warning 8
funnel_preferences 12	messages 8
funnel_up 12	mobilephone1 10
gantt-chart 15	mobilephone2 10
goldbar 4	mobilephone3 10
goldbar_add 4	money 3
goldbar_delete 4	money2 3
goldbars 4	money2_add 3
graduate 16	money2_delete 3
graduation_hat1 16	money2_edit 3
graduation_hat2 16	money_envelope 3
hand_money 9	money_envelope_add 3
hand_offer 9	$\underline{\text{money_envelope_delete}} \underline{3}$
hand_paper 9	money_envelope_edit 3
hand_point 9	moneybag 3

moneybag_dollar 3	receiver 10
moneybag_euro 3	receiver2 10
nonprofit 4	<u>rfid</u> <u>5</u>
note 7	<u>row</u> <u>14</u>
note_add 7	row_add 14
note_delete 7	row_add_after 14
note_edit 7	row_add_before 14
note_error 7	row_delete 14
note_find 7	row_edit 14
note_information 7	row_preferences 14
note_new 7	rubberstamp 9
note_ok 7	shelf 5
note_pinned 7	shelf_empty 5
note_plain 7	shoppingbasket 4
note_view 7	shoppingbasket_add 4
note_warning 7	shoppingbasket_delete 4
office_chair 9	shoppingbasket_edit 4
paperclip 8	shoppingbasket_full 4
paperclip_add 8	shoppingcart 4
paperclip_delete 8	shoppingcart_add 4
paperclip_edit 8	shoppingcart_delete 4
paragraph 5	shoppingcart_edit 4
percent 5	shoppingcart_full 4
phone_call 9	smartcard 5
phone_conference 9	sort_ascending 12
phone_hang_up 9	sort_az_ascending 13
phone_hold 9	sort_az_descending 13
phone_pick_up 9	sort_descending 12
phone_recall 9	sort_down 12
phone_redirect 10	sort_up 12
phone_reject 10	stapler 9
phone_speaker 10	table 13
pie-chart 15	table_add 13
pie-chart_view 15	table_connection 13
pin_blue 8	table_delete 13
pin_green 8	table_edit 13
pin_grey 8	table_error 13
pin_orange 8	table_information 13
pin_red 8	table_new 13
pin_yellow 8	table_ok 13
presentation 15	table_preferences 13
presentation_chart 15	table_refresh 13
radar-chart 15	table_replace 13

table_selection_all 14 table_selection_block 14 table_selection_cell 14 table_selection_column 14 table_selection_row 14 table_sql 14 table_sql_add 14 table_sql_check 15 table_sql_create 15 table_sql_delete 15 table_sql_error 15 table_sql_information 15 table_sql_ok 15 table_sql_run 15 table_sql_select 15 table_sql_stop 15 table_sql_view 15 table_sql_warning 15 table_view 13 table_warning 13 tables 13 tables_add 13 tables_delete 13 tables_edit 14 telephone 10 thought 8 up_down 13 up_down_question 13 up_minus 12 up_plus 13 wallet_closed 3 wallet_closed_add 3 wallet_closed_delete 3 wallet_closed_edit 3 wallet_open 4