Questions

1) Where is PHP code executed? 2) Where is Javascript executed? 3) In Php \$Code, \$code represents same variables. Yes or No? What are different of ways writing CSS? Please list them in priority order 1 being highest priority. 5) HTML styling is easier without CSS. Yes or No? 6) Internal CSS is written between which tag? 7) #error{color:red;} is my css code. How do you style a p tag using my css selector? 8) Name the server we are using in class. 9) If server is my backend, give an example of a client. 10) Bootstrap is an _____ CSS 11) \$_ecc is a valid php variable name. Yes or No? 12) \$B11 is a valid php variable name. Yes or No? 13) \$1BB is a valid php variable name. Yes or No? 14) What are the different types screens in Bootstrap grid system? 15) For the <button onclick="reload()" > what is the javascript event and what is the event listener? 16) <?php a = 10; b = 9: function swap(\$a,\$b)

a = a + b;

```
b = a - b;
             a = a - b;
      swap($a,$b);
      echo $a,$b;
      ?>
      What is the output of the code?
17) In PHP IF and if are both valid keywords. Yes or No?
18) <?php
      a = -1;
      if($a){
             echo "IF";
      }
      else{
             echo "ELSE";
      }
   ?>
      What is the output?
19) <?php
      $a = 2;
      if(a = 3)
             echo "if";
      }
      else{
             echo "else";
      }
   ?>
      What is the output?
20) <?php
      $a = 'a';
      if(a > b'){
             echo "if";
      }
      else{
             echo "else";
      }
   ?>
   what is the output?
```

```
21) <?php
             class Person{
                    public $name;
             $newPerson = new Person;
   ?>
   What is a class and what is an object from above code?
22)
   <?php
             class Person{
                    protected $name="DDD";
            }
             class Guest extends Person{
                    function print_name(){
                           echo $this->name;
                    }
             }
             $newPerson = new Person;
             $newPerson->print_name();
   ?>
      Can we access variable "$name" in Guest class?. Yes or No
      Also please write the output of the code.
23)
   <?php
             class Person{
                    private $name="DDD";
                    private function setName($name){
                           $this->name = $name;
                    }
             }
             class Guest extends Person{
                    function print_name(){
                           echo $this->name;
                    }
             }
   ?>
      Can we access function "setName" with an Guest object?. Yes or No
24)
   <?php
             y = 0;
```

```
x = y--;
             if(++$y){
                    x = 1
             }
             z = --x
             echo "x=$x,y=$y,z=$z"
      ?>
      what is the output of the above code?
25) <?php
             x = 0;
             y = x--;
      //x=-1,y=0
             z = (x++) + y;
      //x=0,y=0,z=-1
             echo "x=$x,y=$y,z=$z"
      ?>
      what is the output of above code?
26) <?php
             x = 0;
             y = x - 1;
             $x = $y--;
             z = --x
             echo "x=$x,y=$y,z=$z"
      ?>
      What is the output of the above code?
27)
   <?php
      function output(){
             1 = 8;
             for($i=0;$i<$len;$i++){
                    $i++;
             }
             echo $i;
      output();
   ?>
      what is the output of the code?
```

- 28) Which is best suitable method for submitting username and password to server?
- 29) If method "get" used to submit a form, which super global can be used to access the element of form?

```
30) <?php
      len = 9;
     function output(){
            for($i=0;$i<$len;$i++){
                   echo $i;
            }
     }
     output();
   what is the output of above code?
31)
   <?php
            n = -1;
            x = 1
            while(++$n){
                   $x++;
            }
            echo $x;
      ?>
     what is the output of above code?
32) <?php
            y = 0
            x = y--;
            y = 1
            z = --x
            echo "x=$x,y=$y,z=$z"
      ?>
     what is the output of above code?
      <html>
            <head>
                   <title id="title">Exam</title>
            </head>
            <body id="body">
                   <h1>hello world!</h1>
                   hello FTFL
            </body>
```

</html>

Answer the following question based on above code.

- 33) What are the child nodes of html tag?
- 34) What is the next sibling of head tag?
- 35) Write a code to remove h1 tag.
- 36) Write a code to remove head tag.
- 37) Write a code to append a child to body tag.