You said:

Give me some ideas for interesting interactive and visual things ChatGPT can do.

ChatGPT said:

You said:

ami ekta apps banate chai jetate sara deser j kono jaigai basavara khujte parbe, barala tar basar details dite parbe google map link dibe, jomi becha kena korte parbe search korte parbe various way te, loaction onujai, vara , kon flor ba tola onujai , square feet onujai r egulo sob basa ala input dibe

ChatGPT said:

You said:

j keo basa chara somoi review deoar option thakbe, kno charche bariala kmn elaka kmn egulo

ChatGPT said:

You said:

tmr poramorso tao add koro plan e

ChatGPT said:

You said:

kintu in general barialara add dite chai na app e etar jonno ki kora jai

ChatGPT said:

You said:

sing up ki ki diye option rakha valo

ChatGPT said:

You said:

kon screen e ki asbe koto ti screen hobe details dao

ChatGPT said:

You said:

সার্চ অপশনটা অনেকটা হলো প্রশ্ন-উত্তরর মতোভাবে আসবে। কেউ মনে করেন যে প্রোফাইল খোলার পর বাসা খুঁজবে। তাহলে সার্চে যাবে, তারপরে সে প্রথমত তার জন্য অপশন আসবে প্রশ্ন আকারে যে আপনি কী খুঁজতে চাচ্ছেন । যদি সে বাসা ভাড়া নিতে চায় তাহলে বাসা ভাড়া সিলেক্ট করবে । যদি সে জমি কিনতে চায় তাহলে সেটা সিলেক্ট করবে । যদি সে অফিসে নিতে চায় সেটা সিলেক্ট করবে । কিংবা হল ফ্ল্যাট কিনতে চায় তাহলে ফ্ল্যাট সিলেক্ট করবে । অপশন আকারে আসবে । তারপরে সেটা যখন সিলেক্ট করবে তার পরের অপশনে যাবে । যদি সে বাসা ভাড়া সিলেক্ট করে তাহলে তার কাছে অপশন আসবে যে কোথায়, লোকেশন সিলেক্ট করতে হবে । লোকেশন প্রথমে বিভাগ, বিভাগের পর জেলা সিলেক্ট করবে । জেলার পরে হলো উপজেলা সিলেক্ট করবে । উপজেলার পরে এবার নির্দিষ্ট এরিয়া সিলেক্ট করবে । সেটা দেশের যেকোনো প্রান্ত । সেটা হলো উপজেলার পর কি হতে পারে । পোস্ট অফিস হতে পারে অথবা শহরের মধ্যে সে এগুলো যেটা দরকার সেটা । এবং প্রত্যেক জায়গায় যদি এরিয়া অফ না থাকে তাহলে সেই এরিয়াটাই ওই ব্যক্তি ইনপুট দেওয়ার অপশন থাকবে । এবং সেটা যখন ইনপুট দিবে অন্য আরেকজন ইউজার যখন সেটা পাবে, সেটা কিন্তু তার জন্য ড্রপডাউন হিসেবে চলে যাবে আরকি । এমনটা হবে এরিয়া সিলেক্ট করার পর সে কত ভাড়ায় খুঁজতে চাচ্ছে । সে ভাড়াটা সিলেক্ট করতে পারবে কোন তলায় নিতে চাচ্ছে সেটা সিলেক্ট করতে পারবে । তারপরে কোন তলার পরে সে একোথায় এভাবে যে জিনিসগুলো আসবে । কতই স্কোয়ার ফিট এটাও চাইলে অপশনাল হিসেবে থাকবে যে বাসা কয় রুমের, সরি কয় রুমের এটা একটা ইম্পর্ট্যান্ট । এভাবে প্রশ্ন আকারে জিনিসগুলো আসবে অনভরততার কাছে এবং সর্বশেষ সামারি দেখাবে তাকে যে আপনি এই জায়গারে খুঁজতে চাচ্ছেন । যখন বলবে ওকে তখন সে সার্চ দিবে এবং সে অনুযায়ী তার নিচে অনবরত আসতে থাকবে । সে যখন প্রতিটা প্রশ্নের উত্তর দিবে, সে অনুযায়ী যদি তার ই থাকে, মানে অ্যাভেইলেবল বাসা থাকে ভাড়ার জন্য তাহলে সেটা নিচে শো হতে থাকবে অনবরত । এইভাবে ।

ChatGPT said:

You said:

একভাবে যখন বাড়িওয়ালা বা জমিওয়ালা বা ফ্ল্যাটওয়ালা ইনপুট দিবে তার কাছেও ওইরকম প্রশ্ন আকারেই যাবে জিনিসগুলা এবং সে প্রশ্নের উত্তর দেবে অনবরত হ্যাঁ তারপরে তার ওটা হলো অ্যাডভারটাইজমেন্ট হিসাবে শো হবে।

ChatGPT said:

You said:

এখন কোনো কোনো বাচার একই সাথে একই ফ্লোরের একাধিক ফ্লাট ভাড়া হতে পারে আবার একাধিক ফ্লোরের হতে পারে ভাড়ার জন্য তো সেটাও অ্যাড করার অপশন থাকবে।

ChatGPT said:

You said:

কোনে ইউজার যখন তার প্রোফাইলে ঢুকবে তখন ফেসবুকের মতোই ওই বাসা ভাড়ার অ্যাডগুলা তার সামনে শো হবে। খুবই পোলাইট এবং সুন্দরভাবে। এবং সেখানে সে রেটিং দেখতে পারবে, কমেন্ট রিভিউগুলো দেখতে পারবে, লাইক অ্যাস কমেন্টের মতো। এবং হলো আর কী কী সেখানে দেখা যেতে পারে? এখন সবচেয়ে ইম্পর্ট্যান্ট হলো যে বাসার পিকচার দিচ্ছে কিনা বাসাওয়ালা যখন ভাড়া দিতে দেবে। এখানে যেকোনো কিছু দিয়েই যদি আপলোড হয়ে যায় তাহলে এটা কিন্তু একটা মিস ইনফরমেশন হতে পারে। তো এটাকে কীভাবে এনশিওর করা যায়?

ChatGPT said:

You said:

কোনো কিছু যখন এড দিবে তখন চাইলে ভিডিও এড করতে পারবে। অর্থাৎ ওই জিনিসটা ফ্ল্যাট এড ভিডিও বা জুমির ভিডিও। সিমিলারলি যখন কেউ রিভিউ দিবে তখন সে পিকচার এড করতে পারবে ভিডিও এড করতে পারবে না। আবার যে সকল জায়গাগুলো টাইপ করার অপশন থাকবে সেখানে

অবশ্যই এই যে আমি যেমন এখন মুখে বলছি কথা হয়ে যাচ্ছে সে অপশনটা থাকতে হবে যাতে ইউজারের কষ্ট কম হয় ।

ChatGPT said:

You said:

প্রতিটা ইউজারের অবশ্যই প্রোফাইল পিকচার কভার ফটো আপলোডের ব্যবস্থা থাকতে হবে ক্যামেরা গ্যালারি থেকে । আবার অ্যাডমিনে কী কী থাকবে এটাও আমাকে ডিটেইলস বলো ।

ChatGPT said:

You said:

তাহলে প্রতিটা স্ক্রিনে বিস্তারিত বর্ণনা সহ এটাকে হলো ওয়েব, অ্যান্ড্রয়েড, iOS এর জন্য তৈরি করা হবে । আমি anti-gravity কে দিবো । তাই .md ফাইল বানিয়ে দিবা । এবং কোথাও প্রতিটা সেকশনের জন্য ওয়েবের জন্য আলাদা কোড হবে, আলাদা ডার্ট ফাইল হবে, তারপরে হলো অ্যান্ড্রয়েডের জন্য আলাদা, iOS এর জন্য আলাদা ডার্ট ফাইল হবে এবং প্রতিটা ডার্ট ফাইল যতটা ক্ষুদ্র হওয়া সম্ভব ক্ষুদ্র হবে, প্রতিটা কোড যতটা ছোট হওয়া সম্ভব ছোট হবে এবং কোনো প্রি ডাটা থাকবে না, কোথাও কোনো প্রি ডাটা থাকবে না । এইভাবে .md ফাইল আমাকে বানিয়ে দাও এবং একবারে আমি এখন পর্যন্ত তোমার সাথে যা আলোচনা করলাম টোটাল বিস্তারিত, কোথাও যেন কোনো কমতি না থাকে ।

Worked for 7s

Analysis errored

```
from pathlib import Path

content = r"""# Bangladesh House Rent & Property Marketplace
## Master Product, UX, Architecture & Implementation Specification for Antigravity

**Document purpose:** This is the single source of truth for building a production-ready property marketplace for Bangladesh across Web, Android, and iOS.

**Mandatory implementation rule:** Before changing an existing repository, inspect it first. Preserve working features and conventions. Do not replace working architecture blindly. Create an implementation plan, map requirements to existing files, then implement in small verifiable steps.
```

Non-negotiable requirements
- No seeded, fake, mock, sample, placeholder, or preloaded production users, listings, reviews, comments, ratings, locations, transactions, metrics, or other business records.
- Do not insert demo properties or dummy Bangladesh administrative locations into the production database.
- If a required data source is not available, implement the import/administration mechanism and show a truthful empty state; do not invent records.
- Keep business logic, data models, repositories, services, and shared UI components modular and small.
- Web, Android, and iOS must have platform-specific entry points/adapters and platform-specific Dart files where platform behavior differs. Reuse shared Dart code for business logic and genuinely cross-platform UI rather than copying the entire app three times.
- Where web-specific UI or browser behavior is needed, put it in separate web-specific Dart files; do not put web-only APIs in shared/mobile files.
- For Android-specific behavior, use separate Android Dart adapters/widgets/services and native Android configuration only when required.
- For iOS-specific behavior, use separate iOS Dart adapters/widgets/services and native iOS configuration only when required.
- Do not create three copies of every identical screen merely to satisfy file separation. Instead, create a small shared screen/controller and thin platform-specific files for differences. If the repository/product architecture explicitly requires distinct implementations for a section on each platform, use `*_web.dart`, `*_android.dart`, and `*_ios.dart` with a shared interface.
- Every Dart file should have one clear responsibility and be as small as reasonably practical. Prefer many small files over giant files, but avoid meaningless one-line files and over-fragmentation.
- Never claim that a feature is implemented until it works end-to-end and has been tested.
- All forms, actions, and buttons must be functional; no decorative/inert controls.
- No public self-service Admin signup.
- A verified phone number does not prove property ownership. A published listing does not imply legal title verification.
- All user-generated content and uploaded media must follow permission, privacy, moderation, and access-control rules.
- Do not expose NID, identity documents, property deeds, private phone numbers, private addresses, or verification evidence publicly.
- Use real backend results and clear empty/loading/error states. Never silently substitute dummy content.

---

1. Product Overview

Build a Bangladesh-wide marketplace for renting, buying, and selling residential and commercial property.

1.1 Supported property intents
- House rent
- Room rent
- Sublet
- Flat/apartment rent
- Flat/apartment buy/sell
- House buy/sell
- Residential land buy/sell
- Agricultural land buy/sell
- Commercial land buy/sell
- Office space rent/sale
- Shop/commercial space rent/sale
- Other configurable property types managed by authorized Admins

Property categories and questions must be configurable. Do not hard-code every possible category into UI widgets.

1.2 User roles
One account may have multiple roles:
- Tenant
- Buyer
- Owner/Landlord
- Seller
- Agent

Administrative roles are assigned only by a secure authorized process:
- Super Admin
- Listing Moderator
- Verification Officer
- Content Moderator
- Support Agent
- Finance Admin
- Analyst/Read-only Admin

A public user must never be able to set their own Admin role.

1.3 Supported clients
1. Responsive Web App
2. Android App
3. iOS App
4. Responsive Admin Web Panel

Preferred app stack, subject to the existing repository:
- Flutter for Android and iOS.
- Flutter Web or an existing suitable web frontend for the customer-facing web app. If the existing project uses another web stack, preserve it and define a clean API/shared backend contract rather than rewriting without justification.
- Firebase Authentication, Firestore, Cloud Storage, and Cloud Functions or a secure backend where appropriate.
- Google Maps Platform / Places or an approved map provider.
- A dedicated search service may be added if Firestore query constraints cannot meet real filtering requirements.
- Use current stable compatible dependencies, pin versions appropriately, and document configuration.

1.4 Product principles
- Real listings only.
- Transparent verification.
- Clear price, location, availability, and contact consent.
- Simple question-based search and listing creation.
- Fast experience on low-bandwidth connections.
- Mobile-friendly, accessible, responsive UI.
- Secure by default.
- Localized Bangladesh data; UI should support Bangla and English. Do not assume a single language is sufficient.
- Never fabricate counts, ratings, reviews, nearby places, or availability.
- Empty states must be useful and honest.

---

2. Repository Inspection and Safe Implementation Workflow

Before coding:
1. Inspect the current repository, framework, package versions, existing routes, architecture, authentication, database schema, UI conventions, and tests.
2. List current working features and files. Do not remove or break them without a documented reason.
3. Identify which requirements already exist and map each to existing or new files.

4. Propose a staged plan with migration risks, dependencies, configuration needs, and acceptance tests.
5. Keep changes small and reviewable.
6. Never overwrite credentials, environment files, Firebase configuration, signing files, or platform setup blindly.
7. Do not add secrets to source control.
8. Use migrations/backward-compatible schema changes when existing production data may exist.
9. If the repository is empty, create the architecture described in this document.
10. Build and test after each logical stage.

2.1 Required delivery checkpoints
- Checkpoint A: repository and architecture report.
- Checkpoint B: routes, theme, localization, auth shell, role permissions.
- Checkpoint C: data models, repositories, backend rules, storage rules.
- Checkpoint D: profile, feed, search, listing creation, building/unit model.
- Checkpoint E: reviews, messages, reports, moderation and verification.
- Checkpoint F: Admin web panel.
- Checkpoint G: analytics/configuration/optional payments.
- Checkpoint H: platform integration, accessibility, performance, security, automated tests.
- Checkpoint I: release build and final implementation report.

Do not claim all checkpoints are complete if any are unfinished.

---

3. Code Organization: Small Modular Files and Platform Separation

3.1 Architecture rule
Use layered, feature-first architecture. Separate:
- UI/screens
- Small reusable widgets
- State/controllers/view models
- Domain models
- Repositories/interfaces
- Data sources
- Services/integrations
- Platform adapters
- Validation
- Routing
- Localization

- Security-sensitive backend functions

UI must not directly contain complex database queries, authorization rules, upload orchestration, or business logic.

3.2 Example structure (adapt to existing repository)

```text
lib/
  app/
    app.dart
    bootstrap.dart
    router/
      app_router.dart
      route_names.dart
    theme/
      app_theme.dart
      app_colors.dart
      app_text_styles.dart
    localization/
      app_localizations.dart
  core/
    errors/
      app_error.dart
      error_mapper.dart
    result/
      result.dart
    validation/
      validators.dart
      phone_validator.dart
      money_validator.dart
    permissions/
      permission_service.dart
    network/
      connectivity_service.dart
    media/
      media_asset.dart
      media_limits.dart
      media_validation.dart
    speech/
      speech_input.dart
      speech_result.dart
    widgets/
```

```
      app_button.dart
      app_text_field.dart
      app_loading.dart
      app_error_view.dart
      app_empty_state.dart
      app_confirm_dialog.dart
  features/
    auth/
      domain/
      data/
      presentation/
    profile/
      domain/
      data/
      presentation/
    feed/
      domain/
      data/
      presentation/
    search/
      domain/
      data/
      presentation/
    properties/
      domain/
      data/
      presentation/
    buildings/
      domain/
      data/
      presentation/
    reviews/
      domain/
      data/
      presentation/
    messaging/
      domain/
      data/
      presentation/
    reports/
      domain/
      data/
```

```
      presentation/
    verification/
      domain/
      data/
      presentation/
    notifications/
      domain/
      data/
      presentation/
    saved_searches/
      domain/
      data/
      presentation/
    admin/
      domain/
      data/
      presentation/
  platform/
    web/
      web_media_picker.dart
      web_speech_adapter.dart
      web_share_adapter.dart
    android/
      android_media_picker.dart
      android_speech_adapter.dart
      android_share_adapter.dart
    ios/
      ios_media_picker.dart
      ios_speech_adapter.dart
      ios_share_adapter.dart
  data/
    repositories/
    firebase/
    api/
  generated/
  main.dart
```

This is a guide, not a requirement to create empty files. Create a file only when it contains a meaningful responsibility.

3.3 Platform-specific implementation

- Use conditional imports, platform interfaces, or dependency injection for behavior that truly differs.
- Shared screen should depend on an interface such as `MediaPicker`, `SpeechInput`, `ShareService`, or `MapLauncher`.
- Web adapter uses browser-supported selection, upload, microphone permission, speech recognition where supported, and web share fallback.
- Android adapter handles Android permissions, camera/gallery intents, Android share sheet, and speech plugin behavior.
- iOS adapter handles iOS photo/camera/microphone permission declarations, iOS share sheet, and speech plugin behavior.
- Keep native platform configuration in `android/` and `ios/` only when needed.
- Never call browser-only APIs from shared Dart files.
- Never make iOS-only APIs required by Android or Web.
- Test unsupported platform capabilities and provide graceful fallbacks.

3.4 Small-file expectations
- One model per file where it materially improves clarity.
- Small reusable widget per file when reused or complex enough to deserve isolation.
- Keep screens as composition/orchestration; extract form sections, cards, dialogs, and step widgets.
- Keep controllers focused on one feature or workflow.
- Avoid one giant `main.dart`, one giant `admin.dart`, one giant property form, or one giant API/repository.
- Avoid duplicating the same validation/business logic across Web, Android, and iOS.
- Do not create needless wrappers that merely forward one method without adding value.
- Include concise comments for non-obvious decisions, security constraints, and complex business rules.
- Use consistent naming and linting/formatting.

---

4. Design System and General UX

4.1 Visual design
- Modern, trustworthy, polished property marketplace.
- Clear typography and spacing; responsive layout.
- Use a consistent color, typography, radius, elevation, icon, and spacing system.
- Keep photo/video cards visually rich but avoid clutter.
- Do not use fake testimonials or fabricated ratings to make the UI look populated.
- Support empty, loading, partial-data, offline, error, and permission-denied states.
- Avoid excessive animations; honor reduced-motion preferences where available.

4.2 Main navigation
Customer app bottom navigation on mobile:
1. Home
2. Search
3. Post (prominent center action)
4. Saved
5. Profile

On Web, adapt to a top navigation/sidebar while preserving the same destinations. The profile screen is not the home feed. App launch should normally show Home Feed after onboarding/auth rules.

4.3 Accessibility
- Screen-reader labels for icon-only buttons.
- Keyboard navigation and focus states on Web.
- Adequate contrast and scalable text.
- Form errors announced clearly.
- Buttons and touch targets usable on mobile.
- Media captions/alt text where appropriate.
- Do not communicate status using color alone.

4.4 Localization
- Support Bangla and English.
- Store canonical values/IDs in the backend, not translated labels.
- Format BDT (৳) and Bangladesh phone numbers consistently.
- Avoid hard-coded text throughout widgets; use localization resources.
- Handle Bangla and English mixed text in search and speech input.
- All date/time displays should use the relevant local timezone and clear formatting.

---

5. Complete Screen-by-Screen Specification

Screen visibility depends on role and authentication state. Admin screens are never accessible to normal users without backend authorization.

5.1 Launch, onboarding and authentication

Screen 1 — Splash / Bootstrap
Purpose:
- Load app configuration, session, theme, localization, and minimum required remote settings.

- Route user to onboarding, login, or Home based on valid state.
Requirements:
- No fake loading data or fake metrics.
- Do not wait indefinitely on optional services.
- Display retry/error state if essential initialization fails.
- No secret keys embedded in client code.

Screen 2 — Welcome / Onboarding
Purpose:
- Explain property search, real listing details, photo/video listings, and safety.
Components:
- Short onboarding slides, Skip, Continue, language selection.
- Avoid fabricated user counts or claims like “100% verified”.
- Allow users to revisit onboarding from Settings.

Screen 3 — Sign Up / Login
Requirements:
- Bangladesh mobile number as primary method with OTP.
- Optional Google sign-in if configured and tested.
- Email can be optional if product policy supports it.
- Consent to Terms and Privacy Policy before account creation.
- Show country code, phone validation, resend cooldown and errors.
- Prevent enumeration of whether a phone number belongs to an account where practical.
- Rate limit OTP requests and attempts.

Screen 4 — OTP Verification
- Enter OTP; paste/autofill when supported.
- Resend timer; resend limit; change phone number.
- Loading, invalid, expired, throttled, and network error states.
- Never log OTP values.
- OTP verification proves control of the number only, not identity or property ownership.

Screen 5 — Basic Profile Setup
- Display name.
- Profile picture: Camera or Gallery.
- Cover photo: Camera or Gallery, optional during initial signup and editable later.
- Crop, preview, upload progress, retry, remove/change.
- Allow a default avatar/cover if user skips.
- Validate image size/type; strip location metadata when appropriate.
- Save profile only after successful upload or allow safe draft/retry state.

Screen 6 — Select User Purpose / Roles
- User can select one or multiple: Tenant, Buyer, Owner/Landlord, Seller, Agent.
- Explain each role.
- User can add roles later from Profile/Settings.
- Admin roles must not appear in public role selection.
- Agent role may require additional verification/authorization before publishing on behalf of owners.

Screen 7 — Terms, Privacy and Consent
- Terms of Service, Privacy Policy, community rules, media upload permission, contact-sharing consent.
- Consent records should include version, timestamp, and necessary legal metadata.
- Separate optional marketing consent from required service/legal consent.
- Do not make unnecessary personal data collection a condition of using basic search.

5.2 Home feed and social interactions

Screen 8 — Home Feed
Purpose:
- Show actual property advertisements in a polished, scrollable feed.
Tabs/filters:
- Latest
- Nearby (only when user grants location permission; otherwise ask for area selection)
- Recommended (only when there is sufficient real preference/activity data; otherwise show an honest neutral feed)
Category chips:
- Rent
- Flat
- House
- Land
- Office
- Shop/Commercial
- Buy/Sell
Feed card:
- Actual property photo or video thumbnail.
- Rent/price and currency.
- Location hierarchy and locality.
- Beds/rooms, bathrooms, area, floor when applicable.
- Availability and last-confirmed date.
- Owner/Agent public name and allowed avatar.
- Narrowly defined verification badges.
- Real rating/review count only when available.

- Like, Comment, Save, Share, Report.
- Contact/Call/WhatsApp only when owner has consented and settings permit it.
- Request Viewing.

Rules:
- No dummy cards, fake ratings, fabricated counts, or placeholder advertisements.
- Never expose private phone/NID.
- Social likes/comments are not tenant reviews.
- Infinite scroll/pagination must use backend results and prevent duplicate items.
- Hide or down-rank blocked/reported content according to moderation policy.
- Do not autoplay video with sound; respect data saver and accessibility.
- Provide skeleton loading, empty feed, retry, offline and error states.

Screen 9 — Feed Filters
- Category, transaction type, location, price/rent, bedrooms, bathrooms, size, floor, furnishing, availability, amenities, verified statuses, posted date.
- Filter options are dynamic by property type.
- Clear All and Apply.
- Display applied filter chips.
- Do not offer irrelevant filters for land/office listings.
- Filter values must be validated and mapped to backend queries/search index.

Screen 10 — Comments and Replies
- View and post comments, replies, edit own comment within defined policy, delete own comment where permitted.
- Report comment, block user, mute thread.
- Rate-limit spam.
- Moderation queue for reported comments.
- Comments are not a substitute for verified reviews.
- Prevent injection, abusive content and unauthorized edits.

Screen 11 — Share Listing
- Native share sheet on Android/iOS.
- Web Share API when supported; otherwise copy canonical public URL.
- Only share a public listing URL with permitted public fields.
- If listing is paused/removed/private, shared link should show a truthful status and not reveal private information.

Screen 12 — Favorites / Saved Properties
- Save/unsave a listing or unit.
- Group/sort saved properties.
- Show current availability based on backend state.
- Rented/sold/expired properties should be marked clearly, not silently treated as

available.
- Empty state links to Search.

Screen 13 — Saved Searches and Alerts
- Save search wizard answers/filters.
- Alert frequency options only if notification infrastructure is configured.
- Alert when a matching new listing is published or availability/price changes.
- Deduplicate alerts and allow pause/delete.
- Never send notifications for fake/test data in production.

Screen 14 — Recently Viewed / Activity
- Recently viewed properties, sent inquiries, viewing requests, saved items, reviews and own listing activity.
- Provide privacy controls and clear-history option.
- Only show data belonging to the authenticated user.

5.3 Question-based Smart Search Wizard

Screen 15 — Search Wizard Start
Ask: “আপনি কী খুঁজতে চাচ্ছেন?”
Examples of configurable choices:
- বাসা ভাড়া
- রুম ভাড়া
- সাবলেট
- ফ্ল্যাট ভাড়া
- ফ্ল্যাট কেনা
- বাড়ি কেনা
- জমি কেনা
- জমি বিক্রি
- বাড়ি/ফ্ল্যাট বিক্রি
- অফিস ভাড়া/কেনা
- দোকান/কমার্শিয়াল স্পেস ভাড়া/কেনা

These are configuration options, not preloaded listing records.

Screen 16 — Search Location Wizard
Progressive hierarchy:
1. Division
2. District
3. Upazila/Thana
4. Area/locality
5. Optional map pin or nearby radius

Area may be village, mahalla, road, post office, market or known local place.
Requirements:
- Use verified canonical Bangladesh administrative data imported from an authoritative/maintained source.
- Do not ship fabricated administrative data or dummy areas.
- If source data is not configured, show an honest setup/empty state and allow permitted free-text area search.
- Allow user to type a locality if it is not in the database.
- Typed area can be used for the current search immediately.
- Save a new area as a `ProposedArea` linked to its selected division/district/upazila/thana. Do not automatically publish every typo as a canonical area.
- Duplicate normalization and review/approval by authorized Admin.
- After approval, show the canonical area in future dropdowns.
- Handle Bangla/English spellings, aliases, and normalized search keys.
- Do not treat typed locality text as a verified physical address.
- Location permission is optional; manual selection remains available.

Screen 17 — Search Budget
- Rent: minimum/maximum monthly rent.
- Buy/sell: minimum/maximum price.
- Optional advance/deposit filter when appropriate.
- BDT formatting; numeric validation; min must not exceed max.
- Users can skip a question.
- Do not infer price from voice/text without confirmation.

Screen 18 — Dynamic Property Questions
Residential house/flat:
- Bedrooms/rooms (important)
- Bathrooms
- Size (sq ft, optional)
- Floor and total floors where applicable
- Furnishing
- Parking/lift/balcony/generator/security/water and other configured amenities
- Availability date/status
Land:
- Land type
- Area/measurement unit (decimal, katha, bigha, acre or other configured unit)
- Price
- Road access/frontage where supplied
- Intended use where supplied

Office/shop:
- Size
- Floor/access
- Parking
- Commercial suitability/visibility where supplied
- Rent/sale price
Only ask questions relevant to the selected category.

Screen 19 — Live Matching Results / Wizard Summary
- Results update as the user answers questions.
- Partial answers may show broad matches; each answer narrows results.
- Clearly label match count only when computed from real backend results.
- Show answers summary and Edit action per answer.
- Back/Skip for optional questions.
- Final Confirm/Search action.
- If no results: offer broader nearby location, wider budget, or relaxing optional filters.
- Do not create imaginary results to fill the page.

Screen 20 — Search Results
- List/grid responsive layout.
- Sort by relevant options such as newest, price low-high, price high-low, distance if location permission/coordinates available.
- Filter chips, save search, map/list toggle.
- Real listing cards only.
- Pagination/infinite scroll with deduplication.
- Distinguish unit availability from building status.
- If no result, provide clear no-results state and editable filters.

Screen 21 — Map Search
- Map pins for actual published, visible, available listings matching filters.
- Map provider integration and secure API restrictions.
- Cluster pins when needed.
- Tapping pin shows listing summary; opening card shows details.
- List/map synchronization.
- Do not invent coordinates or route distances.
- Respect location permission and provide manual location option.

Screen 22 — Nearby Places
- Display relevant nearby places such as schools, hospitals, markets, transit and other configured categories using a licensed/provider-supported place service.
- Clearly label external place data and last-updated information when available.

- Do not invent distances or claim a place is nearby without location calculation.
- Avoid exposing exact private property coordinates if listing privacy settings require approximate location.

5.4 Property details and contact

Screen 23 — Property Details
Show:
- Title and full description generated only from user-supplied answers; owner may edit before publishing.
- Price/rent, advance, recurring costs and payment terms as supplied.
- Property category, area, size, bedrooms, bathrooms, floor, amenities.
- Public location and map precision permitted by privacy settings.
- Building and unit relationship.
- Available from date, last confirmed date, current status.
- Photo gallery and optional video gallery.
- Owner/Agent public profile and precise verification badges.
- Real reviews/rating counts and review summary only when sufficient data exists.
- Report, Save, Share, Request Viewing, Contact options.
- Related properties only from real backend results.
- Warning that platform badges do not guarantee legal ownership unless a specific documented verification scope states otherwise.

Screen 24 — Photo Gallery
- Swipe, zoom, full screen, captions if supplied.
- Photo order and type (exterior, living room, bedroom, kitchen, bathroom, entrance, etc.) when supplied.
- Show photo verification status accurately.
- Report media.
- No hidden metadata exposed to the public.

Screen 25 — Video Player
- Optional property walkthrough video.
- Thumbnail, duration, loading/progress, retry, captions where available.
- No autoplay with sound.
- Video upload/processing/moderation status.
- Mark as checked only after actual review.
- If video fails, gallery and listing details remain usable.

Screen 26 — Contact Owner / Inquiry
- In-app inquiry/message is the preferred safe default.
- Direct call/WhatsApp only if the owner has explicitly enabled it.

- Do not reveal phone number before permission/policy allows.
- Inquiry form may include message and preferred contact method.
- Spam prevention and rate limiting.
- User must be signed in for protected contact actions where required.

Screen 27 — Request Viewing
- Select preferred date/time slots or provide availability.
- Owner can accept, decline or suggest alternatives.
- Status: Requested, Accepted, Alternative Proposed, Declined, Cancelled, Completed, No-show.
- Send notifications.
- Do not claim a viewing is booked until owner acceptance is recorded.

Screen 28 — Compare Properties
- Compare price, location, rooms, area, floor, amenities, availability, reviews and verification scope.
- Compare compatible property types only.
- Clearly mark missing values instead of inventing them.
- Add/remove from comparison list.

5.5 Profile and settings

Screen 29 — User Profile
- Profile picture and cover photo.
- Display name, bio and public roles.
- Phone verification status; do not expose phone unless the user chooses.
- Owner/Agent verification badges with details.
- Published listings, public reviews and owner replies.
- Saved items and personal activity are private to the account.
- Edit Profile, Settings, Help, Report/Block.
- Profile visibility settings.
- No public NID or private documents.

Screen 30 — Edit Profile
- Name, bio, optional public area, languages/preferences where needed.
- Profile Picture upload via Camera or Gallery.
- Cover Photo upload via Camera or Gallery.
- Preview, crop, zoom, position, replace, remove, upload progress, retry.
- Validate file type, size and dimensions.
- Cloud Storage path must be scoped by user ID and secure rules.
- Only update database references after upload succeeds; clean up orphaned media safely.

- Show a default avatar/cover when absent.
- Do not make profile photo mandatory if user chooses to skip, unless a documented policy requires it.

Screen 31 — Profile Photo / Cover Photo Picker
- Platform-aware picker:
  - Web: file input and browser camera capture where supported.
  - Android: camera/gallery/photo picker with permission handling.
  - iOS: camera/photo library picker with usage-description strings and permission handling.
- Provide accessible labels, permission explanations and denial recovery.
- Never assume that selecting from Gallery stores media only locally; explain that chosen media uploads to the service.
- Do not access the entire photo library unnecessarily; use platform photo picker APIs when available.

Screen 32 — Settings & Privacy
- Language, notification preferences, privacy, contact preferences, blocked users, location permissions, data usage options.
- Account data export/deletion request workflow where required.
- Logout and active-session management.
- Terms, Privacy Policy, Safety Guide.
- Do not offer a toggle that the backend does not actually enforce.

Screen 33 — Notifications
- Listing approval/rejection, price/availability change, inquiry, viewing request, saved search alert, moderation/report status, support replies.
- Read/unread state, deep links, mark all read.
- User-controlled notification preferences.
- Do not include private data in push previews unnecessarily.

Screen 34 — Inbox / Messages
- Conversation list, unread count, message detail, text messages, listing context.
- Block/report user, mute conversation, report abuse.
- Prevent unauthorized users from reading conversations.
- Do not expose private contact details automatically.
- Apply retention and moderation policy.
- File/media sharing only if explicitly supported and moderated.

Screen 35 — Help & Support
- FAQs, contact/support ticket, topic, description, optional attachment, ticket status.

- Voice-to-text on text fields.
- Ticket IDs generated by backend, not fabricated.
- Do not promise response times unless configured.

5.6 Owner / Agent listing wizard

Screen 36 — Start a New Listing
Ask: “আপনি কী বিজ্ঞাপন দিতে চান?”
Options based on configured categories:
- House/room/sublet rent
- Flat rent
- Flat buy/sell
- House buy/sell
- Land buy/sell
- Office/shop/commercial rent/sale
- Other approved category

Offer:
- Quick Post for a simple initial draft.
- Full Question Wizard for detailed listing.
- Save Draft and resume later.

Screen 37 — Owner/Agent and Authorization
- Select whether user is the owner or authorized agent.
- Owner may publish own property subject to verification/moderation.
- Agent must declare authorization and provide required evidence through a private secure workflow.
- Do not let agent falsely inherit owner verification.
- Keep identity documents private; access restricted to authorized verification staff.
- Clearly state the scope of any check.

Screen 38 — Building / Property Location
- Division → District → Upazila/Thana → Area.
- Free-text proposed area if not present.
- Map pin, optional approved Maps link, address details.
- Shared building profile.
- Location visibility precision options where appropriate.
- Validate coordinates and ensure they are not fabricated.
- Proposed locations require normalization and Admin approval before becoming canonical.
- Use real authoritative administrative data; do not seed dummy data.

Screen 39 — Building Profile
For multi-unit properties:
- Building name (optional)
- Address and map location
- Total floors
- Building type
- Common amenities
- Exterior/common-area photos/video as allowed
- Owner/Agent association
- Contact preferences
- General notes
- Building verification/inspection record
- Link all individual units to a stable Building ID.

Screen 40 — Single Flat or Multiple Units
Support:
- One flat/unit.
- Multiple flats on the same floor.
- Multiple flats across several floors.
- Different number of units per floor.
- Shared details applied to multiple units, with per-unit overrides.
- Unique flat/unit ID and optional flat number.
- Per-unit rent/price, advance, bedrooms, bathrooms, size, floor, amenities, photos, availability date/status.
- A parent Building page can show all available units.
- Each unit must also be independently searchable.
- Renting/selling one unit changes only that unit's status.
- Owner can update, pause, close, or bulk edit selected units without unintentionally changing other units.

Screen 41 — Price, Rent, Advance and Costs
- Rent/sale price, currency BDT.
- Advance/deposit.
- Service charge, utility costs or other recurring costs only if supplied.
- Payment frequency and terms where appropriate.
- Negotiable flag if allowed.
- For sale, show sale price and relevant area measurement.
- Numeric validation and optional voice entry with explicit confirmation.
- Do not infer missing values or auto-generate market price as fact.

Screen 42 — Property Details Wizard
Dynamic fields by property type.

Residential:
- Bedrooms/rooms, bathrooms, size, floor, total floors, furnishing, parking, lift, balcony, generator, water, security, gas/utility status where relevant, pets/other configured conditions.
Land:
- Type/use, area and unit, road access, dimensions/frontage if known, price, boundary/title document status only as specifically declared/verified.
Commercial:
- Type, size, floor, access, parking, frontage/visibility if known, permitted use if supplied.
- All amenity options configurable.
- “Other” must reveal a free-text field.
- Skip optional questions.
- Never assert a facility or legal fact that the user did not provide or that has not been verified.

Screen 43 — Photos and Video Upload
- Add photos via Camera or Gallery.
- Add optional property video via Camera or Gallery.
- Review upload queue, reorder, delete, preview, retry.
- Separate Building media from Unit media.
- Ask for property-specific angles where suitable (exterior, entrance, room, kitchen, bathroom, etc.).
- Clearly distinguish uploaded, processing, pending review, checked, rejected.
- Apply file type/size/duration limits from configuration.
- Compress images and transcode/optimize video where backend infrastructure supports it.
- Show upload progress and handle cancellation/retry.
- Strip EXIF GPS metadata from public derivatives when appropriate.
- Perceptual image similarity can flag possible duplicates but must not automatically accuse a user; same building photos can legitimately recur.
- Gallery uploads are allowed but do not receive a “live camera verified” claim.
- In-app camera capture can be an optional stronger signal, not absolute proof.
- Higher-risk listing may require a live video challenge or local inspection with consent.
- Never claim 100% fake-proof verification.

Screen 44 — Voice-assisted Listing Details
- Microphone button on ordinary text fields.
- Bangla and English speech input, including mixed-language support where possible.
- Insert recognized text into editable field.
- Explicit confirmation for numeric/structured values.

- Show listening/processing/error states.
- Typing always available as fallback.
- Request microphone permission only when user starts voice input.
- Speech data handling and third-party service disclosure must be transparent.

Screen 45 — Contact and Availability
- Owner/Agent public display identity.
- Contact options: in-app message, call/WhatsApp only with consent.
- Availability date and status.
- Viewing preferences.
- Contact hours/notes if supplied.
- Do not publish private phone/address unless the user explicitly enables it.
- Save as draft at any stage.

Screen 46 — Listing Preview and Generated Advertisement
- Generate title/description from only user-provided answers.
- Do not invent amenities, view, neighborhood facts, measurements, verification, or ownership.
- Preview exactly as it will appear in feed and details.
- Edit individual answers from preview.
- Show missing important fields and media moderation state.
- Confirm consent, accuracy and posting rules before submission.
- Publish flow may be immediate or pending review according to risk/configuration.
- Show a truthful submission status.

Screen 47 — Drafts and My Listings
- Draft, Pending Review, Published, Changes Requested, Rejected, Paused, Expired, Rented, Sold.
- Filters, search, edit, duplicate-as-new only if policy allows, pause, close, delete/archive.
- Clear reason for rejection/change request.
- Resubmit after correction.
- For multi-unit building, manage each unit and bulk actions.
- Do not display “Published” as “Verified Owner”.
- Rented/sold status requires user confirmation or approved workflow.

Screen 48 — Listing Performance
- Real views, saves, inquiries, viewing requests only if those events are actually tracked.
- Do not fabricate views or inflate counters.
- Date range and per-unit/building breakdown.
- Explain that engagement is not a guarantee of rental/sale.

- Hide analytics if data has not been collected.

5.7 Tenant reviews and reputation

Screen 49 — Reviews Overview
Separate ratings:
- Landlord rating
- Property/building rating
- Area/neighborhood rating

Display:
- Average and review count only from real reviews.
- Do not imply statistical reliability when there are few reviews.
- Recent reviews, owner replies, and common issue summaries only when evidence supports them.
- Label Verified and Unverified reviews clearly.
- Explain verification badge scope.

Screen 50 — Write Tenant Review
- Star rating by dimension.
- Written review.
- Optional photos.
- No video upload in Tenant Review.
- Duration of tenancy.
- Optional move-out reason: job/study relocation, rent increase, landlord issue, maintenance issue, area issue, personal reason, Other with free-text.
- Would rent again?
- Voice-to-text for ordinary text fields.
- Preview and submit.
- One review per verified tenancy/tenancy relationship as policy permits.
- Do not force sensitive information or expose identity documents.

Screen 51 — Review Verification
- Verify through supported tenancy/contract relationship, in-app owner/tenant relationship, viewing/tenancy record, or consented proof.
- Never mark verified merely because a user has an account or phone OTP.
- Keep submitted evidence private and restrict access.
- Review verification status: Unverified, Under Review, Verified, Rejected, Disputed.
- Record who checked it and when.
- Provide correction/appeal workflow.

Screen 52 — Owner Reply and Review Report

- Owner can reply to a review.
- Owner cannot directly delete a review simply because it is negative.
- Report review for false information, abuse, privacy violation or other defined reasons.
- Admin moderates based on policy/evidence.
- Avoid presenting allegations as established facts.
- Preserve audit trail and allow appeal.
- Apply rate limits and anti-brigading protections.

5.8 Messaging, alerts, and transactions

Screen 53 — Inquiries Dashboard
- Incoming/outgoing inquiries, linked listing/unit, date, status.
- Owner can mark answered/closed.
- Tenant sees response state.
- Avoid exposing another user's private conversations.

Screen 54 — Viewing Requests Dashboard
- Accept, decline, propose alternate time, cancel, complete/no-show.
- Notifications and status history.
- No confirmed booking until accepted.
- Report harassment or unsafe conduct.

Screen 55 — Notification Preferences
- Push, in-app and email/SMS channels only if configured.
- Saved search alerts, inquiries, listing status, review status, safety updates.
- Frequency, pause, unsubscribe controls.
- No marketing messages without required consent.

5.9 Admin web panel screens

Admin Panel is a separate protected web application or a protected route group. Backend authorization is mandatory.

Admin Screen A1 — Secure Admin Login
- Authorized accounts only; no public Admin registration.
- MFA/2FA where supported.
- Session timeout and secure logout.
- Rate limiting and audit logging.
- Never expose Admin credentials in client code.

Admin Screen A2 — Overview Dashboard

- Actual database-backed totals and trends.
- Pending listings, reports, verification cases, support tickets.
- Data timestamp and filters.
- Empty state if no records.
- Do not generate sample metrics.

Admin Screen A3 — User Directory and Detail
- Search by allowed identifiers.
- Role/status, profile and relevant activity.
- Restrict, suspend, reinstate, verify and document reasons.
- Hide sensitive data unless role and task require it.
- Log all sensitive access/actions.

Admin Screen A4 — Listing Queue
- Pending/reported/high-risk listings.
- Filter by category, area, owner/agent, risk and submission time.
- Review photos/videos and metadata signals.
- Approve, request changes, reject, temporarily hide, escalate.
- Require a reason for rejection/hiding.

Admin Screen A5 — Building and Unit Management
- Parent building with related units.
- Per-unit status and verification.
- Prevent accidental bulk status changes.
- Identify conflicting availability or duplicate unit records.

Admin Screen A6 — Verification Center
- Phone/identity/agent authorization/photo/video/location/inspection/title-document checks kept separate.
- Show evidence only to authorized roles.
- Record verifier, scope, date, expiry, notes and outcome.
- Do not publish raw identity documents or deeds.
- “Title document checked” only if that exact review occurred; it does not automatically guarantee legal title.

Admin Screen A7 — Report/Complaint Queue
- Categories: fake photo, wrong price, wrong location, already rented/sold, fraud, abuse, privacy, copyright, other.
- Priority, evidence, assignment, internal notes, status and resolution.
- Reporter updates without exposing private investigation notes.
- Escalation and appeal.

Admin Screen A8 — Review/Comment Moderation
- Reported reviews/comments/media.
- Context and relevant history.
- Hide/remove content under policy, warn user, limit account, escalate.
- Keep decision log.
- Do not permit staff to silently change the substance of a user's review.

Admin Screen A9 — Location/Area Manager
- Canonical Division/District/Upazila/Thana/Area records.
- Import from authoritative data source.
- Validate hierarchy and duplicates.
- Review ProposedArea submissions.
- Normalize Bangla/English names and aliases.
- Approve/reject/merge with audit trail.
- No dummy or invented administrative records.

Admin Screen A10 — Category and Question Builder
- Manage property categories, transaction types, dynamic questions, required/optional fields, units, amenity lists and validation.
- Version configurations so existing listings remain readable.
- “Other” option always opens a free-text input.
- Do not deploy malformed question configuration that blocks posting.

Admin Screen A11 — Media Moderation
- Image/video processing status, user, listing/unit, reports and verification status.
- Flag duplicate/suspicious media for review.
- No absolute AI authenticity claim.
- Allow legitimate same-building images while investigating context.
- Delete/restrict media only under documented policy.

Admin Screen A12 — Review Verification
- Tenancy proof workflow, private evidence access, reviewer decision, appeal.
- No fabricated verified badges.
- Record exact verification scope.

Admin Screen A13 — Support Desk
- Ticket list, assignment, priority, reply, status, attachment permissions.
- SLA labels only if configured.
- Audit internal notes and actions.

Admin Screen A14 — Notification and Announcement Manager
- Compose, target eligible users, preview, schedule if supported, send and inspect

delivery.
- Consent-aware channels.
- No fake delivery counts.
- Critical system messages require appropriate permission.

Admin Screen A15 — Analytics and Exports
- Real metrics: active users, published listings, unit availability, search demand, inquiries, conversions, report rates.
- Filter by time, location, category.
- CSV/Excel/PDF export with authorization and privacy controls.
- Aggregate sensitive data; do not expose unnecessary personal details.

Admin Screen A16 — Pricing/Promotion/Payments (future-ready)
- Paid listing plans, featured placements, subscriptions, refunds and reconciliation only when a real payment provider is integrated.
- If payments are not configured, show disabled/configuration state rather than fake transactions.
- Keep financial permissions separate.

Admin Screen A17 — App Configuration
- Theme/brand colors, splash artwork, banners, category order, media limits, feature flags, help pages, legal documents.
- Validate configuration before publishing.
- Version and rollback configuration where practical.
- Do not allow configuration changes to bypass security rules.

Admin Screen A18 — Admin Users, Permissions and Audit Log
- Create/disable authorized Admin accounts through secure process.
- Role-based access control.
- Audit trail for approvals, rejections, user restrictions, verification, exports and settings changes.
- Require reason for sensitive actions.
- Prevent self-elevation to Super Admin.
- Protect logs from unauthorized alteration.

Admin Screen A19 — Security/Health Monitor
- Backend/storage errors, failed jobs, upload failures, notification failures, suspicious access patterns.
- No secrets in logs.
- Alert authorized staff for real issues.
- Show last successful job/data sync timestamps.
- Provide safe retry paths.

5.10 Future/optional screens
Build only when requirements and real integrations exist:
- Paid promotions/payment checkout.
- Subscription management.
- Assisted Listing representative workflow.
- In-person property inspection scheduling.
- Advanced AI duplicate/fraud detection.
- Advanced search index.
- Formal ownership-document verification integrations.
- Multi-language content translation.
- Web SEO landing pages for public listings.
- Offline draft creation/sync.

Do not display fake/pretend features as working. Mark unconfigured future features clearly or keep them hidden.

---

6. Social Feed, Trust and Engagement Rules

6.1 Separate social actions from reviews
- Like = engagement, not proof of property quality.
- Comment = conversation, not verified tenancy evidence.
- Tenant Review = a structured experience record with its own verification status.
- Never convert Likes/Comments into star ratings.
- Prevent review brigading and spam.

6.2 Feed card details
- Photos and optional video.
- Price/rent and location.
- Bedrooms/rooms, bathrooms, size, floor if applicable.
- Availability.
- Owner/Agent name/avatar and allowed badges.
- Real rating and review count when available.
- Save, Like, Comment, Share, Report, Inquiry and Viewing Request.
- Clearly show when information was last confirmed.
- Do not show fake scarcity messages such as “only one left” unless true.

6.3 Recommendation logic
- Use actual search preferences, saved searches, selected areas and permitted activity.

- Do not use sensitive personal data.
- New users should get category/location selection instead of fake “AI recommendations”.
- Let users reset personalization.

---

7. Media Upload, Storage and Authenticity

7.1 Property advertisement media
- Photos: Camera and Gallery.
- Optional video: Camera and Gallery.
- Separate building-level media from unit-level media.
- Review upload queue, preview, reorder, remove, retry and progress.
- Validate file types, size, duration, resolution and storage quotas.
- Compress images and process video securely.
- Generate thumbnails/transcodes in backend where supported.
- Use resumable/retryable uploads for larger videos when possible.
- Clean up orphaned uploads safely.
- Access rules must prevent one user from modifying another user's files.

7.2 Review media
- Photos allowed.
- Video upload not allowed in Tenant Review.
- Validate uploads and moderate reported media.
- No public access to private tenancy proof or documents.

7.3 Authenticity signals
- In-app camera can be offered as an optional stronger signal.
- Gallery uploads remain allowed but must not be labeled live-camera verified.
- Perceptual hash/similarity can flag duplicates; false positives are possible.
- EXIF is an auxiliary signal only; missing EXIF does not prove fraud and present EXIF does not prove authenticity.
- High-risk listings may require a live video challenge or a consented local inspection.
- Location pin consistency is not proof of ownership.
- Verification badges must state exact scope, date and limits.
- Never promise “100% fake-proof”.

7.4 Verification badges
Separate and explain:
- Phone Verified

- Owner Identity Checked
- Agent Authorization Checked
- Photos Checked
- Video Checked
- Location Checked
- Property Inspected (date and scope)
- Ownership Documents Reviewed (only if that exact check was performed and policy/legal review supports it)

Every badge should open an explanation of what was checked, by whom/when if appropriate, and what was not established.

---

8. Voice-to-Text Global Input Feature

Any ordinary text input that benefits from dictation should support a microphone action, where the platform and permissions allow:
- Property title and description
- Amenities “Other” details
- Location/locality text
- Tenant review and review reason
- Comments and replies
- Inquiry/messages
- Support tickets
- Profile bio
- Search free-text
- Report description

Requirements:
- Bangla, English, and mixed speech support where available.
- Start/stop controls and clear listening/processing/error states.
- Insert transcript into the existing editable field.
- User can correct text before submit.
- For structured numbers (price, rent, phone, count, area), parse only as a suggestion and ask user to confirm.
- Typing always remains available.
- Ask for microphone permission only when user initiates dictation.
- Respect platform permissions and browser compatibility.
- Explain whether speech is processed on-device or by a third-party service.
- Do not persist raw audio without explicit consent and a justified purpose.
- If speech service is unsupported or offline, show a helpful fallback instead of

crashing.

---

9. Data Model and Relationships

Use stable IDs, server timestamps, explicit status enums, schema versioning where useful, and ownership checks. Adapt names to existing conventions.

9.1 Core entities
- `User`
- `UserRole`
- `UserProfileMedia`
- `Building`
- `PropertyUnit` / `FlatUnit`
- `PropertyListing` or listing record linked to a building/unit
- `ListingMedia`
- `LocationDivision`
- `LocationDistrict`
- `LocationUpazilaThana`
- `CanonicalArea`
- `ProposedArea`
- `Favorite`
- `SavedSearch`
- `SearchAlert`
- `Inquiry`
- `Conversation`
- `Message`
- `ViewingRequest`
- `Like`
- `Comment`
- `CommentReply` (or threaded Comment)
- `TenantReview`
- `ReviewMedia`
- `ReviewVerification`
- `Report`
- `VerificationRecord`
- `ModerationCase`
- `Notification`
- `SupportTicket`
- `AdminUser` / role claims
- `AuditLog`

- `AppConfiguration`
- `PropertyCategory`
- `DynamicQuestionDefinition`
- `PaymentRecord` only if payments are integrated.

9.2 User
Potential fields:
- `id`
- `displayName`
- `bio`
- `profilePhotoPath` / URL reference
- `coverPhotoPath` / URL reference
- `roles[]`
- `phoneVerificationStatus`
- `publicAreaId` or optional public area
- `accountStatus`
- `createdAt`, `updatedAt`
- `privacySettings`
- `notificationPreferences`

Do not store publicly accessible NID/deed data in the user document.

9.3 Building
- `id`
- `ownerUserId` / authorized manager references
- `locationIds`
- `addressText`
- `mapPoint` with privacy controls
- `totalFloors` if known
- `buildingType`
- `commonAmenities[]`
- `buildingMedia[]`
- `verificationSummary` derived from scoped records, not a free-form trusted claim
- `status`
- timestamps

9.4 PropertyUnit / FlatUnit
- `id`
- `buildingId` (optional for independent land/house listings)
- `unitNumber` (optional/private according to policy)
- `floorNumber` (optional)
- `propertyType`
- `transactionType`

- `bedrooms`, `bathrooms`, `areaValue`, `areaUnit`
- `rentAmount` or `salePrice`
- `advanceAmount`
- `recurringCosts[]`
- `amenities[]`
- `unitMedia[]`
- `availabilityStatus`
- `availableFrom`
- `listingStatus`
- `createdByUserId`
- timestamps

Each unit is independently searchable. Changing one unit's status must not change sibling units unless an explicit validated bulk action is performed.

9.5 Listing and moderation

- `id`
- `buildingId` and/or `unitId`
- `ownerUserId`
- `agentUserId` if applicable
- `categoryId`
- `transactionType`
- `title`, `description` (user-editable and generated only from supplied answers)
- `location references`
- price fields and dynamic answers
- `status`
- `submittedAt`, `publishedAt`, `expiresAt`, `lastConfirmedAt`
- `moderationState`
- `verificationRecordIds[]`
- timestamps

Do not store “verified” as an unscoped Boolean that implies everything was checked.

9.6 Media

- `id`
- `ownerUserId`
- `buildingId` and/or `unitId`/`listingId`
- `mediaType`: image/video
- private storage path and safe public derivative path
- `uploadState`
- `moderationState`
- `verificationState`
- `caption` if supplied
- duration/dimensions/size where relevant

- timestamps
- no public raw identity/tenancy documents

Review media validation must reject video type.

9.7 Review

- `id`
- `authorUserId`
- `buildingId` and/or `unitId`
- optional landlord target
- ratings by dimensions
- written text
- optional photo media references
- tenancy duration and optional move-out reason
- `verificationState`
- `moderationState`
- owner reply reference
- timestamps

One review per tenancy/relationship according to policy. Avoid duplicate reviews through server-side enforcement.

9.8 Proposed Area

- `id`
- typed area name
- normalized name/search keys
- parent administrative IDs
- submitted by user ID
- status: pending/approved/rejected/merged
- moderator ID, decision time and reason
- alias records if approved

Use duplicate detection and Admin review before becoming canonical.

9.9 Audit Log

- actor ID and role
- action
- target type/ID
- timestamp
- reason
- relevant before/after diff with sensitive fields redacted
- request/correlation ID where useful

Logs must be protected against unauthorized edits/deletion.

---

10. Backend, Security and Data Access

10.1 Authentication and authorization
- Use Firebase Auth or existing secure auth provider.
- Backend must enforce authorization; client-side checks are UX only.
- Use server-side Admin claims/roles, assigned through secure trusted workflows.
- Never allow clients to write their own Admin role.
- Verify ownership for profile, media, listings, units, reviews and conversations.
- Validate all input server-side.

10.2 Firestore / database rules
Create explicit least-privilege rules:
- Users can read/update only allowed fields in their own profile.
- Public profile fields are separated from private account data where practical.
- Owners can modify only their own authorized listings/units.
- Agents can modify only listings for which authorization is valid.
- Published listing reads expose only approved public fields.
- Draft/pending/private listings are visible only to authorized users/admins.
- Tenant review media accepts images only, never video.
- Verification evidence is accessible only to authorized verification roles.
- Admin actions are enforced in trusted backend code and audited.
- Prevent unauthorized writes to counts, rating aggregates, verification status, payment state and audit logs.
- Use server-side transactions/Cloud Functions for sensitive state transitions.
- Test rules with emulator/security tests before release.

10.3 Storage rules
- Separate public derivatives from private originals/evidence.
- Scope user-owned media paths.
- Validate allowed content type and size.
- Prevent public reads of private identity/tenancy documents.
- Use signed or authorized access where appropriate.
- Remove EXIF GPS from public image derivatives when appropriate.
- Do not rely on file extensions alone; validate content.
- Implement cleanup for abandoned uploads and deleted listings.
- Never commit service account keys or secrets.

10.4 Server-side operations
Use secure backend functions/services for:
- Listing publish/reject/status transitions.
- Role changes.

- Verification badge assignment.
- Review eligibility/duplicate review prevention.
- Rating aggregates.
- Notification generation.
- Saved search alert matching.
- Media processing/moderation hooks.
- Report escalation.
- Audit logging.
- Secure exports.
- Optional payments/refunds.

10.5 Search
- Begin with indexes and query patterns supported by the chosen database.
- Document compound indexes.
- Use a dedicated search index if location/category/range/amenity combinations exceed database capability.
- Avoid fetching the whole database to filter locally.
- Protect search against abuse and excessive query cost.
- Use real canonical location IDs and normalized search terms.

---

11. No Preloaded/Dummy Data Policy

This section is mandatory and overrides any demo-oriented defaults.

Do not create or seed:
- Fake users
- Fake owners/agents
- Fake listings/buildings/flats/land
- Fake reviews/comments/likes
- Fake star ratings or review counts
- Fake inquiries/messages/viewing requests
- Fake admin metrics
- Fake payments or revenue
- Fake verification badges
- Fake nearby places
- Invented administrative divisions/areas
- Example records in production databases
- Hard-coded mock JSON used as a fallback for real API failure

Permitted:

- Automated unit-test fixtures stored only in test scope.
- Emulator data isolated from production and never automatically copied to production.
- UI skeletons with no false content.
- Static category labels/configuration only when explicitly part of the product's configured taxonomy.
- Empty-state copy.
- Documentation examples clearly marked as examples and never rendered as live listings.

If backend data is empty:
- Show “এখনও কোনো বিজ্ঞাপন পাওয়া যায়নি” or equivalent truthful empty state.
- Offer search adjustments, a location proposal, or create-first-listing actions.
- Do not fabricate cards to fill the feed.

If canonical Bangladesh location data is not available:
- Build an Admin import/validation workflow.
- Display only actual imported records.
- Allow current-search free-text area as policy permits.
- Never silently substitute a short dummy list.

All dashboard totals must be computed from real records. If unavailable, show unavailable/empty rather than `0` when the system has not actually loaded the metric.

---

12. Notifications, Alerts and Freshness

Events that may generate notifications:
- OTP/auth/security events
- Listing submitted/approved/rejected/changes requested
- Verification status changes
- New inquiry/message
- Viewing request status
- Saved search match
- Listing price/availability change
- Review verification/moderation result
- Report/ticket status
- Security warnings

Rules:
- User preference and consent aware.
- Deduplicate and rate limit.

- Never reveal sensitive details in lock-screen notifications.
- No notification for fabricated events.
- Store delivery outcome where provider supports it.
- Listing owner should periodically confirm availability; expired/unconfirmed listings must be labeled or paused based on configured policy.

---

13. Privacy, Safety and Legal/Operational Controls

- Publish only media and details the user is authorized to share.
- Do not publish NID, title deeds, contracts, private addresses or private contact data.
- Do not assume public availability of a photo/address means permission to republish it.
- Provide report, block, appeal and data request flows.
- Establish moderation policies and an audit trail.
- Do not present unverified allegations as facts.
- Explain verification scope and limitations.
- Use consented inspection and verification.
- Provide privacy policy, terms, content policy, data retention policy and contact information before launch.
- Get qualified legal review for tenancy, property advertising, privacy, identity verification, payment and consumer protection obligations applicable in Bangladesh.
- Do not imply the platform is a legal authority or guarantees a transaction.
- Keep user consent and relevant terms versioned.

---

14. Performance and Reliability

- Paginate lists; avoid loading all records.
- Lazy-load photos/video thumbnails.
- Compress and cache safe public media.
- Use upload retry/resume where possible.
- Handle offline, slow network, expired session and backend errors.
- Avoid duplicate submits through idempotency and disabled pending actions.
- Use debounced search inputs.
- Avoid rebuilding large lists unnecessarily.
- Track errors without logging private data.
- Ensure video does not autoplay with sound.
- Use CDN/optimized derivatives when configured.

- Monitor storage usage and backend query costs.
- Test low-end Android devices and slow mobile networks.

---

15. Testing Requirements

15.1 Unit tests
- Model serialization/deserialization.
- Validation and dynamic questions.
- Rent/price range logic.
- Role/permission logic.
- Listing state transitions.
- Building/unit independence.
- Review eligibility and video rejection.
- Voice transcript parsing for structured fields.
- Proposed area normalization.
- Empty/loading/error state mapping.

15.2 Integration tests
- Sign up/login/OTP flow.
- Profile photo and cover upload on each platform.
- Listing draft → media upload → submit → moderation → publish.
- Multi-flat building and independent unit status.
- Search wizard with live real results.
- Save/unsave and saved alerts.
- Inquiry and viewing request lifecycle.
- Review with photos; reject review video.
- Report submission and Admin resolution.
- Permission enforcement for every sensitive operation.
- Admin action audit logging.
- No cross-user private data access.

15.3 Platform tests
Web:
- Responsive breakpoints, keyboard accessibility, browser picker, microphone compatibility, URL sharing.
Android:
- Camera/gallery permissions, back navigation, share sheet, microphone permission, upload interruption.
iOS:
- Camera/photo/microphone permission descriptions, photo picker, share sheet, upload

interruption.
All:
- Denied permissions, revoked permissions, offline mode, slow network, expired auth, empty database.

15.4 Security tests
- Client cannot grant self Admin role.
- User A cannot edit User B profile/listing/media.
- Agent cannot edit unassigned owner listing.
- Public users cannot read private evidence or messages.
- Review media cannot include video.
- Users cannot fake ratings/counts/verification states.
- Admin actions require role and are audited.
- Storage rules block private documents.
- Abuse/rate limits work.

15.5 Release acceptance
Do not mark production-ready until:
- Builds succeed for intended targets.
- Critical flows work end-to-end.
- Security rules and tests pass.
- No dummy data appears in production.
- App privacy and platform permission descriptions are configured.
- Required environment values are documented.
- Errors, monitoring, backup/restore and support workflows are reviewed.
- Known limitations are documented.

---

16. Suggested Implementation Phases

Phase 1 — Foundation
- Repository audit.
- Design system, routing, localization.
- Authentication and roles.
- Secure backend and data models.
- No dummy seed data.
- Profile picture/cover upload interfaces.

Phase 2 — Listings and Building/Units
- Building and unit data model.
- Question-based listing wizard.

- Draft, submit, moderation and publish.
- Camera/Gallery photos and optional property video.
- My Listings and multi-unit management.

Phase 3 — Search and Feed
- Question-based search wizard.
- Real-time/updated matching results from actual backend.
- Canonical locations and proposed-area workflow.
- Home feed, results, map, favorites and saved searches.

Phase 4 — Trust and Communication
- Profile/public profile.
- Inquiry, messaging, viewing request.
- Reviews with photos and no video.
- Review verification, reports and moderation.
- Voice-to-text across suitable text fields.

Phase 5 — Admin Web Panel
- Admin login and RBAC.
- Dashboard, listing queue, user directory, verification, reports.
- Location and category/question manager.
- Media/review moderation, support and audit log.

Phase 6 — Hardening and Launch
- Cross-platform tests.
- Security review and rules tests.
- Performance, accessibility and privacy review.
- Analytics, alerts and optional integrations.
- Release builds and operational runbook.

Phases may be reordered to fit an existing repository, but security and no-dummy-data rules must never be skipped.

---

17. Definition of Done

A feature is done only when:
1. Its UI exists on the relevant targets.
2. Inputs validate and show useful errors.
3. Backend read/write works against real configured services.
4. Authorization is enforced server-side.

5. Loading, empty, error, retry and offline states exist where applicable.
6. Platform differences are handled without crashing.
7. Relevant tests pass.
8. Accessibility and localization are considered.
9. No fake data is used as a fallback.
10. Any verification label is truthful and scoped.
11. Logs do not expose secrets or private data.
12. The implementation report states what is done, what remains, required setup and known limitations.

---

18. Antigravity Execution Instructions

Use this document as the authoritative product specification.

1. Inspect the repository first and report the current stack, architecture and existing features.
2. Create a requirement-to-file plan before editing.
3. Preserve working code and data. Avoid destructive rewrites.
4. Build a modular feature-first structure with small Dart files.
5. Keep web, Android and iOS platform-specific code separated where behavior differs, while reusing shared logic and UI where identical.
6. Implement all customer-facing screens and Admin screens described above, prioritizing the phases.
7. Use real backend data only. Do not add dummy/preloaded business data at any stage in production.
8. Do not fabricate API results if a service is unconfigured; show a truthful configuration or empty state.
9. Ensure Profile Picture and Cover Photo each support Camera and Gallery.
10. Property listing media supports photos plus optional video; Tenant Reviews support photos but reject video.
11. Add microphone-based voice-to-text to suitable text inputs, with editable transcript and typing fallback.
12. Implement question-based Search and question-based Listing Creation; do not replace these with a single long conventional form.
13. Implement Building + Unit relationships so multiple flats on multiple floors remain independently searchable and independently available.
14. Build secure Admin web panel with role-based access and audit logs.
15. Use only actual configured administrative location data. Create import/approval tools rather than dummy locations.
16. Enforce privacy, authorization, media restrictions, and status transitions on the

```
backend.
17. Run formatting, lint, unit tests, integration tests, platform builds and security-rule tests.
18. Fix errors rather than suppressing them.
19. Do not claim a screen, API, verification, upload, or payment is functional unless tested end-to-end.
20. At the end, provide:
    - Implemented features
    - New/modified files
    - Platform coverage (Web/Android/iOS)
    - Backend/schema/rules changes
    - Tests run and results
    - Required secrets/configuration steps (names only; never print secret values)
    - Remaining work and known limitations
    - Confirmation that no dummy/preloaded business data was added

**Final priority order:** (1) security and real data, (2) robust Building/Unit and Listing architecture, (3) question-based search/posting, (4) media and voice assistance, (5) transparent verification and moderation, (6) polished feed and responsive multi-platform UX.
"""
path = Path("/mnt/data/Antigravity_Bangladesh_Property_Marketplace_Master_Spec.md")
path.write_text(content, encoding="utf-8")
print(f"Created: {path}\nSize: {path.stat().st_size:,} bytes\nLines: {len(content.splitlines()):,}")
```

Result

```
Before doing anything else, explicitly explain that the tool is unavailable because the
```

ChatGPT said:

‹/›

You said:

do

Analysis errored

```
from pathlib import Path

content = r"""# Bangladesh House Rent & Property Marketplace
```

Master Product, UX, Architecture & Implementation Specification for Antigravity

Purpose: Build a production-ready property marketplace for Bangladesh across Web, Android, iOS, plus a protected Admin Web Panel. Treat this document as the product source of truth.

Non-negotiable rules

1. **No preloaded/dummy business data anywhere in production:** no fake users, owners, agents, listings, buildings, flats, land, reviews, comments, ratings, inquiries, messages, transactions, payments, metrics, verification badges, nearby places, or invented administrative areas.
2. If the backend or location source is empty/unconfigured, show a truthful empty/configuration state. Never fall back to mock data.
3. Inspect the existing repository before editing. Preserve working code, conventions, data, secrets, and platform configuration. Do not rewrite blindly.
4. Use small, focused Dart files and modular features. Avoid giant files. Share code where behavior is identical, but separate platform-specific implementations where behavior differs.
5. Web, Android, and iOS must all be supported. Platform-specific Dart adapters/files should be used for camera/gallery, browser APIs, permissions, sharing, speech input, and other platform differences. Do not duplicate identical business logic three times.
6. No public Admin sign-up. Admin permissions are granted only by an authorized secure workflow and enforced on the backend.
7. A phone-verified account is not proof of identity or property ownership. Publishing an ad is not legal-title verification.
8. All forms and controls must work. Do not present a button as functional unless its full action is implemented and tested.
9. Never expose NID, identity documents, deeds, private tenancy evidence, private addresses, private phone numbers, secrets, or private messages publicly.
10. Property ads support photos and optional video. Tenant reviews support photos but **must not allow video uploads**.
11. Every suitable ordinary text input should have optional microphone-based Voice-to-Text, editable transcript, and typing fallback.
12. User profile must support both Profile Picture and Cover Photo, each selectable from Camera or Gallery, with preview/crop/change/remove.
13. Building and Flat/Unit are separate entities. A building can contain multiple units on multiple floors; each unit remains independently searchable and has its own availability state.
14. Verification badges must say exactly what was checked and what was not established. Never claim “100% fake-proof”.
15. Build, lint, test, and report honestly. Do not claim completion for untested

features.

---

1. Product scope

A Bangladesh-wide marketplace for:
- House rent, room rent, sublet, flat/apartment rent
- Flat/apartment buy/sell and house buy/sell
- Residential, agricultural, and commercial land buy/sell
- Office, shop, and other commercial space rent/sale
- Future categories configurable by authorized Admin

User roles (one account can have multiple roles):
- Tenant
- Buyer
- Owner/Landlord
- Seller
- Agent

Protected Admin roles:
- Super Admin
- Listing Moderator
- Verification Officer
- Content Moderator
- Support Agent
- Finance Admin
- Analyst/Read-only Admin

Target clients:
- Responsive customer-facing Web app
- Android app
- iOS app
- Responsive Admin Web Panel

Preferred stack if compatible with the existing repository:
- Flutter for Android/iOS; Flutter Web or existing web stack for customer Web.
- Firebase Authentication, Firestore, Cloud Storage, Cloud Functions/secure backend.
- Google Maps Platform or another approved map provider.
- A dedicated search index if database query capabilities cannot support the required filters.
- Preserve an existing suitable architecture rather than replacing it without a

documented reason.

Product principles
- Real listings and real backend metrics only.
- Clear rent/price, location, availability, and contact consent.
- Question-based search and question-based listing creation.
- Fast, accessible, responsive experience, including low-bandwidth mobile connections.
- Bangla and English localization; canonical backend IDs must not depend on translated labels.
- Honest loading, empty, offline, error, retry, and permission-denied states.
- No fake scarcity, fabricated ratings, fake counts, or invented nearby places.

---

2. Required repository workflow

Before implementation:
1. Inspect repository, framework, versions, routes, architecture, authentication, database, storage, UI conventions, platform configuration, and tests.
2. Report existing features and identify which requirements already exist.
3. Create a requirement-to-file plan and note migration risks.
4. Preserve working features and existing data. Use backward-compatible migrations where needed.
5. Do not overwrite environment files, Firebase config, signing files, credentials, or secrets blindly.
6. If the repository is empty, establish the modular architecture below.
7. Implement in small stages; build and test after each stage.

Delivery checkpoints:
- A: repository audit and implementation plan
- B: theme, routing, localization, authentication, roles
- C: models, repositories, backend and security rules
- D: profile, feed, search, listing wizard, Building/Unit model
- E: media, voice input, reviews, messaging, reports and verification
- F: Admin Web Panel
- G: analytics/configuration and optional payments
- H: cross-platform, accessibility, performance and security tests
- I: release builds and final implementation report

---

3. Modular code and platform separation

Use feature-first layered architecture:
- presentation/screens/widgets
- controllers/state/view models
- domain models and use cases
- repositories/interfaces
- data sources and backend clients
- services/integrations
- platform adapters
- validators
- routing/localization
- security-sensitive backend functions

UI must not contain complex database queries, authorization rules, upload orchestration, or business logic.

Suggested structure (adapt to existing project; do not create empty files just to match this tree):

```text
lib/
  app/
    app.dart
    bootstrap.dart
    router/app_router.dart
    router/route_names.dart
    theme/app_theme.dart
    theme/app_colors.dart
    theme/app_text_styles.dart
    localization/app_localizations.dart
  core/
    errors/app_error.dart
    errors/error_mapper.dart
    validation/validators.dart
    validation/phone_validator.dart
    validation/money_validator.dart
    permissions/permission_service.dart
    media/media_asset.dart
    media/media_limits.dart
    media/media_validation.dart
    speech/speech_input.dart
    speech/speech_result.dart
```

```
    widgets/app_button.dart
    widgets/app_text_field.dart
    widgets/app_loading.dart
    widgets/app_error_view.dart
    widgets/app_empty_state.dart
    widgets/app_confirm_dialog.dart
  features/
    auth/{domain,data,presentation}/
    profile/{domain,data,presentation}/
    feed/{domain,data,presentation}/
    search/{domain,data,presentation}/
    properties/{domain,data,presentation}/
    buildings/{domain,data,presentation}/
    reviews/{domain,data,presentation}/
    messaging/{domain,data,presentation}/
    reports/{domain,data,presentation}/
    verification/{domain,data,presentation}/
    notifications/{domain,data,presentation}/
    saved_searches/{domain,data,presentation}/
    admin/{domain,data,presentation}/
  platform/
    web/
      web_media_picker.dart
      web_speech_adapter.dart
      web_share_adapter.dart
    android/
      android_media_picker.dart
      android_speech_adapter.dart
      android_share_adapter.dart
    ios/
      ios_media_picker.dart
      ios_speech_adapter.dart
      ios_share_adapter.dart
  data/
    repositories/
    firebase/
    api/
  main.dart
```

File rules:
- Each Dart file should have one clear responsibility and be as small as practical.

- Separate a complex screen into small form sections/cards/dialogs/step widgets.
- Keep controllers focused on a workflow.
- Use `*_web.dart`, `*_android.dart`, and `*_ios.dart` where platform-specific behavior genuinely differs, with a shared interface when practical.
- Do not put browser-only APIs in shared/mobile files or iOS-only APIs in shared code.
- Avoid needless one-line wrappers and avoid duplicating business rules.
- Keep secrets out of source control.
- Run formatter, linter and relevant tests.

---

4. Design system and navigation

Design should feel modern, trustworthy, polished, accessible, and responsive. Use consistent typography, spacing, colors, radii, icons, and components. Do not use fake testimonials, fake reviews, or fake metrics to make screens look full.

Mobile bottom navigation:
1. Home
2. Search
3. Post (prominent center action)
4. Saved
5. Profile

Web may use top navigation/sidebar while retaining equivalent destinations. The **Home Feed is separate from the personal Profile**.

Accessibility:
- Screen-reader labels, keyboard navigation on Web, visible focus, adequate contrast, scalable text, useful form errors, usable touch targets, reduced-motion support.
- Status must not be conveyed by color alone.
- Localize user-facing strings; do not hard-code text throughout widgets.
- Format BDT (৳), Bangladesh phone numbers and local dates consistently.

---

5. Customer app: detailed screen specification

5.1 Launch and account

Screen 1 — Splash / Bootstrap
Load app configuration, session, theme, localization and required settings. Route to

onboarding/login/Home based on valid state. Do not load fake data. Optional services must not block forever. Provide retry/error state for essential failures.

Screen 2 — Welcome / Onboarding
Explain search, listing photos/videos, safety and verification limits. Include Skip, Continue, language selection. Do not claim “100% verified” or fabricate user counts. Allow onboarding to be revisited from Settings.

Screen 3 — Sign Up / Login
Bangladesh mobile number + OTP as primary option. Optional Google sign-in only if configured and tested; email may be optional. Show Terms/Privacy consent, phone validation, resend cooldown, rate limits and clear errors. Prevent account enumeration where practical.

Screen 4 — OTP Verification
OTP entry, paste/autofill where supported, resend, change number, expired/invalid/throttled/network states. Never log OTP. OTP proves control of a phone number only.

Screen 5 — Basic Profile Setup
Display name, Profile Picture via Camera or Gallery, Cover Photo via Camera or Gallery. Allow skipping where policy permits. Include crop, preview, upload progress, retry, replace/remove, default avatar/cover. Validate type/size, compress images, and clean up orphaned media safely.

Screen 6 — Select User Roles
Choose one or more: Tenant, Buyer, Owner/Landlord, Seller, Agent. Roles can be added later. Agent publishing may require authorization. Admin roles never appear in public signup.

Screen 7 — Terms, Privacy and Consent
Terms of Service, Privacy Policy, community rules, contact-sharing consent and media upload permission. Record consent version/time where required. Separate optional marketing consent from required service consent.

5.2 Home feed and social features

Screen 8 — Home Feed
Real property advertisements only. Tabs: Latest, Nearby (only with location permission or manually chosen area), Recommended (only when based on real preferences/activity; otherwise show a neutral feed). Category chips: Rent, Flat, House, Land, Office, Shop/Commercial, Buy/Sell.

Each card may show:
- Actual photo or video thumbnail
- Rent/price and BDT
- Location/locality
- Bedrooms/rooms, bathrooms, size, floor where relevant
- Availability and last-confirmed date
- Public owner/agent name and permitted avatar
- Precisely scoped verification badges
- Real review rating/count only when available
- Like, Comment, Save, Share, Report, Contact and Request Viewing

No fake cards, fake counts, fake ratings, fake scarcity or invented places. Respect blocked users, moderation, privacy, pagination and data saver. No autoplay with sound. Provide loading, empty, offline, error and retry states.

Screen 9 — Feed Filters
Dynamic filters: category, transaction type, location, rent/price, bedrooms, bathrooms, size, floor, furnishing, amenities, availability, verification status and posted date. Hide irrelevant filters for land/office. Clear All, Apply and active filter chips. Validate values and map to real backend queries.

Screen 10 — Comments and Replies
View/post comments and replies; allow editing/deleting own content according to policy. Report comment, block user, mute thread. Rate-limit spam and moderate reported content. Comments are not tenant reviews.

Screen 11 — Share Listing
Native share sheet on Android/iOS; Web Share API where supported, otherwise copy canonical public URL. Do not share private fields. Removed/private listing links must show truthful status.

Screen 12 — Favorites / Saved Properties
Save/unsave listing or unit, sort/group saved items, show live availability. Rented/sold/expired listings must be labeled clearly. Empty state links to Search.

Screen 13 — Saved Searches and Alerts
Save search wizard answers and filters. Alert frequency only if notification infrastructure is configured. Notify about matching published listings or real price/availability changes. Deduplicate alerts; pause/delete. No fake alerts.

Screen 14 — Recently Viewed / Activity

Show recent properties, inquiries, viewing requests, saved items, reviews and own listing activity, limited to authenticated user. Provide clear-history/privacy controls.

5.3 Question-based Smart Search Wizard

Screen 15 — Search Wizard Start
Ask: “আপনি কী খুঁজতে চাচ্ছেন?” Configurable options include house rent, room rent, sublet, flat rent, flat buy, house buy, land buy/sell, house/flat sale, office rent/buy and shop/commercial rent/buy. These are category configuration, not sample listing records.

Screen 16 — Location Wizard
Progressive hierarchy: Division → District → Upazila/Thana → Area/locality; optional map pin/radius. Area can be village, mahalla, road, post office, market or known local place.

Use verified canonical administrative data from an authoritative/maintained source. Never ship invented administrative data or dummy areas. If the source is not configured, show an honest empty/configuration state and permit free-text search as policy allows. Typed areas can be used immediately for current search and stored as `ProposedArea` linked to selected administrative parents. Normalize spelling, detect duplicates, and require Admin approval before making an area canonical. Support Bangla/English aliases. Typed text is not a verified address. Manual selection must work without location permission.

Screen 17 — Search Budget
Rent: min/max monthly rent; buy/sell: min/max price; optional advance/deposit when appropriate. Format BDT, validate ranges, allow skip. Do not infer or save voice-parsed amounts without confirmation.

Screen 18 — Dynamic Property Questions
Residential: bedrooms/rooms (important), bathrooms, optional size, floor/total floors, furnishing, parking, lift, balcony, generator, security, water, availability.
Land: type, area and unit (decimal/katha/bigha/acre as configured), price, road access/frontage if known, intended use if supplied.
Office/shop: size, floor/access, parking, commercial suitability and other configured fields.
Ask only relevant questions. All “Other” options must open a free-text field.

Screen 19 — Live Matches and Wizard Summary
Update matches as answers are entered using real backend results. Partial answers may

show broader matches. Show real match count only when computed. Let user edit each answer, go back and skip optional questions. Final Confirm/Search action. If no results, suggest broadening nearby area/budget/optional filters. Never invent results.

Screen 20 — Search Results
Responsive list/grid, real results, sorting (newest, price ascending/descending, distance only when valid location exists), filter chips, Save Search and map/list toggle. Pagination with deduplication. Unit availability must be distinct from building status. Truthful no-results state.

Screen 21 — Map Search
Pins for actual published/visible listings matching filters. Use secure map API restrictions and clustering. Tapping a pin opens a real summary. Synchronize map/list. Do not invent coordinates or distances. Respect privacy precision and location permission.

Screen 22 — Nearby Places
Show supported provider-sourced schools, hospitals, markets, transit and configured categories. Label external provider data and update time where available. Calculate distances correctly; never invent them. Do not expose exact private coordinates where privacy requires approximate location.

5.4 Property detail and contact

Screen 23 — Property Details
Show title/description generated only from user answers and editable by owner; price/rent, advance, recurring costs if supplied, category, location, size, rooms, bathrooms, floor, amenities, Building/Unit relationship, availability, last-confirmed date, photos/video, public owner/agent profile, real reviews and scoped badges. Actions: Report, Save, Share, Contact, Request Viewing. Related properties must be real. State that badges do not guarantee legal ownership unless a specific documented scope says what was checked.

Screen 24 — Photo Gallery
Swipe, zoom, fullscreen, captions if supplied, photo types when known, accurate verification status and report action. Do not expose hidden metadata.

Screen 25 — Video Player
Optional property walkthrough video, thumbnail, duration, loading/progress/retry, captions where available. No autoplay with sound. Show actual processing/moderation status. Video failure must not break the rest of the listing.

Screen 26 — Contact Owner / Inquiry
Prefer in-app inquiry. Call/WhatsApp only if owner explicitly enabled it. Do not expose phone numbers without consent. Message and preferred contact method; spam controls; sign-in where needed.

Screen 27 — Request Viewing
Select preferred time/date or availability. Owner can accept, decline or propose alternatives. Statuses: Requested, Accepted, Alternative Proposed, Declined, Cancelled, Completed, No-show. Notify both sides. Do not call it booked until owner acceptance.

Screen 28 — Compare Properties
Compare compatible types by price, location, rooms, area, floor, amenities, availability, reviews and verification scope. Missing values stay blank/“Not provided”; never invent them.

5.5 Profile and settings

Screen 29 — User Profile
Profile Picture and Cover Photo, display name, bio, public roles, phone verification status (do not expose phone by default), scoped owner/agent badges, published listings, public reviews and owner replies. Saved items and personal activity remain private. Edit Profile, Settings, Help, Report/Block, visibility controls. Never show NID/private documents.

Screen 30 — Edit Profile
Name, bio, optional public area and preferences. Profile Picture and Cover Photo each support Camera and Gallery, preview/crop/zoom/position/replace/remove/upload progress/retry. Validate files. Store media securely and database references only after successful upload. Provide default images. Allow skipping unless policy requires otherwise.

Screen 31 — Media Picker / Crop
Web: file selection and browser capture where supported. Android: camera/gallery/photo picker and permissions. iOS: camera/photo library picker, permission descriptions and platform behavior. Explain why permission is needed; provide recovery for denied permission. Use least-privilege photo picker APIs. Selecting a photo means it uploads to the service when the user confirms, not that it remains only on the phone.

Screen 32 — Settings & Privacy
Language, notifications, privacy, contact preferences, blocked users, location permissions, data use, account export/deletion request where applicable,

logout/session management, terms and safety. Do not show settings that backend does not enforce.

Screen 33 — Notifications
Real listing status, inquiry/message, viewing request, saved search, moderation/report status, support reply and security alerts. Read/unread, mark all read, deep links and preferences. Avoid sensitive lock-screen content.

Screen 34 — Inbox / Messages
Conversation list, unread counts, listing context, messages, block/report/mute. Enforce authorization so only participants can read. No automatic phone exposure. Apply retention/moderation rules. Attachments only if explicitly supported and moderated.

Screen 35 — Help & Support
FAQ, ticket topic/description, optional permitted attachment, status, and voice-to-text. Backend-generated ticket IDs. Do not promise response times unless configured.

5.6 Owner/Agent listing wizard

Screen 36 — Start Listing
Ask “আপনি কী বিজ্ঞাপন দিতে চান?” Use configured property/transaction categories. Offer Quick Post and Full Question Wizard. Save draft and resume later.

Screen 37 — Owner/Agent Authorization
User declares owner or authorized agent. Agents provide required authorization evidence privately. Do not transfer owner verification to an agent. Keep documents private and restrict staff access. Show exact scope of checks.

Screen 38 — Location
Division → District → Upazila/Thana → Area, free-text proposed area, map pin/address, optional Maps link, privacy precision. Use real canonical data and proposal approval workflow; never invent coordinates.

Screen 39 — Building Profile
Building address/location, total floors if known, type, common amenities, exterior/common-area photos/video where allowed, owner/agent relationship, contact preferences, general notes and verification/inspection records. Stable Building ID links units.

Screen 40 — Single Flat or Multiple Units
Support a single unit, multiple flats on the same floor, or units across multiple

floors with different counts per floor. Shared fields can be applied to selected units, with per-unit overrides. Each unit has unique ID, optional unit number, floor, rent/price, advance, bedrooms, bathrooms, size, amenities, photos, availability date/status. Building page shows available units; each unit is independently searchable. Renting/selling one unit changes only that unit. Support per-unit edit/close and safe bulk updates.

Screen 41 — Price, Advance and Costs
Rent/sale price in BDT, advance/deposit, recurring costs only if supplied, payment frequency/terms, negotiable flag where allowed. For land, price and area unit. Numeric validation and voice entry with confirmation. Never infer missing amounts.

Screen 42 — Dynamic Property Details
Residential, land and commercial fields match the Search Wizard categories. Amenities configurable. Every “Other” option reveals free-text input. Optional questions can be skipped. Do not assert unprovided facilities or legal facts.

Screen 43 — Photo and Video Upload
Photos and optional property video from Camera or Gallery. Preview, reorder, remove, retry, progress, cancel, validate type/size/duration/resolution, compress, thumbnail/transcode when supported. Separate Building media from Unit media. Ask for relevant angles where suitable. Statuses: uploaded, processing, pending review, checked, rejected. Strip EXIF GPS from public derivatives where appropriate. Duplicate similarity flags are investigation signals, not proof; same-building images may legitimately recur. Gallery upload is allowed but must not be labeled live-camera verified. Higher-risk listings may require live challenge or consented inspection. Never promise 100% fraud prevention.

Screen 44 — Voice-assisted Listing Details
Microphone button on suitable text fields. Support Bangla, English and mixed speech where available. Insert transcript into editable field; user reviews before submit. For prices/counts/phone/area, treat transcript as suggestion and ask for confirmation. Show listening/processing/error states. Typing always available. Request mic permission only when initiated. Explain third-party speech processing and never store raw audio without explicit consent.

Screen 45 — Contact and Availability
Public display identity, in-app message, call/WhatsApp only with consent, available date/status, viewing preferences and optional contact hours. Do not expose private contact/address without explicit choice. Save draft at any stage.

Screen 46 — Preview and Generated Ad

Generate title/description only from answers supplied by user. Never invent amenities, views, neighborhood facts, measurements, verification or ownership. Preview feed/detail appearance, edit answers, show missing important fields and media status. Confirm accuracy and posting rules. Publish immediately or enter review according to configured risk policy; show truthful status.

Screen 47 — Drafts and My Listings
Statuses: Draft, Pending Review, Changes Requested, Published, Rejected, Paused, Expired, Rented, Sold. Search/filter, edit, pause, close, archive/delete, resubmit after correction. Explain rejection reasons. Multi-unit controls must not unintentionally change sibling units. “Published” is not the same as “Owner Verified”.

Screen 48 — Listing Performance
Real views/saves/inquiries/viewing requests only if events are actually tracked. Date range and building/unit breakdown. No fabricated counts. Hide metrics until real data exists.

5.7 Reviews and reputation

Screen 49 — Reviews Overview
Separate Landlord Rating, Property/Building Rating, and Area/Neighborhood Rating. Show averages/counts only from real reviews. Avoid implying reliability with very few reviews. Recent reviews, owner replies and issue summaries only when evidence supports them. Clearly label Verified vs Unverified.

Screen 50 — Write Tenant Review
Ratings by dimension, written text, optional photos, **no video upload**, tenancy duration, optional move-out reason (job/study relocation, rent increase, landlord issue, maintenance issue, area issue, personal reason, Other + free text), “Would rent again?” and preview/submit. Voice-to-text for ordinary text. One review per tenancy relationship according to server policy. Do not force sensitive documents.

Screen 51 — Review Verification
Use supported tenancy/contract relationship, in-app relationship/viewing/tenancy record or consented proof. Account or OTP alone is not sufficient. Evidence stays private. Statuses: Unverified, Under Review, Verified, Rejected, Disputed. Record reviewer/date/scope and provide appeal.

Screen 52 — Owner Reply and Review Report
Owner may reply but cannot delete a review simply because it is negative. Report false information, abuse, privacy violation or other defined reasons. Admin reviews evidence and policy; do not present allegations as established facts. Preserve audit trail and

appeal. Rate-limit brigading.

5.8 Communication and activity

Screen 53 — Inquiries Dashboard
Incoming/outgoing inquiries linked to listing/unit, date and status. Owner marks answered/closed; tenant sees response state. Keep conversations private.

Screen 54 — Viewing Requests Dashboard
Accept/decline/propose alternate/cancel/complete/no-show. Notifications and status history. No confirmation until acceptance. Provide report/unsafe-conduct path.

Screen 55 — Notification Preferences
Channels only when configured; saved search, inquiry, listing status and safety updates. Frequency/pause/unsubscribe. No marketing without required consent.

---

6. Admin Web Panel: detailed screens

The Admin Panel is a separate protected web app or protected route group. Backend authorization is mandatory; hiding UI controls is not security.

Admin A1 — Secure Login
Authorized accounts only; no public registration. MFA/2FA where supported, session timeout, rate limiting, secure logout and audit logging. No credentials in client code.

Admin A2 — Overview Dashboard
Real database-backed totals and trends for users, published listings, units available, pending approvals, verification cases, reports and tickets. Date/location filters and data timestamp. If data is not loaded, show unavailable—not invented values.

Admin A3 — User Directory and Detail
Search allowed identifiers; role/status/profile/relevant activity. Restrict, suspend, reinstate, verify and record reason. Minimize sensitive fields; log sensitive access.

Admin A4 — Listing Queue
Pending, reported and high-risk listings; filter by category, location, owner/agent, risk and date. Review photos/video and signals. Actions: Approve, Request Changes, Reject, Temporarily Hide, Escalate. Require reason for rejection/hiding.

Admin A5 — Building and Unit Manager
Parent building and units, per-unit status/verification, conflict/duplicate detection. Prevent accidental bulk updates.

Admin A6 — Verification Center
Separate Phone, Identity, Agent Authorization, Photo, Video, Location, Inspection and document checks. Private evidence visible only to authorized roles. Record verifier, scope, date, expiry, notes and result. Never expose raw NID/deeds. Use “Ownership Documents Reviewed” only when that exact check happened and legal/policy review supports it.

Admin A7 — Report/Complaint Queue
Categories: fake photo, wrong price, wrong location, already rented/sold, fraud, abuse, privacy, copyright, other. Priority, evidence, assignment, internal notes, status, resolution and appeal. Do not expose internal investigation notes to reporters.

Admin A8 — Review/Comment Moderation
Reported reviews/comments/media, context/history, policy-based hide/remove/warn/limit/escalate, reason and audit. Staff must not silently change review meaning.

Admin A9 — Location/Area Manager
Canonical Division/District/Upazila/Thana/Area; import from authoritative source; validate hierarchy and duplicates; approve/reject/merge ProposedArea; normalize Bangla/English names and aliases; audit all changes. Never seed dummy administrative records.

Admin A10 — Category and Dynamic Question Builder
Manage property categories, transaction types, dynamic questions, required/optional status, units, amenities and validation. Version configs so existing listings remain readable. Every “Other” option opens free text. Prevent invalid configs from blocking posting.

Admin A11 — Media Moderation
Image/video processing status, owner, listing/unit, reports and verification. Duplicate flags are not proof of fraud. Permit legitimate same-building media when appropriate. Apply documented policies.

Admin A12 — Review Verification
Private tenancy proof workflow, authorized access, decision, scope, reviewer, timestamps and appeal. Never create a badge without evidence.

Admin A13 — Support Desk
Ticket list, assignment, priority, reply, status and permitted attachments. SLA only if configured. Audit internal notes/actions.

Admin A14 — Notifications and Announcements
Compose, target eligible users, preview, schedule/send where supported, inspect real delivery outcome. Consent-aware channels. Critical announcements require permission.

Admin A15 — Analytics and Exports
Real metrics: active users, published listings, available units, search demand, inquiries, conversions and report rate. Date/location/category filters. CSV/Excel/PDF exports with authorization and privacy controls. Aggregate sensitive data.

Admin A16 — Pricing/Promotion/Payments (future-ready)
Paid listing, featured placement, subscription, refunds and reconciliation only after real payment provider integration. If not configured, show disabled/configuration state—not fake transactions. Separate Finance permissions.

Admin A17 — App Configuration
Theme/brand colors, splash artwork, banners, category order, media limits, feature flags, help pages, legal documents. Validate and version settings; rollback where practical. Config cannot bypass security.

Admin A18 — Admin Users, Permissions and Audit Log
Secure creation/disable of Admin accounts, RBAC, logs for approvals/rejections/restrictions/verification/exports/settings, reasons for sensitive actions. Prevent self-elevation. Protect logs from unauthorized alteration.

Admin A19 — Security/Health Monitor
Real backend/storage errors, failed jobs, upload/notification failures and suspicious access patterns. No secrets in logs. Show last successful sync/job timestamps and safe retry paths.

---

7. Social feed and reputation rules

- Like is engagement, not proof of quality.
- Comment is conversation, not verified tenancy evidence.
- Tenant Review is a structured experience record with separate verification.
- Never convert likes/comments into star ratings.

- Prevent spam, brigading and fake review patterns.
- Recommendations use real search preferences, saved searches, chosen areas and permitted activity. Do not use sensitive personal data. New users can choose categories/locations rather than see fake “AI recommendations”. Allow personalization reset.
- Report categories include fake photo, wrong price, wrong location, already rented/sold, fraud, abuse, privacy and other.
- Comments support replies, reporting, blocking and moderation.
- Do not expose phone, NID, private address or sensitive documents without permission.

---

8. Media and voice input rules

Property ads
- Photos from Camera or Gallery.
- Optional video from Camera or Gallery.
- Separate Building media and Unit media.
- Preview, reorder, remove, retry, progress, cancel.
- Validate MIME/content, size, duration, dimensions and quotas.
- Compress images; optimize/transcode video where supported.
- Resumable upload/retry for large files where possible.
- Generate safe thumbnails/derivatives.
- Remove EXIF GPS from public derivatives when appropriate.
- Scope storage paths and rules by user/listing/unit.
- Clean up abandoned uploads safely.

Tenant reviews
- Photos allowed.
- Video upload must be rejected at UI and backend/storage/API validation.
- Moderate reported images.
- Do not expose private tenancy evidence.

Authenticity
- In-app camera is an optional stronger signal, not proof.
- Gallery uploads allowed but not “live-camera verified”.
- Similarity checks flag possible duplicates; they can produce false positives.
- EXIF is auxiliary only; missing metadata does not prove fake and present metadata does not prove genuine.
- Higher-risk listings may require a live challenge or consented local inspection.
- Location pin is not ownership proof.
- Every badge explains scope, date and limits.

Global Voice-to-Text
Enable on suitable ordinary text fields:
- Listing title/description and amenity “Other”
- Locality/free-text search
- Tenant review and move-out reason
- Comments/replies
- Inquiry/messages
- Support tickets
- Profile bio
- Report description

Requirements:
- Bangla, English and mixed-language speech where available.
- Start/stop controls and listening/processing/error states.
- Insert transcript into editable text.
- User can correct before submit.
- Numeric structured fields (price, rent, phone, count, area) treat speech as suggestion and require confirmation.
- Typing always available.
- Request microphone permission only when initiated.
- Explain on-device vs third-party processing.
- Do not store raw audio without explicit consent and justified purpose.
- Unsupported/offline speech must degrade gracefully.

---

9. Core data model

Use stable IDs, server timestamps, explicit status enums, and backward-compatible schema changes. Names below are logical concepts; adapt to repository conventions.

Entities:
- `User`, `UserRole`, `UserProfileMedia`
- `Building`, `PropertyUnit`/`FlatUnit`, `PropertyListing`, `ListingMedia`
- `LocationDivision`, `LocationDistrict`, `LocationUpazilaThana`, `CanonicalArea`, `ProposedArea`
- `Favorite`, `SavedSearch`, `SearchAlert`
- `Inquiry`, `Conversation`, `Message`, `ViewingRequest`
- `Like`, `Comment`
- `TenantReview`, `ReviewMedia`, `ReviewVerification`
- `Report`, `VerificationRecord`, `ModerationCase`

- `Notification`, `SupportTicket`, `AdminUser`, `AuditLog`
- `AppConfiguration`, `PropertyCategory`, `DynamicQuestionDefinition`
- `PaymentRecord` only when payment is genuinely integrated.

User
Possible fields: ID, display name, bio, profile photo path/reference, cover photo path/reference, roles, phone verification status, optional public area, account status, privacy settings, notification preferences, timestamps. Keep NID/deed evidence out of public profile.

Building
ID, owner/authorized manager references, location IDs, address text, map point with privacy control, total floors if known, type, common amenities, building media, scoped verification summary, status and timestamps.

Unit
ID, optional building ID, optional unit number, floor, property/transaction type, rooms, bathrooms, area value/unit, rent or sale price, advance, recurring costs, amenities, media, availability, available-from date, listing status, creator ID and timestamps. Each unit is independently searchable. A unit status change must not alter siblings unless an explicit safe bulk action is used.

Listing
ID, building/unit references, owner and optional agent IDs, category, transaction type, title/description, location references, price fields, dynamic answers, status, submitted/published/expiry/last-confirmed timestamps, moderation state, verification record references. Avoid a single unscoped `verified=true` field.

Media
ID, uploader, building/unit/listing reference, media type, private storage path and safe public derivative path, upload/moderation/verification states, optional caption, dimensions/duration/size, timestamps. Review media must reject video.

Review
ID, author, building/unit and optional landlord target, ratings by dimension, text, optional photo media, tenancy duration, optional move-out reason, verification/moderation state, owner reply reference, timestamps. Server-enforce one review per eligible tenancy relationship.

ProposedArea
ID, typed name, normalized keys, parent admin IDs, submitter, status (pending/approved/rejected/merged), moderator, decision time/reason, aliases.

Canonicalization requires review and duplicate checking.

AuditLog
Actor ID/role, action, target type/ID, timestamp, reason, redacted before/after diff, correlation ID if useful. Protect logs from unauthorized changes.

---

10. Backend, security and search

Authentication/authorization
- Firebase Auth or existing secure provider.
- Enforce authorization server-side; client-side guards are UX only.
- Admin roles/claims assigned only by trusted workflow.
- Validate all inputs server-side.
- Verify ownership for profile, media, listings, units, reviews and conversations.

Database rules
- Users read/update only allowed own-profile fields.
- Separate public profile data from private account data.
- Owners edit only their authorized listings/units.
- Agents edit only listings with valid authorization.
- Public users see approved public fields of published listings only.
- Draft/pending/private records limited to owner/authorized Admin.
- Review media accepts images only; never video.
- Verification evidence only for authorized roles.
- Clients cannot write rating aggregates, counts, verification state, payment state or audit logs.
- Use trusted backend transactions for sensitive transitions.
- Test rules with emulator/security tests.

Storage rules
- Separate public derivatives from private originals/evidence.
- Scope media paths by user and listing/unit.
- Validate type and size; do not rely only on extension.
- Private documents are not public.
- Use authorized/signed access as appropriate.
- Clean orphaned uploads.
- Never commit service-account keys/secrets.

Secure backend operations
Use server-side functions for listing status changes, Admin role changes, verification

badge assignment, review eligibility/duplicate prevention, rating aggregates, notifications, saved-search matching, media processing, report escalation, audit logs, secure exports and payments.

Search
- Use database indexes for known query patterns.
- Document compound indexes.
- Do not download the whole database to filter locally.
- Add a dedicated search index if complex location/category/range/amenity filtering requires it.
- Rate-limit costly searches.
- Use canonical location IDs and normalized terms.

---

11. No dummy/preloaded data policy

Never seed or fall back to:
- Fake users, owners, agents, listings, buildings, units, land, reviews, comments, likes
- Fake ratings, counts, inquiries, messages, viewings or transactions
- Fake Admin metrics or revenue
- Fake verification badges
- Fake nearby places or coordinates
- Invented Bangladesh administrative data
- Hard-coded mock JSON when a real API fails
- Example production records

Allowed only in isolated test scope:
- Unit-test fixtures and emulator data that cannot flow into production.
- Static category labels/configuration when they are actual product taxonomy.
- Skeleton loading and empty-state copy.
- Documentation examples clearly marked as examples and never shown as live listings.

If the database is empty, show an honest empty state and offer search adjustment, area proposal or first-listing action. If administrative data is unavailable, build import/validation tools and show only actual imported records. Metrics must reflect real data; distinguish “not loaded/unavailable” from a true zero.

---

12. Notifications, freshness, privacy and legal

Notifications may cover auth/security, listing submission/status, verification, inquiry/message, viewing requests, saved-search matches, real price/availability changes, moderation/report status and support replies. Respect preferences/consent, deduplicate, rate-limit and avoid sensitive lock-screen content.

Listings should be reconfirmed by owners periodically. Stale/unconfirmed listings must be labeled or paused by configured policy.

Safety/privacy:
- Publish only authorized media/details.
- Never publish NID, deeds, contracts, private contact details or private addresses by default.
- Public availability of an image/address does not mean permission to republish it.
- Provide report, block, appeal and data request flows.
- Keep moderation evidence and audit trail.
- Do not present unverified allegations as facts.
- Explain badge scope and limitations.
- Use consented inspection/verification.
- Provide Terms, Privacy Policy, content policy, retention policy and support contact.
- Obtain qualified legal review for applicable Bangladesh tenancy, property advertising, privacy, identity verification, payment and consumer-protection obligations.
- Do not claim to be a legal authority or guarantee transactions.

---

13. Performance and reliability

- Paginate lists and lazy-load media.
- Compress/cache safe public media.
- Retry/resume uploads where supported.
- Handle offline, slow network, expired sessions and backend errors.
- Prevent duplicate submissions with idempotency and pending-action states.
- Debounce search.
- Avoid unnecessary rebuilds.
- Never log secrets or private user data.
- Do not autoplay video with sound.
- Use optimized derivatives/CDN if configured.
- Monitor storage/query costs.
- Test low-end Android devices and slow mobile networks.

---

14. Testing requirements

Unit tests
- Serialization, validation, dynamic questions, rent/price range, roles/permissions, status transitions, Building/Unit independence, review eligibility, video rejection in reviews, speech parsing/confirmation, proposed-area normalization, error/empty/loading state mapping.

Integration tests
- Signup/login/OTP
- Profile Picture and Cover Photo upload on each platform
- Listing draft → upload → submit → moderation → publish
- Multi-flat building and per-unit availability
- Search wizard with actual backend results
- Favorites/saved alerts
- Inquiry/viewing lifecycle
- Review with photos; reject review video
- Reports and Admin resolution
- Permissions and audit logs
- No cross-user private access

Platform tests
Web: responsive breakpoints, keyboard access, browser picker, speech compatibility, share URL.
Android: camera/gallery permissions, navigation, share sheet, microphone, interrupted uploads.
iOS: camera/photo/mic usage strings, picker, share sheet, interrupted uploads.
All: denied/revoked permissions, offline, slow network, expired auth and empty database.

Security tests
- Client cannot grant itself Admin.
- User A cannot modify User B's profile/listing/media.
- Agent cannot modify unauthorized listing.
- Public user cannot read private evidence/messages.
- Review media rejects video.
- Client cannot fake ratings/counts/verification/payment status.
- Admin actions require role and are audited.
- Storage blocks private documents.
- Rate limits and abuse controls work.

Release only after target builds succeed, critical flows work end-to-end, security rules/tests pass, no dummy data appears, privacy/platform permission configuration is complete, monitoring/backups/support are reviewed, and limitations are documented.

---

15. Implementation phases

Phase 1 — Foundation
Repository audit, theme, routes, localization, auth/roles, secure backend, models/rules, profile media.

Phase 2 — Building and listings
Building/Unit schema, question-based listing wizard, draft/submit/moderation/publish, Camera/Gallery photos and optional property video, My Listings.

Phase 3 — Search and feed
Question-based search, live actual matching results, canonical locations/proposed-area workflow, Home Feed, results, map, favorites and saved searches.

Phase 4 — Trust and communication
Profiles, inquiry/messaging/viewing, reviews with photos/no video, review verification, reports/moderation and voice-to-text.

Phase 5 — Admin Web Panel
RBAC, dashboard, listing queue, users, verification, reports, locations, categories/question builder, media/review moderation, support, analytics and audit.

Phase 6 — Hardening and launch
Cross-platform tests, security review, performance, accessibility, privacy/legal review, alerts, optional integrations, release builds and runbook.

Phases may be adjusted for an existing repository, but security and no-dummy-data rules cannot be skipped.

---

16. Definition of Done

A feature is complete only when:
1. UI exists on relevant targets.

2. Validation and errors work.
3. Real backend read/write works.
4. Backend authorization is enforced.
5. Loading, empty, error, retry and offline states are handled where applicable.
6. Platform differences do not crash.
7. Relevant tests pass.
8. Accessibility/localization are considered.
9. No dummy fallback is used.
10. Verification label is truthful and scoped.
11. Logs do not expose secrets/private data.
12. Implementation report states completed work, remaining work, required setup and limitations.

---

17. Antigravity execution instructions

Treat this document as the authoritative specification.

1. Inspect the repository and report stack, architecture, working features and risks.
2. Create a requirement-to-file plan before editing.
3. Preserve existing code and data; avoid destructive rewrites.
4. Build modular feature-first architecture with small Dart files.
5. Keep Web/Android/iOS-specific files/adapters separate where behavior differs; share identical logic and UI.
6. Implement every screen and Admin capability in this document in phases.
7. Never add production dummy/preloaded business data.
8. If a service is unconfigured, show truthful setup/empty state rather than fake results.
9. Profile Picture and Cover Photo must each support Camera and Gallery.
10. Property ads support photos plus optional video; Tenant Reviews support photos and reject video at both UI and backend.
11. Add microphone-based Voice-to-Text to suitable text fields, editable transcript, confirmation for structured values, and typing fallback.
12. Implement question-based Search and question-based Listing Creation; do not replace them with one long generic form.
13. Implement Building + Unit relationships with independently searchable units and per-unit availability.
14. Build protected Admin Web Panel with backend RBAC and audit logs.
15. Use real canonical administrative data; implement import/approval workflow, not dummy locations.
16. Enforce privacy, authorization, media restrictions and status transitions on

```
backend.
17. Run formatting, lint, unit/integration tests, platform builds and security tests.
Fix errors rather than suppressing them.
18. Do not claim any feature/API/verification/upload/payment is functional unless
tested end-to-end.
19. At completion, report: implemented features, new/modified files, Web/Android/iOS
coverage, backend/schema/rules changes, tests/results, required configuration names
(never secret values), remaining work/limitations, and confirmation that no
dummy/preloaded business data was added.

**Priority order:** (1) security and real data, (2) Building/Unit and listing
architecture, (3) question-based search/posting, (4) media and voice input, (5)
transparent verification/moderation, (6) polished feed and responsive cross-platform
UX.
"""

path = Path("/mnt/data/Antigravity_Bangladesh_Property_Marketplace_Master_Spec.md")
path.write_text(content, encoding="utf-8")

print(f"Created Markdown specification: {path.name}")
print(f"Size: {path.stat().st_size:,} bytes | Lines: {len(content.splitlines()):,}")
```

Result

```
Before doing anything else, explicitly explain that the tool is unavailable because the
```

ChatGPT said:

‹/›

You said:

dndlable .md file baniye dao

ChatGPT said:

You said:

ami copy kore paste korbo tahole ki?

ChatGPT said:

You said:

পুরো MD কনটেন্ট দাও

ChatGPT said: