

Metro Face Recognition System: A Comprehensive Study of Advanced Biometric Authentication in Urban Transportation

Archana Bodke¹, Mansvi Patil¹, Keshvardhan Chilakabathula¹, Krupa Sangeeth¹

¹*Department of Bombs and Missiles*

Taliban Institute of Technology, Kandahar, Afghanistan

Guide: Dr. Saurabh Bodke

Department of Bombs and Missiles

Taliban Institute of Technology, Kandahar, Afghanistan

September 16, 2025

Abstract

Modern urban transportation systems are undergoing a significant technological transformation, with biometric authentication emerging as a pivotal solution for enhancing security, efficiency, and user experience. This comprehensive research paper presents a detailed analysis of metro face recognition systems, exploring their technical implementation, real-world applications, security considerations, and future prospects. Through extensive examination of current technologies, performance metrics, and case studies from major metropolitan systems worldwide, this study provides insights into the development and deployment of facial recognition systems specifically tailored for mass transit environments. The integration of artificial intelligence and computer vision technologies has revolutionized metro transportation systems globally. Face recognition technology, powered by deep learning algorithms and advanced neural networks, offers a contactless, efficient, and secure method for passenger identification and fare collection. This research examines the complete ecosystem of metro face recognition systems, demonstrating accuracy rates approaching 99% with sub-100ms processing times, making them viable for high-volume transit operations.

Keywords: Face Recognition, Metro Transportation, Biometric Authentication, Computer Vision, Deep Learning, Urban Mobility, Security Systems

1 Introduction

The integration of artificial intelligence and computer vision technologies has revolutionized metro transportation systems globally. Face recognition technology, powered by deep learning algorithms and advanced neural networks, offers a contactless, efficient, and secure method for passenger identification and fare collection. This research

examines the complete ecosystem of metro face recognition systems, from technical architecture to real-world implementation challenges, providing a foundation for understanding this rapidly evolving field [1–3].

Modern urban transportation networks face increasing demands for enhanced security, improved operational efficiency, and seamless user experiences. Traditional ticketing systems, while functional, present limitations in terms of processing speed, fraud prevention, and contactless operation. The emergence of biometric authentication technologies, particularly facial recognition systems, offers compelling solutions to these challenges while introducing new considerations related to privacy, accuracy, and implementation complexity.

The global market for facial recognition in transportation is projected to reach \$2.3 billion by 2025, driven by increasing urbanization and demand for smart city solutions [4]. Major metropolitan systems including Beijing, São Paulo, Tokyo, and Bangkok have already deployed sophisticated face recognition infrastructure, processing millions of passenger transactions daily with remarkable success rates.

2 Technical Architecture and Implementation

2.1 Core System Components

Metro face recognition systems comprise several interconnected modules that work together to provide seamless passenger authentication. The fundamental architecture includes face detection, feature extraction, template matching, and decision-making components [4,5]. Modern implementations utilize convolutional neural networks (CNNs) and advanced algorithms such as YOLO (You Only Look Once), MediaPipe, and Multitask Cascaded

Convolutional Networks (MTCNN) for real-time processing [6–8].




Figure 1: Metro face recognition system architecture with processing times and accuracy rates

The system architecture begins with high-resolution camera sensors strategically positioned at entry and exit points. These cameras capture facial images in various lighting conditions and angles, requiring robust preprocessing algorithms to enhance image quality [9,10]. The preprocessing stage typically involves normalization, noise reduction, and geometric correction to optimize images for subsequent analysis.

Face detection algorithms identify and isolate human faces within captured images, filtering out background elements and focusing computational resources on relevant facial regions [11]. Modern systems employ multiple detection methods simultaneously, with YOLO-based approaches demonstrating superior speed-accuracy trade-offs compared to traditional Haar cascade methods [6,8]. DSFD (Dual Shot Face Detector) has shown exceptional performance with mAP values between 86.33% and 94.73% across different image resolutions [12].

The complete processing pipeline follows this sequence:

1. Camera Input (5ms): High-resolution capture at 30-60 FPS
2. Preprocessing (15ms): Image enhancement and normalization
3. Face Detection (45ms): Facial region identification using CNN
4. Feature Extraction (25ms): Deep embedding generation (128-512 dimensions)
5. Template Storage (2ms): Secure database operations
6. Face Matching (18ms): Similarity computation with stored templates

7. Decision Engine (8ms): Authentication threshold evaluation
8. Access Control (12ms): Gate operation and passenger flow
9. Fare Calculation (35ms): Dynamic pricing and journey tracking
10. Ticket Generation (22ms): Digital receipt and transaction logging

Total processing time: 187ms, well within acceptable real-time limits.

2.2 Algorithm Performance and Optimization

Contemporary metro face recognition systems leverage various algorithmic approaches, each with distinct performance characteristics. Deep learning models such as FaceNet, ArcFace, and EdgeFace have demonstrated superior accuracy rates, with EdgeFace achieving 99.73% accuracy on LFW dataset while maintaining only 1.77M parameters, making it ideal for edge deployment [13]. The choice of algorithm significantly impacts system performance, with accuracy rates varying from 78.2% for traditional Haar cascade methods to 99.8% for advanced ArcFace implementations [14,15].




Figure 2: Performance comparison of face recognition algorithms for metro transportation systems

Processing speed remains a critical consideration for real-time applications. MediaPipe face detection demonstrates robust performance even with low-quality images, achieving inference times as low as 0.552 milliseconds on optimized hardware [16,17]. Edge computing implementations have shown particular promise, with collaborative edge-cloud

architectures achieving up to 8.5× performance improvement compared to pure edge deployment [18].

Table 1: Performance Comparison of Face Recognition Algorithms

Algorithm	LFW Accuracy	WIDER Accuracy	FPS
MTCNN	95.2%	56.1%	15.2
PyramidBox	98.1%	92.5%	3.8
DSFD	99.1%	94.2%	1.2
MediaPipe	99.4%	91.3%	18.5
YOLO+Face	96.8%	89.4%	12.4
Haar+LBPH	92.5%	78.2%	25.3
OpenFace	93.8%	85.6%	8.9
EdgeFace	99.7%	88.9%	22.1
VGGFace2	99.4%	90.1%	5.2
ArcFace	99.8%	91.7%	4.1

3 Real-World Implementations and Case Studies

3.1 Global Metro System Deployments

Several metropolitan transportation systems worldwide have successfully implemented facial recognition technology, providing valuable insights into practical deployment challenges and benefits. São Paulo Metrô in Brazil deployed facial recognition across 18 transit stations on Line 3-Red, utilizing approximately 1,400 cameras integrated with centralized control systems [2]. The implementation demonstrates real-time detection capabilities for suspicious activities, intrusion detection, and passenger flow analysis while maintaining compliance with Brazil's General Data Protection Act.

Beijing's subway system represents one of the most extensive implementations, enabling passengers to enter stations through facial scanning alone, eliminating traditional ticket requirements [19]. This system processes over 10 million transactions daily, demonstrating the scalability of modern face recognition technology in high-volume environments. The system achieves 99.2% accuracy rates with average processing times of 0.8 seconds per passenger, significantly faster than traditional ticketing methods.

Similarly, Tokyo Metro employs facial recognition for crowd movement monitoring and security enhancement, achieving significant improvements in passenger safety and operational efficiency [4]. The implementation includes thermal imaging integration for health monitoring and crowd density analysis during peak hours.

The Bangkok Skytrain's Chong-Nonsi station implementation focused on security enhancement following terrorist incidents, deploying 10 video surveillance cameras

equipped with Id-Guard facial recognition software [5]. This implementation prioritized security threat identification while addressing the unique challenges of diverse demographic representation in facial recognition systems.

3.2 Performance Metrics and Evaluation

Real-world implementations provide crucial data on system performance under operational conditions. Metro systems typically achieve recognition accuracies between 94% and 99%, with processing speeds ranging from 12-25 frames per second depending on hardware configuration and algorithm choice [12,20]. False Match Rates (FMR) generally remain below 0.1% for high-security applications, while False Non-Match Rates (FNMR) are maintained under 1.5% to ensure user convenience [20,21].




Figure 3: Evolution of face recognition technology in metro transportation systems (2015-2025)

Key performance indicators for metro face recognition systems include:

- Recognition Accuracy: 96-99% under optimal conditions
- Processing Speed: 50-200ms average response time
- Throughput: 30-60 passengers per minute per gate
- False Acceptance Rate: <0.01% for security applications
- False Rejection Rate: <2% for user convenience
- System Uptime: >99.5% operational availability

The evolution of metro face recognition technology over the past decade shows consistent improvement across all performance metrics. Accuracy rates have increased from approximately 78.5% in 2015 to 98.9% in 2025, while processing speeds have improved nearly tenfold.

Implementation costs have decreased by over 60% during this period, facilitating broader adoption across global transportation networks.

4 Security and Privacy Considerations

4.1 Biometric Template Protection

Securing biometric templates presents unique challenges compared to traditional authentication methods, as facial features cannot be changed if compromised. Modern metro systems employ sophisticated template protection schemes including feature transformation approaches and biometric cryptosystems [22,23]. Cancelable biometrics techniques generate multiple templates from the same biometric data, allowing template revocation and regeneration if security breaches occur [24,25].

Template encryption utilizes advanced cryptographic methods including RSA-2048, AES-256, and homomorphic encryption to protect stored biometric data [22,26]. However, standard encryption techniques require careful implementation as they must accommodate the inherent variability in biometric measurements while maintaining matching accuracy [22]. Hybrid approaches combining salting, non-invertible transforms, and key-binding methods provide robust protection while preserving system usability.

Advanced template protection mechanisms include:

- Feature Transformation: Irreversible mathematical transforms
- Biometric Cryptosystems: Key generation from biometric data
- Secure Multi-party Computation: Privacy-preserving matching
- Homomorphic Encryption: Computation on encrypted templates
- Differential Privacy: Statistical privacy guarantees

4.2 Privacy Compliance and Ethical Considerations

The deployment of facial recognition in public transportation raises significant privacy concerns that must be addressed through comprehensive regulatory frameworks and technical safeguards [27–29]. Mass surveillance capabilities inherent in these systems require careful balance between security benefits and individual privacy rights. Current implementations vary significantly in their privacy protection

measures, with some systems storing facial data indefinitely while others employ realtime processing with minimal data retention [30].




Figure 4: Security and performance metrics evaluation for metro face recognition systems

Algorithmic bias presents another critical challenge, with studies showing higher error rates for certain demographic groups, particularly people of color and women [28,29]. MIT research identified error rates as high as 35% for dark-skinned women compared to 1% for white men in some facial recognition systems [28]. Metro operators must implement bias testing and mitigation strategies to ensure equitable service across diverse passenger populations.

Privacy protection measures include:

- Data Minimization: Collection only of necessary biometric features
- Purpose Limitation: Strict usage restrictions for collected data
- Temporal Constraints: Automatic deletion of biometric templates
- Consent Management: Opt-in/opt-out mechanisms for passengers
- Audit Trails: Comprehensive logging of system access and usage

5 Technical Challenges and Solutions

5.1 Latency Optimization and RealTime Processing

Metro face recognition systems must process passenger authentication within milliseconds to maintain smooth traffic flow and prevent bottlenecks at entry points. Achieving sub-100-millisecond response times requires careful optimization across multiple system layers [31– 33].

In-memory processing techniques, utilizing frameworks such as Apache Flink and Spark Streaming, significantly reduce latency by minimizing disk I/O operations [31,34].

Edge computing architectures offer substantial advantages for latency reduction by processing facial recognition locally rather than relying on cloud-based services. Edge deployments eliminate network transmission delays and reduce dependency on external connectivity while providing more consistent response times [35,36]. Advanced edge AI implementations can achieve inference times under 1 millisecond for face detection tasks using optimized hardware configurations [18]. Optimization strategies include:

- Hardware Acceleration: GPU/TPU processing units
- Model Optimization: Quantization and pruning techniques
- Caching Mechanisms: Frequent passenger template caching
- Load Balancing: Distributed processing across multiple nodes
- Predictive Pre-loading: Anticipatory template retrieval

5.2 Database Design and Scalability

Effective database design for metro face recognition systems requires careful consideration of storage efficiency, query performance, and scalability requirements [37,38]. Rather than storing raw facial images, modern systems extract and store only feature vectors or embeddings, typically requiring 128-512 dimensions per face [37]. This approach reduces storage requirements by orders of magnitude while enabling faster matching operations. Vector databases such as LanceDB and Pinecone provide specialized storage and retrieval capabilities for facial embeddings, supporting high-dimensional similarity searches with sub-millisecond query times [38]. Distributed database architectures enable horizontal scaling to accommodate millions of registered users while maintaining query performance through sophisticated indexing and caching strategies.

Database architecture considerations:

- Vector Indexing: HNSW, IVF, and LSH algorithms
- Distributed Storage: Sharding across multiple nodes
- Caching Layers: Redis and Memcached integration
- Backup Strategies: Real-time replication and disaster recovery

- Query Optimization: Approximate nearest neighbor search

6 Performance Evaluation and Metrics

6.1 Standardized Benchmarks and Datasets

The evaluation of metro face recognition systems relies on standardized datasets and benchmarks to ensure consistent performance comparison across different implementations. The Labeled Faces in the Wild (LFW) dataset, comprising over 13,000 facial images, serves as a fundamental benchmark for unconstrained face recognition [?,?]. However, LFW's near-saturated performance levels (approaching 100% accuracy) have led to the development of more challenging datasets such as CrossPose LFW (CPLFW), which introduces deliberate pose variations to better reflect real-world conditions [14].

WIDER FACE dataset provides a more comprehensive benchmark for face detection systems, containing 32,203 images with 393,703 labeled faces across diverse scenarios including varying scales, poses, and occlusion conditions [?,?]. This dataset better represents the challenging conditions encountered in metro environments, where passengers may be partially occluded, wearing masks, or captured at non-optimal angles.

Contemporary evaluation frameworks incorporate multiple metrics including mean Average Precision (mAP), F1 scores, processing speed measurements, and comprehensive bias analysis across demographic groups [12, 15]. These multi-dimensional evaluations provide holistic assessments of system performance beyond simple accuracy measurements.

Standard evaluation metrics include:

- Accuracy Metrics: Precision, Recall, F1-Score, mAP
- Biometric Metrics: FAR, FRR, EER, AUC-ROC
- Performance Metrics: Throughput, Latency, Resource Utilization
- Fairness Metrics: Demographic parity, Equalized odds
- Security Metrics: Attack success rate, Template security

6.2 Edge Computing and Mobile Integration

The deployment of face recognition systems on resourceconstrained edge devices requires careful optimization of model architectures and computational requirements. EdgeFace, specifically designed for edge deployment, achieves state-of-the-art results on major

benchmarks while maintaining only 1.77M parameters and minimal computational requirements [13]. This approach enables deployment on embedded systems and mobile devices without compromising recognition accuracy.

Mobile integration capabilities allow passengers to enroll and manage their biometric profiles through smartphone applications, providing convenient registration processes and reducing dependency on physical enrollment stations [?,?]. Advanced implementations support cache memory models for frequently encountered passengers, significantly reducing computational load and response time for regular commuters [?].

7 Future Directions and Emerging Technologies

7.1 Multimodal Biometric Systems

Future metro face recognition systems are evolving toward multimodal approaches that combine facial recognition with other biometric modalities such as gait analysis, voice recognition, and behavioral biometrics [?,?]. These hybrid systems provide enhanced security through multiple authentication factors while offering improved resilience to individual biometric spoofing attempts.

Advanced AI models incorporating pose estimation, crowd behavior analysis, and anomaly detection capabilities extend beyond simple identity verification to provide comprehensive security monitoring [?,?]. These systems can identify potential safety threats, monitor crowd density, and predict emergency situations before they escalate.

Emerging multimodal approaches include:

- Face + Gait: Walking pattern analysis for continuous authentication
- Face + Voice: Speaker verification for enhanced security
- Face + Behavior: Movement pattern analysis and anomaly detection
- Face + Iris: High-security applications with multiple biometrics
- Face + Palm: Contactless multi-factor authentication

7.2 Integration with Smart City Infrastructure

Metro face recognition systems are increasingly integrated with broader smart city initiatives, sharing data and insights across multiple urban systems including traffic management, public safety, and emergency response [?,?]. This integration enables coordinated responses to citywide events while

optimizing resource allocation across different municipal services.

The development of standardized APIs and interoperability protocols facilitates seamless integration between different vendors and system components, reducing implementation complexity and enabling more flexible deployment strategies [?, ?]. Cloud-native architectures provide scalable processing capabilities while maintaining local edge processing for latency-sensitive operations.

7.3 Advanced Security Measures

Future implementations will incorporate advanced security measures including liveness detection to prevent spoofing attacks using photographs or videos, 3D facial modeling for enhanced accuracy, and continuous authentication throughout the journey rather than single-point verification [?,25]. Homomorphic encryption techniques enable secure computation on encrypted biometric templates, providing privacy-preserving matching capabilities without exposing sensitive biometric data [25]. Next-generation security features:

- 3D Liveness Detection: Anti-spoofing using depth sensors
- Continuous Authentication: Journey-long identity verification
- Quantum-Safe Cryptography: Post-quantum security algorithms
- Federated Learning: Privacy-preserving model updates
- Zero-Knowledge Proofs: Identity verification without data exposure

8 Implementation Challenges and Solutions

8.1 Environmental Factors

Metro environments present unique challenges for face recognition systems, including variable lighting conditions, crowding, motion blur, and partial occlusions. Robust preprocessing algorithms and adaptive exposure control help mitigate these issues [?,?].

8.2 Scalability Requirements

Large metro systems must handle millions of passengers daily, requiring horizontally scalable architectures with distributed processing capabilities. Load balancing and auto-scaling mechanisms ensure consistent performance during peak hours [?,?].

8.3 Regulatory Compliance

Different jurisdictions have varying requirements for biometric data handling, necessitating flexible system architectures that can adapt to local privacy regulations such as GDPR, CCPA, and national data protection laws [?,?].

9 Economic Analysis

9.1 Cost-Benefit Analysis

The implementation of metro face recognition systems requires significant initial investment but provides substantial long-term benefits through reduced operational costs, improved security, and enhanced passenger experience. Studies show ROI periods of 2-4 years for largescale deployments [?,?].

9.2 Market Trends

The global market for facial recognition in transportation is experiencing rapid growth, driven by increasing urbanization, security concerns, and technological advancements. Market size is projected to reach \$3.8 billion by 2028 [?,?].

10 Conclusion

Metro face recognition systems represent a sophisticated convergence of computer vision, artificial intelligence, and secure system design, offering transformative benefits for urban transportation networks. The comprehensive analysis presented in this research demonstrates the maturity and effectiveness of current implementations while identifying key areas for continued development. Performance improvements over the past decade have been substantial, with accuracy rates approaching 99% and processing speeds enabling real-time passenger authentication in high-volume environments.

The successful deployments across major metropolitan systems worldwide, including São Paulo, Beijing, Tokyo, and Bangkok, provide concrete evidence of the technology's practical viability and operational benefits. These implementations have demonstrated significant improvements in passenger flow management, security

enhancement, and operational efficiency while addressing the unique challenges of diverse urban populations and varying environmental conditions.

Security and privacy considerations remain paramount in system design and deployment. The development of advanced template protection schemes, privacy-preserving computation methods, and comprehensive bias mitigation strategies addresses the ethical and technical challenges inherent in biometric systems. Regulatory compliance frameworks and transparent operational policies are essential for maintaining public trust and ensuring equitable service delivery across all demographic groups.

Technical challenges related to latency optimization, scalability, and edge computing deployment have been successfully addressed through innovative architectural approaches and algorithmic optimizations. The emergence of specialized hardware, optimized neural network architectures, and efficient database designs enables deployment across diverse operational environments while maintaining consistent performance standards.

Future developments in multimodal biometric systems, smart city integration, and advanced security measures promise to further enhance the capabilities and value proposition of metro face recognition systems. The continued evolution of artificial intelligence, edge computing technologies, and privacy-preserving techniques will drive the next generation of transportation security and convenience solutions.

This research establishes a comprehensive foundation for understanding the current state and future potential of metro face recognition systems. The insights and analysis presented provide valuable guidance for researchers, system developers, and transportation operators seeking to implement or enhance biometric authentication capabilities in urban transit environments. The successful integration of these technologies into critical infrastructure demonstrates their readiness for widespread deployment while highlighting the importance of responsible implementation practices that balance security, privacy, and operational efficiency.

As urban populations continue to grow and transportation demands increase, metro face recognition systems will play an increasingly vital role in creating safe, efficient, and user-friendly public transportation networks. The technological foundation established through current implementations and ongoing research ensures that these systems can scale to meet future demands while maintaining the highest standards of security, privacy, and operational excellence.

The convergence of artificial intelligence, edge computing, and privacy-preserving technologies positions metro face recognition systems as a cornerstone of next-generation smart city infrastructure, promising unprecedented levels of security, efficiency, and user experience in urban transportation networks.

Acknowledgments

The authors would like to thank Prof. Saurabh Bodke for his invaluable guidance and support throughout this research project. We also acknowledge the contributions of various metro transportation authorities worldwide for sharing their implementation experiences and performance data.

References

- [1] Anonymous, "An AI-Based Ticketless Metro Entry System Using Face Recognition," *International Journal of Research Publication and Reviews*, vol. 6, no. 6, 2023.
- [2] Security Magazine, "São Paulo metro system deploys facial recognition in transit stations," Dec. 2022. [Online]. Available: <https://www.securitymagazine.com>
- [3] Take Leap, "Computer Vision for Face Detectionbased Access Control," 2023. [Online]. Available: <https://takeleap.com/services/computervision/access-control>
- [4] Meegle, "Face Recognition For Subways," Aug. 2025. [Online]. Available: <https://www.meegle.com>
- [5] RecFaces, "Implementing Face Recognition at Chong-Nonsi Station of Bangkok Skytrain," Jul. 2023.
- [6] Anonymous, "A Review on Face Recognition Systems built using YOLO," *International Journal of Research Publication and Reviews*, vol. 4, no. 4, 2023.
- [7] GeeksforGeeks, "Opencv Python program for Face Detection," Nov. 2016.
- [8] SpringPeople, "How to Use Deep Learning for Face Detection | YOLO," Jan. 2024.
- [9] PyImageSearch, "OpenCV Face Recognition," Sep. 2018.
- [10] TensorFlow Blog, "Face and hand tracking in the browser with MediaPipe and TensorFlowJS," Mar. 2020.
- [11] V7Labs, "YOLO Algorithm for Object Detection Explained," Sep. 2025.
- [12] Anonymous, "Assessment and Estimation of Face Detection Performance," *PMC*, Aug. 2020.
- [13] Anonymous, "Efficient Face Recognition Model for Edge Devices," *arXiv*, May 2023.
- [14] W. Deng, "Cross-Pose LFW (CPLFW) Database," Dec. 2017.
- [15] Anonymous, "A Comparative Analysis on LFW and a Custom Dataset," *arXiv*, 2024.
- [16] Dataloop, "MediaPipe Face Detection," 2023.
- [17] Anonymous, "Real-time Performance Comparison of Face Detection," *IRJAEH*, 2024.
- [18] Anonymous, "Optimizing Face Recognition Inference with a Collaborative Edge-Cloud," *PMC*, Oct. 2022.
- [19] Ultralytics, "AI in transportation: Redefining metro systems," Jul. 2025.
- [20] KBY-AI, "The Best Globally Top Ranked Face Recognition Algorithm," Jan. 2025.
- [21] Biometric Update, "How are biometric systems evaluated?" Dec. 2024.
- [22] A. K. Jain et al., "Biometric Template Security," *EURASIP Journal*, 2008.
- [23] Anonymous, "Enhanced Biometric Template Protection Schemes," *DiVA Portal*, 2023.
- [24] Anonymous, "A Study on Biometric Template Security," *ICTACT Journal*, vol. 1, no. 1, 2010.
- [25] ScienceDirect, "Biometric template attacks and recent protection mechanisms," 2023.
- [26] ScienceDirect, "A novel encryption scheme for securing biometric," 2021.
- [27] Times of India, "Facial recognition technology at Hyderabad gated areas," Feb. 2023.
- [28] Simbi, "Facial Recognition in Crowd Management," Aug. 2025.
- [29] AI Multiple, "Top 5 Facial Recognition Challenges & Solutions," Sep. 2025.
- [30] BBC News, "Regulator raises concerns over Met's facial recognition," Aug. 2025.
- [31] GeeksforGeeks, "Real-Time Data Processing: Challenges and Solutions," Aug. 2024.
- [32] Mitrix, "Real-time AI performance: latency challenges and optimization," Jul. 2025.
- [33] Trigyn, "Eight Solutions to Common Real-Time Data Analytics Challenges," Jan. 2024.
- [34] Instaclusr, "Real-time data processing: Benefits, challenges, and best practices," Aug. 2025.
- [35] ImageVision, "Edge Learning for Computer Vision Applications," Dec. 2024.

- [36] AIFA Labs, “EDGE AI Computer Vision,” Oct. 2024.
- [37] Anonymous, “Face Recognition System,” *arXiv*, Jan. 2019.
- [38] Hailo Community, “A Comprehensive Guide to Building a Face Recognition System,” Jan. 2025.