ARTIFICAL INTELLIGE



INTRODUCTION TO AI

- · Artificial Intelligence is an exciting scientific discipline that studies how we can make computers exhibit intelligent behavior, e.g. do those things that human doing.
- Originally, computers were invented by Charles Babbage to operate on numbers following a well-defined procedure an algorithm. Modern computers, even thou more advanced than the original model proposed in the 19th century, still follow the same idea of controlled computations. Thus it is possible to program a comp something if we know the exact sequence of steps that we need to do in order to achieve the goal.
- Weak AI (Narrow AI):

Examples: Voice assistants like Siri, Alexa Recommendation systems (e.g., Netflix, Amazon) Chatbots and image recognition tools J Good at performing one task extremely well Cannot generalize to other tasks Strong AI (Artificial General Intelligence, AGI): Definition: AI with human-like cognitive abilities—able to understand, learn, and apply knowledge across a wide range of tasks. Capabilities: It would have consciousness, self-awareness, and true understanding—not just simulating intelligence. Examples: Purely theoretical at this point—no current system is truly Strong AI. J Can think, reason, and adapt like a human Still hypothetical and under research TURING TEST When speaking about AGI we need to have some way to tell if we have created a truly intelligent system. Alin Turing proposed a way called a Turing Test, which of intelligence. The test compares a given system to something inherently intelligent - a real human being, and because any automatic comparison can be bypas	apabiliti	es: It can simulate human intelligence but doesn't truly understand or possess consciousness.
commendation systems (e.g., Netflix, Amazon) hatbots and image recognition tools Good at performing one task extremely well Cannot generalize to other tasks trong AI (Artificial General Intelligence, AGI): efinition: AI with human-like cognitive abilities—able to understand, learn, and apply knowledge across a wide range of tasks. apabilities: It would have consciousness, self-awareness, and true understanding—not just simulating intelligence. xamples: Purely theoretical at this point—no current system is truly Strong AI. Can think, reason, and adapt like a human Still hypothetical and under research TURING TEST Then speaking about AGI we need to have some way to tell if we have created a truly intelligent system. Alan Turing proposed a way called a Turing Test, which fintelligence. The test compares a given system to something inherently intelligent - a real human being, and because any automatic comparison can be bypas	xamples	
Adapt the speaking about AGI we need to have some way to tell if we have created a truly intelligent system. Alan Turing proposed a way called a furing Test. which intelligence. The test compares a given system to something inherently intelligence. The test compares a given system to something inherently intelligence. The test compares a given system to something inherently intelligence. The test compares a given system to something inherently intelligence a real human being, and because any automatic comparison can be bypass.	oice assi:	stants like Siri, Alexa
Good at performing one task extremely well Cannot generalize to other tasks trong AI (Artificial General Intelligence, AGI): Definition: AI with human-like cognitive abilities—able to understand, learn, and apply knowledge across a wide range of tasks. apabilities: It would have consciousness, self-awareness, and true understanding—not just simulating intelligence. Examples: Purely theoretical at this point—no current system is truly Strong AI. Can think, reason, and adapt like a human Still hypothetical and under research TURING TEST When speaking about AGI we need to have some way to tell if we have created a truly intelligent system. Alan Turing proposed a way called a Turing Test. which intelligence. The test compares a given system to something inherently intelligent - a real human being, and because any automatic comparison can be bypas	ecomme.	ndation systems (e.g., Netflix, Amazon)
Crong AI (Artificial General Intelligence, AGI): Definition: AI with human-like cognitive abilities—able to understand, learn, and apply knowledge across a wide range of tasks. To apabilities: It would have consciousness, self-awareness, and true understanding—not just simulating intelligence. To another theoretical at this point—no current system is truly Strong AI. To an think, reason, and adapt like a human Still hypothetical and under research TURING TEST Then speaking about AGI we need to have some way to tell if we have created a truly intelligent system. Alan Turing proposed a way called a Turing Test, which intelligence. The test compares a given system to something inherently intelligent - a real human being, and because any automatic comparison can be bypas	Chatbots a	nd image recognition tools
trong AI (Artificial General Intelligence, AGI): efinition: AI with human-like cognitive abilities—able to understand, learn, and apply knowledge across a wide range of tasks. apabilities: It would have consciousness, self-awareness, and true understanding—not just simulating intelligence. xamples: Purely theoretical at this point—no current system is truly Strong AI. Can think, reason, and adapt like a human Still hypothetical and under research CURING TEST Then speaking about AGI we need to have some way to tell if we have created a truly intelligent system. Alan Turing proposed a way called a Turing Test, which intelligence. The test compares a given system to something inherently intelligent - a real human being, and because any automatic comparison can be bypas	/ Good a	t performing one task extremely well
efinition: AI with human-like cognitive abilities—able to understand, learn, and apply knowledge across a wide range of tasks. Capabilities: It would have consciousness, self-awareness, and true understanding—not just simulating intelligence. Examples: Purely theoretical at this point—no current system is truly Strong AI. Can think, reason, and adapt like a human Still hypothetical and under research CURING TEST When speaking about AGI we need to have some way to tell if we have created a truly intelligent system. Alan Turing proposed a way called a Turing Test, which if intelligence. The test compares a given system to something inherently intelligent - a real human being, and because any automatic comparison can be bypass.	Canno	generalize to other tasks
efinition: AI with human-like cognitive abilities—able to understand, learn, and apply knowledge across a wide range of tasks. apabilities: It would have consciousness, self-awareness, and true understanding—not just simulating intelligence. xamples: Purely theoretical at this point—no current system is truly Strong AI. Can think, reason, and adapt like a human Still hypothetical and under research URING TEST Then speaking about AGI we need to have some way to tell if we have created a truly intelligent system. Alan Turing proposed a way called a Turing Test, which intelligence. The test compares a given system to something inherently intelligent - a real human being, and because any automatic comparison can be bypas	trong AI	(Artificial General Intelligence, AGI):
xamples: Purely theoretical at this point— no current system is truly Strong AI. Can think, reason, and adapt like a human Still hypothetical and under research Curling TEST	_	
Can think, reason, and adapt like a human Still hypothetical and under research "URING TEST" Then speaking about AGI we need to have some way to tell if we have created a truly intelligent system. Alan Turing proposed a way called a Turing Test, which intelligence. The test compares a given system to something inherently intelligent - a real human being, and because any automatic comparison can be bypas	apabiliti	es: It would have consciousness, self-awareness, and true understanding—not just simulating intelligence.
Still hypothetical and under research TURING TEST When speaking about AGI we need to have some way to tell if we have created a truly intelligent system. Alan Turing proposed a way called a Turing Test, which fintelligence. The test compares a given system to something inherently intelligent - a real human being, and because any automatic comparison can be bypas	xamples	Purely theoretical at this point— no current system is truly Strong AI.
TURING TEST When speaking about AGI we need to have some way to tell if we have created a truly intelligent system. Alan Turing proposed a way called a Turing Test, which intelligence. The test compares a given system to something inherently intelligent - a real human being, and because any automatic comparison can be bypas	Can th	nk, reason, and adapt like a human
When speaking about AGI we need to have some way to tell if we have created a truly intelligent system. <mark>Alan Turing</mark> proposed a way called a <mark>Turing Test</mark> , which of intelligence. The test compares a given system to something inherently intelligent - a real human being, and because any automatic comparison can be bypas	Still hy	pothetical and under research
When speaking about AGI we need to have some way to tell if we have created a truly intelligent system. <mark>Alan Turing</mark> proposed a way called a <mark>Turing Test</mark> , which of intelligence. The test compares a given system to something inherently intelligent - a real human being, and because any automatic comparison can be bypas		
of intelligence. The test compares a given system to something inherently intelligent - a real human being, and because any automatic comparison can be bypas	<u> </u>	<mark>G TEST</mark>
of intelligence. The test compares a given system to something inherently intelligent - a real human being, and because any automatic comparison can be bypas		
	Vhen spe	aking about AGI we need to have some way to tell if we have created a truly intelligent system. <mark>Alan Turing</mark> proposed a way called a <mark>Turing Test</mark> , which also
	f intellige	ence. The test compares a given system to something inherently intelligent - a real human being, and because any automatic comparison can be bypassed i
program, we use a human interrogator. So, if a human being is unable to distinguish between a real person and a computer system in text-based dialogue - the s		

Different Approaches to Al

There are two possible approaches to this problem:

Top-down Approach (Symbolic Reasoning)	Bottom-up Approach (Neural Networks)
A top-down approach models the way a person reasons to solve a problem. It involves extracting	A bottom-up approach models the structure of a human brain, consisting of a huge r
 knowledge from a human being, and representing it in a computer-readable form. We also need to develop a way to model reasoning inside a computer.	units called neurons. Each neuron acts like a weighted average of its inputs, and we of neurons to solve useful problems by providing training data.

There are also some other possible approaches to intelligence:

- An Emergent, Synergetic or multi-agent approach are based on the fact that complex intelligent behaviour can be obtained by an interaction of a large number of simple according to evolutionary cybernetics, intelligence can emerge from more simple, reactive behaviour in the process of metasystem transition.
 - An <u>Evolutionary approach, or genetic algorithm</u> is an optimization process based on the principles of evolution.
- <u>In a top-down approach</u>, we try to model our reasoning. Because we can follow our thoughts when we reason, we can try to formalize this process and program it inside this is called symbolic reasoning.

People tend to have some rules in their head that guide their decision making processes. For example, when a doctor is diagnosing a patient, he or she may realize that fever, and thus there might be some inflammation going on inside the body. By applying a large set of rules to a specific problem a doctor may be able to come up with diagnosis.

This approach relies heavily on knowledge representation and reasoning. Extracting knowledge from a human expert might be the most difficult part, because a doctowould not know exactly why he or she is coming up with a particular diagnosis. Sometimes the solution just comes up in his or her head without explicit thinking. Son determining the age of a person from a photograph, cannot be at all reduced to manipulating knowledge.

O Bottom-Up Approach

Alternately, we can try to model the simplest elements inside our brain – a neuron. We can construct a so-called artificial neural network inside a computer, and then solve problems by giving it examples. This process is similar to how a newborn child learns about his or her surroundings by making observations

- Machine Learning (ML)
 - How it works: Learns from data and patterns, not from hard-coded rules.

Types.

Supervised learning – Learns from labeled examples (e.g., spam vs. not spam)

Unsupervised learning – Finds patterns in unlabeled data

Reinforcement learning – Learns through trial and error (like training a dog)

Very powerful and flexible

Needs lots of data

A Brief History of AI

- · How did AI start?
- In the 1950s, scientists wanted computers to think like people.
- They used rules and logic to build programs.
- One big success was **expert systems** programs that gave advice like a doctor or engineer.
- **BUT** it was hard:
- · Writing all the rules was slow.
- · Keeping the computer's knowledge updated was too much work.
- · So, people lost interest. This was called the AI Winter in the 1970s.

· What changed?

- · Computers became cheaper and faster.
- · We got lots of data (thanks to the internet).
- · Scientists started using neural networks a way for computers to learn from examples.
- · Neural networks became really good at:
- · Recognizing images (computer vision).
- · Understanding speech.

2 Chess – A Cool Example

- · Old method: Computers guessed lots of moves and picked the best one using logic (search and rules).
- · Better method: Computers learned from past human games (case-based reasoning).
- Today: AI learns by playing with itself and improving over time using neural networks + reinforcement learning (like how humans practice).
- That's how programs like AlphaZero can beat world champions!
- · V Other games AI learned to play:

Example: You decide when using a computer is helpful or why someone might not need one.

▶ It's smart decision-making based on knowledge.

WISDOM **KNOWLEDGE INFORMATION** DATA

Classifying Computer Knowledge Representations------

Network Representations (Semantic Networks)

- Think of a mind map or a web of ideas.
- In our brain, we connect ideas like:
 - "Python \rightarrow is a \rightarrow programming language"
- A semantic network does the same thing on a computer it shows concepts (nodes) and relationships (arrows or edges) between them.
 - Example:

[Python] — is —> [Untyped Language]

[Python] — invented by —> [Guido van Rossum]

[Python] — block syntax —> [Indentation]

😽 Object-Attribute-Value Triplets

- Another way to store this network in a computer is to break each connection into 3 parts:
 - Object Attribute Value
 - Example:

	Object	Attribute	Value
P	ython	is	Untyped-Language
P	ython	invented-by	Guido van Rossum

P	ython	block-syntax	indentation
L	Intyped-Language	doesn't have	type definitions

This is easy for a computer to store, search, and connect.

ierarchical Representations – Like a Family Tree

- We humans think in hierarchies big categories with smaller ones inside.
- Example:
 - Canary is a Bird
 - 👺 Bird is an Animal
- From this, we know:
- All birds (including canaries) have wings.
- So if something is a bird, it inherits bird properties.
 - 🗾 Frame Representation Like a Form or Template
- A frame is like a profile or a form that describes an object.
- It has slots, like fields in a form.
- Each slot holds values, default values, or even rules.
 - Example: Frame for Python (programming language)

_					
	Slot	Value	Default Value	Range or Notes	
	<i>N</i> ame	Python			
	Is-A	Untyped-Language		(category it belongs to)	
	<i>Variable Case</i>		CamelCase	(default case style)	
4	<mark>P</mark> rogram Length			5–5000 lines	
	Block Syntax	Indent		(uses indentation)	

This is like saying:

- · Python is an untyped language.
- If we don't know the case style, we assume it's CamelCase by default.
- Most Python programs are between 5 to 5000 lines.
- It uses indentation for blocks.

• Commonly used in the Semantic Web to define and connect knowledge online.

rocedural Representations – "Knowledge as Actions" n this type, knowledge is stored as a set of actions or steps to take when something happens. 's like if-this-happens → then-do-this. 1. Production Rules – IF-THEN Statements These are simple rules that help us make decisions. Example (Doctor's Rule): IF a patient has high fever OR high C-reactive protein THEN they probably have inflammation Once we know one part is true, we can use it to conclude something else. 2. Algorithms – Step-by-Step Procedures Algorithms are a set of fixed steps to solve a problem. Like a recipe in cooking: Step 1: Boil water Step 2: Add pasta Step 3: Cook for 10 minutes But in AI, algorithms aren't used much as direct knowledge – they're more for programming, not for understanding "facts." 3. Logic – Representing Universal Knowledge Logic is a formal way to represent facts and reasoning. It started with Aristotle, who tried to describe how humans think using rules. Types of Logic Used in AI: Predicate Logic Used to describe facts like: "All birds can fly" or "Socrates is a man" It's very powerful, but too complex for computers to handle fully. So we use simpler parts, like Horn clauses (used in Prolog). Description Logic • Used to describe hierarchies and relationships between objects.

What is an Expert System?

An Expert System is a computer program that mimics the decision-making ability of a human expert in a specific field, like medical diagnosis, engineering, or finar

Knowledge Base (like a brain full of expert facts)

- It stores expert knowledge—facts, rules, and information about a specific topic.
- This knowledge is taken from real human experts and entered into the system.
- It doesn' t change during each use—it' s like the system' s memory.
- · It helps the system move from one problem to a solution, so it's also called dynamic system

Inference Engine (like the thinking part of the brain)

- · This is the part that thinks and makes decisions.
- · It looks at the problem, searches through the knowledge base, and decides what rule to apply.
- Its job is to find a path from the problem to the solution by using the rules.

Introduction to Neural Networks-

Machine Learning

Neural Networks are a part of a larger discipline called Machine Learning, whose goal is to use data to train computer models that are able to solve problems. Machine constitutes a large part of Artificial Intelligence

we will consider the two most common machine learning problems:

1. Classification

What it is:

In classification, the goal is to put things into categories (or classes).


2. Regression


What it is:

In regression, the goal is to predict a number.

Model of a Neuron

From biology we know that our brain consists of neural cells, each of them having multiple "inputs" (axons), and an output (dendrite). Axons and dendrites can conduct electrical signals between axons and dendrites can exhibit different degrees of conductivity (controlled by neuromediators).





Thus, the simplest mathematical model of a neuron contains several inputs X1, ..., XN and an output Y, and a series of weights W1, ..., WN. An output is calculated as:

$$Y = f\left(\sum_{i=1}^{N} X_i W_i\right)$$