



Level up your holidays Unwrap deals on games and accessories for every kind of gamer.

No thanks [Shop Xbox sales](#)



Research [Our research](#) ▾

All Microsoft ▾

[Return to Blog Home](#)

## Microsoft Research Blog

# GraphRAG: Unlocking LLM discovery on narrative private data

Published February 13, 2024

By [Jonathan Larson](#), Partner Data Architect; [Steven Truitt](#), Principal Program Manager

Share this page



***Editor's note, Apr. 2, 2024 – Figure 1 was updated to clarify the origin of each source.***

Perhaps the greatest challenge – and opportunity – of LLMs is extending their powerful capabilities to solve problems beyond the data on which they have been trained, and to achieve comparable results with data the LLM has never seen. This opens new possibilities in data investigation, such as identifying themes and semantic concepts with context and grounding on datasets. In this post, we introduce GraphRAG, created by Microsoft Research, as a significant advance in enhancing the capability of LLMs.

### PUBLICATION

[Can Generalist Foundation Models Outcompete Special-Purpose Tuning? Case Study in Medicine >](#)

Retrieval-Augmented Generation (RAG) is a technique to search for information based on a user query and provide the results as reference for an AI answer to be generated. This technique is an important part of most LLM-based tools and the majority of RAG approaches use vector similarity as the search technique. GraphRAG uses LLM-generated knowledge graphs to provide substantial improvements in question-and-answer performance when conducting document analysis of complex information. This builds upon our recent [research](#), which points to the power of prompt augmentation

when performing discovery on *private datasets*. Here, we define *private dataset* as data that the LLM is not trained on and has never seen before, such as an enterprise's proprietary research, business documents, or communications. *Baseline RAG*[1] was created to help solve this problem, but we observe situations where baseline RAG performs very poorly. For example:

- Baseline RAG struggles to connect the dots. This happens when answering a question requires traversing disparate pieces of information through their shared attributes in order to provide new synthesized insights.
- Baseline RAG performs poorly when being asked to holistically understand summarized semantic concepts over large data collections or even singular large documents.

To address this, the tech community is working to develop methods that extend and enhance RAG (e.g., [LlamalIndex](#)). Microsoft Research's new approach, GraphRAG, uses the LLM to create a knowledge graph based on the private dataset. This graph is then used alongside graph machine learning to perform prompt augmentation at query time. GraphRAG shows substantial improvement in answering the two classes of questions described above, demonstrating intelligence or mastery that outperforms other approaches previously applied to private datasets.

## Applying RAG to private datasets

To demonstrate the effectiveness of GraphRAG, let's start with an investigation using the Violent Incident Information from News Articles (VIINA) [dataset](#). This dataset was chosen due to its complexity and the presence of differing opinions and partial information. It is a messy real-world test case that was recent enough not to be included in the LLM base model's training.

For this research, we use thousands of news articles from both Russian and Ukrainian news sources for the month of June 2023, translated into English, to create a private dataset on which we will perform our LLM-based retrieval. The dataset is far too large to fit into an LLM context window, thus demanding a RAG approach.

We start with an exploratory query, which we pose to both a baseline RAG system and to our new approach, GraphRAG:

Query: "What is Novorossiya?"

Baseline RAG	GraphRAG
The term "Novorossiya" is not mentioned in the provided context. However, to provide some information, Novorossiya, or New Russia, is a historical term referring to a region in the south of Ukraine that was conquered by the Russian Empire in the 18th century. In recent years, the term has been revived by Russian-backed separatists in Eastern Ukraine to refer to the territories they claim, but it is not officially recognized as a separate entity by international bodies.	Novorossiya, also known as New Russia, is a term with historical and contemporary significance. Historically, it referred to a region in the southern part of the Russian Empire that is now part of Ukraine. In the contemporary context, it has been used by pro-Russian separatists to refer to certain areas of Ukraine [Data: Entities (6494, 912, 6493)].  The term Novorossiya has been used in the context of a political movement in Ukraine, particularly by Russian nationalists. This movement has been associated with efforts to destabilize Ukraine and create a so-called "Novorossiya" [Data: Entities (912); Relationships (15211, 15206)]. The term has also been used to denote a separatist state in Ukraine, known as the Federal Republic of Novorossiya (FRN) [Data: Entities (7690)].

In these results, we can see both systems perform well – highlighting a class of query on which baseline RAG performs well. Let's try a query that requires connecting the dots:

Query: "What has Novorossiya done?"

Baseline RAG	GraphRAG
--------------	----------

The text does not provide specific information on what Novorossiya has done.	<p>Novorossiya, a political movement in Ukraine, has been involved in a series of destructive activities, particularly targeting various entities in Ukraine [Entities (6494, 912)]. The movement has been linked to plans to destroy properties of several Ukrainian entities, including Rosen, the Odessa Canning Factory, the Odessa Regional Radio Television Transmission Center, and the National Television Company of Ukraine [Relationships (15207, 15208, 15209, 15210)]. In addition to these, Novorossiya has also been associated with plans to destroy properties of Roshen, the Odessa Conservatory Factory, the Odesa Regional Radio Television Transmission Center, and the National Telecommunications Company of Ukraine [Relationships (8329, 8330, 8331, 8332)]. Furthermore, Novorossiya has been implicated in plans to blow up ATMs of PrivatBank, the largest state bank in Ukraine [Relationships (8335, 8335)].</p> <p>The Office of the General Prosecutor in Ukraine has reported on the creation of Novorossiya, indicating the government's awareness and potential concern over the activities of this movement [Relationships (8264, 8264)]. The destructive activities of Novorossiya have had significant impacts on the targeted entities and have likely contributed to the ongoing tensions and conflicts in the region. In summary, Novorossiya has been involved in a series of destructive activities targeting various entities in Ukraine. These activities have had significant impacts on the targeted entities and have likely contributed to the ongoing tensions and conflicts in the region. The Ukrainian government, through the Office of the General Prosecutor, has acknowledged the existence and activities of Novorossiya, indicating a level of concern over the movement's actions.</p>
--	--

Baseline RAG fails to answer this question. Looking at the source documents inserted into the context window (Figure 1), none of the text segments discuss Novorossiya, resulting in this failure.

Relevant chunks of source documents:

	text	source
0	The substance did not go beyond the enterprise.*The activities of Meta (social network) ria	
1	The problems that the West is causing her. The sanctions list, published on the depa ria	
2	They ignore Kiev's constant refusals to negotiate in the West. Earlier, the official repre ria	
3	They plan to export grain to Russia. Russian military are robbing Ukrainians - what is unian	
4	Countries have begun to fight not only against Soviet history, but also against everyt ria	
5	Energy, defense industry, military administration, and communications in Ukraine. A ria	
6	About anti-Ukrainian content on the air of the Russian channel "Soloviev.live" and fu unian	
7	and dentistry, resuscitation departments and operating rooms. The hospital grounds ria	
8	"of the kind that has been going on for over a year," Medvedev stated. It should be no unian	
9	They are deploying their weapons directly in the cities of people on the edge of the se unian	

Figure 1: Baseline RAG retrieved context [2]

In comparison, the GraphRAG approach discovered an entity in the query, Novorossiya. This allows the LLM to ground itself in the graph and results in a superior answer that contains provenance through links to the original supporting text. For example, Figure 2 below shows the exact content the LLM used for the LLM-generated statement, "Novorossiya has been implicated in plans to blow up ATMs." We see the snippet from the raw source documents (after English translation) that the LLM used to support the assertion that a specific bank was a target for Novorossiya via the relationship that exists between the two entities in the graph.

The screenshot shows a user interface for 'GraphRAG provenance'. At the top, there's a dropdown menu labeled 'Description'. Below it is a table with three columns: 'source', 'date', and 'text'. The 'source' column contains 'interfaxua', the 'date' column contains '2023-06-08', and the 'text' column contains a detailed narrative about a criminal act in Odessa. Several words in the text are highlighted with blue boxes, such as 'Novorossiya', 'criminal', 'buildings', 'ATMs', 'PrivatBank', 'Roshen', 'Odessa Canning Factory', 'Odessa Regional Radio and Television Broadcasting Center', and 'National Television Company of Ukraine'. A red rectangular box highlights the entire text block.

source	date	text
interfaxua	2023-06-08	<p>and the creation of the so-called "Novorossiya". In April-June 2014, he recruited two residents of Odessa to commit acts of terrorism in the city," the Prosecutor General's Office reported on its Telegram channel.</p> <p>In particular, the <a href="#">criminal</a> blew up buildings of military commissariats, ATMs and branches of "PrivatBank", property of the "Roshen" company, PJSC "Odessa Canning Factory", SE "Odessa Regional Radio and Television Broadcasting Center" and the Odessa branch of the National Television Company of Ukraine.</p> <p>"Under the curator's instructions, the perpetrators carried out photo and video recording of administrative buildings and military commissariats, searched for explosives and devices for explosions and arson. To prepare for sabotage and terrorist acts in Odessa, the perpetrators received a cash reward, as well as laptops and flash drives with software for creating cryptographically encrypted connections," the prosecutor's office notes.</p> <p>Thanks to operational measures, law enforcement officers prevented the criminal activity of the group. The court sentenced the organizer to a punishment of 10 years imprisonment.</p> <p>He is in</p>

Figure 2: GraphRAG provenance

By using the LLM-generated knowledge graph, GraphRAG vastly improves the "retrieval" portion of RAG, populating the context window with higher relevance content, resulting in better answers and capturing evidence provenance.

Being able to trust and verify LLM-generated results is always important. We care that the results are factually correct, coherent, and accurately represent content found in the source material. GraphRAG provides the provenance, or source grounding information, as it generates each response. It demonstrates that an answer is grounded in the dataset. Having the cited source for each assertion readily available also enables a human user to quickly and accurately audit the LLM's output directly against the original source material.

However, this isn't all that's possible using GraphRAG.

## Whole dataset reasoning

Baseline RAG struggles with queries that require aggregation of information across the dataset to compose an answer. Queries such as "What are the top 5 themes in the data?" perform terribly because baseline RAG relies on a vector search of semantically similar text content within the dataset. There is nothing in the query to direct it to the correct information.

However, with GraphRAG we *can* answer such questions, because the structure of the LLM-generated knowledge graph tells us about the structure (and thus themes) of the dataset as a whole. This allows the private dataset to be organized into meaningful semantic clusters that are pre-summarized. The LLM uses these clusters to summarize these themes when responding to a user query.

We illustrate whole-dataset reasoning abilities by posing the following question to the two systems:

Query: *"What are the top 5 themes in the data?"*

**Baseline RAG**

**GraphRAG**

1. Improving the quality of life in cities and urban development.
2. The meeting between Vladimir Putin and the President of the United Arab Emirates, Mohammed bin Zayed Al Nahyan.
3. The National Rating of the Investment Climate in the Regions of Russia.
4. The state of the Russian economy and the growth of domestic brands.
5. The discussion on the meaning of life and the role of science in understanding it.

The data presents a wide range of themes, but the top five most prevalent themes can be identified as follows:

1. **Conflict and Military Activity:** A significant portion of the data revolves around the ongoing conflict in Ukraine, with numerous reports detailing military activities, occupations, and attacks by various entities. This theme includes the actions of the Ukrainian military, Russian forces, and various other military units and entities [Data: Reports (513, 241, 151, 493, 343, +more)].
2. **Political and Governmental Entities:** Many reports focus on political figures and governmental entities, highlighting their roles, relationships, and actions in the context of the current situation. This includes entities like the Kremlin, the President of Ukraine, the US State Department, and various regional administrations [Data: Reports (98, 493, 265, 129, 196, +more)].
3. **Infrastructure and Environmental Concerns:** Several reports highlight potential environmental impacts and infrastructure threats. These include potential environmental damage due to industrial activities, flooding crises, and threats to infrastructure due to military conflicts [Data: Reports (308, 154, 201, 348, 216, +more)].
4. **Community Analysis and Threat Assessment:** Several reports provide detailed analyses of specific communities, often centered around a particular location or entity. These analyses typically discuss the key entities within the community, their relationships, and any associated threats. Many reports also include assessments of potential threats associated with the entities or situations they discuss [Data: Reports (323, 596, 518, 583, 179, +more)].
5. **Health, Humanitarian Concerns, and Emergency Situations:** Some reports focus on health and humanitarian issues, such as the Shereshevsky-Turner Syndrome community and the potential risk of intestinal diseases in the Odessa region. The data also covers emergency situations, including natural disasters, accidents, and attacks [Data: Reports (204, 149, 372, 154, 532, +more)]. These themes provide a comprehensive overview of the current situation, highlighting the complexity and interconnectedness of the issues at hand.

Looking at the results from baseline RAG, we see that none of the listed themes has much to do with the war between the two countries. As anticipated, the vector search retrieved irrelevant text, which was inserted into the LLM's context window. Results that were included were likely keying on the word "theme," resulting in a less than useful assessment of what is going on in the dataset.

Observing the results from GraphRAG, we can clearly see that the results are far more aligned with what is going on in the dataset as a whole. The answer provides the five main themes as well as supporting details that are observed in the dataset. The referenced reports are pre-generated by the LLM for each semantic cluster in GraphRAG and, in turn, provide provenance back to original source material.



## Azure AI Foundry

### Azure AI Foundry Labs

Get a glimpse of potential future directions for AI, with these experimental technologies from Microsoft Research.

[Azure AI Foundry >](#)

## Creating LLM-generated knowledge graphs

We note the basic flow that underpins GraphRAG, which builds upon our prior [research](#) and [repositories](#) using graph machine learning:

- The LLM processes the entire private dataset, creating references to all entities and relationships within the source data, which are then used to create an LLM-generated knowledge graph.
- This graph is then used to create a bottom-up clustering that organizes the data hierarchically into semantic clusters (indicated by using color in Figure 3 below). This partitioning allows for pre-summarization of semantic concepts and themes, which aids in holistic understanding of the dataset.
- At query time, both of these structures are used to provide materials for the LLM context window when answering a question.

An example visualization of the graph is shown in Figure 3. Each circle is an entity (e.g., a person, place, or organization), with the entity size representing the number of relationships that entity has, and the color representing groupings of similar entities. The color partitioning is a bottom-up clustering method built on top of the graph structure, which enables us to answer questions at varying levels of abstraction.




Figure 3: LLM-generated knowledge graph built from a private dataset using GPT-4 Turbo.

## Result metrics

The illustrative examples above are representative of GraphRAG’s consistent improvement across multiple datasets in different subject domains. We assess this improvement by performing an evaluation using an LLM grader to determine a pairwise winner between GraphRAG and baseline RAG. We use a set of qualitative metrics, including comprehensiveness (completeness within the framing of the implied context of the question), human enfranchisement (provision of supporting source material or other contextual information), and diversity (provision of differing viewpoints or angles on the question posed). Initial results show that GraphRAG *consistently outperforms* baseline RAG on these metrics.

In addition to relative comparisons, we also use [SelfCheckGPT](#) to perform an absolute measurement of faithfulness to help ensure factual, coherent results grounded in the source material. Results show that GraphRAG achieves a similar level of faithfulness to baseline RAG. We are currently developing an evaluation framework to measure performance on the class of problems above. This will include more robust mechanisms for generating question-answer test sets as well as additional metrics, such as accuracy and context relevance.

## Next steps

By combining LLM-generated knowledge graphs and graph machine learning, GraphRAG enables us to answer important classes of questions that we cannot attempt with baseline RAG alone. We have seen promising results after applying this technology to a variety of scenarios, including social media, news articles, workplace productivity, and chemistry. Looking forward, we plan to work closely with customers on a variety of new domains as we continue to apply this technology while working on metrics and robust evaluation. We look forward to sharing more as our research continues.

---

[1] As *baseline RAG* in this comparison we use [LangChain’s Q&A](#), a well-known representative example of this class of RAG tools in widespread use today.

[2] This dataset contains sensitive topics. The dataset was chosen solely to showcase tools for data analysis that surface all relevant information including its origin. The tools, grounded by that dataset information, enable a human user to more rapidly reach informed conclusions within the context of opposing viewpoints from both Ukrainian (unian) and Russian (ria) news articles sourced in their native languages. The tools highlight the source of each statement, which can be used to identify where the information is originating.

---

## Related publications

[Can Generalist Foundation Models Outcompete Special-Purpose Tuning? Case Study in Medicine >](#)

---

## Meet the authors



**Jonathan Larson**

Partner Data Architect

[Learn more >](#)



**Steven Truitt**

Principal Program Manager

[Learn more >](#)

---

## Continue reading



December 16, 2024

[Moving to GraphRAG 1.0 – Streamlining ergonomics for developers and users >](#)



November 25, 2024

[LazyGraphRAG: Setting a new standard for quality and cost >](#)



November 15, 2024

[GraphRAG: Improving global search via dynamic community selection >](#)



July 2, 2024

[GraphRAG: New tool for complex data discovery now on GitHub >](#)

[See all blog posts >](#)

## Research Areas

 Artificial intelligence

## Related Tools

Graspologic

## Related projects

Project GraphRAG

Follow us:      

Share this page:    

What's new	Microsoft Store	Education	Business	Developer & IT	Company
Surface Pro	Account profile	Microsoft in education	Microsoft Cloud	Azure	Careers
Surface Laptop	Download Center	Devices for education	Microsoft Security	Microsoft Developer	About Microsoft
Surface Laptop Studio 2	Microsoft Store support	Microsoft Teams for Education	Dynamics 365	Microsoft Learn	Company news
Copilot for organizations	Returns	Microsoft 365 Education	Microsoft 365	Support for AI marketplace apps	Privacy at Microsoft
Copilot for personal use	Order tracking	How to buy for your school	Microsoft Power Platform	Microsoft Tech Community	Investors
AI in Windows	Certified Refurbished	Educator training and development	Microsoft Teams	Microsoft Marketplace	Diversity and inclusion
Explore Microsoft products	Microsoft Store Promise	Deals for students and parents	Microsoft 365 Copilot	Marketplace Rewards	Accessibility
Windows 11 apps	Flexible Payments	AI for education	Small Business	Visual Studio	Sustainability

