
Institut für Informatik, 110 Technische Universität München 85748 Garching

Tel: +49 (89) 289 17652 Fax: +49 (89) 289 17662 Email: gerndt@in.tum.de

## Question 1

Give the dependence graph for the following loop.



Give the distance and direction vectors for the loop-carried dependences in the last question.

Source	Sink	Туре	Distance Vectors	Direction Vectors	
S2: B(1+i)	S1: B(i)	a	(1)	("<")	

Source, sink: Specify the references in the form S3:C(I) or S3: B(i) ...


Type: true, anti, output

Vectors: n-Tuples where n is the depth of the loop nest

## Question 2

Give the dependence graph for the following loop.

```
for (i=1;i<n;i++) {
    for (j=1;j<m;j++) {
    A(i)=B(i,j)
    B(i,j)=B(i-1,2*j)
    }
}</pre>
```




Give the distance and direction vectors for the loop-carried dependences in the last question.

Source	Sink	Туре	Distance Vectors	Direction Vectors
S1: A(i)	S1: A(i)	0	(0, *)	("=", "*")
S2: B(i, j)	S2: B(i-1, 2*j)	t	(1, -j)	("<", ">")

## Question 3

Give the dependence graph for the following loop.



Give the distance and direction vectors for the loop-carried dependences in the last question.

Source	Sink	Type	Distance Vectors	Direction Vectors
S2: B(i, j+1)	S1: B(i-1, j)	a	(1, 1)	("<", "<")
S2: C(i, j)	S1: C(i, j-2)	t	(0, 2)	("=", "<")