

```
mysql> CREATE table scores ( team_no int (5) , team_name varchar(20),score int (5) );
Query OK, 0 rows affected, 2 warnings (0.01 sec)
```

```
mysql> INSERT INTO scores VALUES
-> (132, 'india' , 235),
-> (106, 'england' , 203),
-> (117, 'west indies', 182);
Query OK, 3 rows affected (0.00 sec)
Records: 3 Duplicates: 0 Warnings: 0
```

```
mysql> SELECT * FROM scores;
+-----+-----+-----+
| team_no | team_name | score |
+-----+-----+-----+
| 132 | india | 235 |
| 106 | england | 203 |
| 117 | west indies | 182 |
+-----+-----+-----+
3 rows in set (0.00 sec)
```

```
mysql> UPDATE scores
-> SET score = 241
-> WHERE team_no = 132;
Query OK, 1 row affected (0.00 sec)
Rows matched: 1 Changed: 1 Warnings: 0
```

```
mysql> SELECT * FROM scores;
+-----+-----+-----+
| team_no | team_name | score |
+-----+-----+-----+
| 132 | india | 241 |
| 106 | england | 203 |
| 117 | west indies | 182 |
+-----+-----+-----+
3 rows in set (0.00 sec)
```

```
mysql> DELETE FROM scores
-> WHERE team_no = 117;
Query OK, 1 row affected (0.00 sec)
```

```
mysql> SELECT * FROM scores
-> ;
+-----+-----+-----+
| team_no | team_name | score |
+-----+-----+-----+
| 132 | india | 241 |
| 106 | england | 203 |
+-----+-----+-----+
2 rows in set (0.00 sec)
```