## SELENIUM:

mubApplication tisting tool

- = functionality firting took ( Regussion, Borrisy)

Belorium suite

Aseleniu n LPF.

2006, 8 hinya Kastari - Prodatyping tool He necousting of playback.

- now in chrome

Atoal -> Bappli cation / Balture

Deruhi

Edwign webdei'm use some part af Belevium IDE

2 selorian. Rd Demots contral)

- peraprositing knowledge we can we this

- Execution speed slois., no dised connection.

first unrection to sours.

- me are not using now.

- Adjournated tool

3) selevium webstriere:

· direct becomes contraction

Advantages	
· mars barrens tusting	
-> brans besourer tusting -> speed bigh (direct because connectors)	1
-> dufit Pgm language	
-> open source tool.	
(4) Belevium gerid.	
· mutiple noutrine testing sapport Comp	oneut
équirements:	
게 있는 살아보다 하는 것이 아이들이 살아보다는 것이 없는 것이 없었다.	
elipe IDE ) Java / selevium liberary files.	
Dointaged Dointaged of wint	
man part	
4.28.1 new wiston,	ula
- new falden selevium -> subfalden -> zip	files
=> Extension. Red person decoded 3	
open relipe -> file -> reu -> Java Projeil->	>
3 derium -> writher equate module -> Nisd-	<b>-</b> '>
liberaries -> modu pasto - Add Fith met 704	bub
Claur path	
liberaries ->. modu pash 7 Add External Jay -> clam pash I halder -> seek all -> open> finish.	
selevi im -> Expand -> JRE / Refune liberty	
repino di manag	,
Boc -> New Java Packye -> united> new	'-7
class > Grooge pgm -> OK	

eg: PSVM3 chown pour dou're = rew cheum pou in co; object (import checem doing) preation dow'un get (stowny un); (8ite line) 3. (drim. don ()) + opered of closed count Levetin because grit is check wheather a tile is Matching on not PSVMS eg: chrame Driver Drive = new chrameDrivers; down get [" line"); Strong autualtile = dovinigutilus; storing Expected title = "aM4200"; if (actualtith. equalis Ignoricare (Expected to b)); E sysout (" the matched"); Sysowt [" to be not not heather"); gettitle) pget the tile of a mebsite A How it is a strong + get a website / open a website