



Website of the Board (www.kspcb.karnataka.gov.in)



New XGN ID creation

The screenshot shows the 'New XGN - ID Creation' form. The form includes the following fields:

- * Ind/PRJ/Local Body :** Name of the Industry
- Survey/Plot/T.C No :**
- Town/Village :**
- Regional Office :** Select
- * District :** Select
- * Taluk :** Select
- Select Industrial Area :** Select
- Mob SMS :**
- PIN :**

A red box with the text 'Fill all the details' is placed over the form fields, with a bracket indicating that all fields should be filled.


The screenshot shows the 'Address 2' section of the form. The form includes the following fields:

- Address 2 :**
- Note:** Address 2 refers to Correspondance address. Please enter Complete Correspondance address in adress 2 box only
- Catg :** Select
- * Scale :** Select
- Investment :** Lakhs
- * Industry Sector :** Select
- Select Type :** ☐ Air/ ☐ Water/ ☐ Haz/ ☐ BMW


A red box with the text 'Fill all the details' is placed over the form fields, with a bracket indicating that all fields should be filled.

At the bottom of the form, there are two buttons: 'Save' and 'Back'. The 'Save' button is circled in red.

Click on save button for generating User ID & Password



The applicant needs to enter “ID & Password” to login to XGN & click on submit (Single user ID to obtain the Consent under AIR/Water/authorization under hazardous waste Rules)



After that Click on “Red Button”.

Pollution Control Board :: Email: Inbox :: Pollution Control Board ::

https://xgn.karnataka.gov.in/IND/CCA_Application.aspx

Test Case Ewaste

Karnataka State Pollution Control Board

MPW!!! PCB Id Logout Menu

CLEAR OFF Pink Cases > Action= YES , Update Req. Click on OPEN to go related Screen !!!

Print Form : AIR-I Form-XIII Auto HAZI C/E/CFO Receipt: Select Forwarding Letter

Comm Dt: 01/05/2015 Prodn Dt: 02/04/2019

NOC Valid upto: CFO upto:

Save

100081

Seq	IND	Heading	Action	Result
1	Open	Update Profile Precisely & Accurately (For New Application)	---	---
2	Open	Update Stacks/ETP/HAZD/Products-Raw Material	YES	Records-0-0-1
3	Open	Pls Enter A / W Parameters Values (Applying for NOC only)	---	---
4	Open	LAR Bills NOT Paid Off even after 25 Days of Billing	---	---
5	Open	Update Constitution/Director Details	---	---
6	Open	Download, Merge, Upload, Applicable / STREAMLINE PDFs	---	---
7	Open	One Time Master Data to be Updated by Units !!	---	---
8	Open	Not Queries raised, but NOT Replied !!!	---	---

Update the profile details

New Application

HWM Authorization Application

Waiting for xgn.karnataka.gov.in...

start :: Pollution Control Bo... :: KSPCB Internet - Goo... :: Microsoft Visual C++... :: New Microsoft Office... :: 3:04 PM

The applicant needs to Update Commission & Production date as well as the profile details.

Pollution Control Board :: Email: Inbox :: Pollution Control Board ::

https://xgn.karnataka.gov.in/ind/Online_CTE.aspx

Test Case Ewaste

Karnataka State Pollution Control Board

MPW!!! PCB Id Logout Menu

Industry/PRJ/Local Body : Test Case Ewaste ,41/42/43/44 ,41/42/43/44, 1st cross, honnali, davangere,577217

Prv Consent : EWF-GRT,115331,06/12/2025

Save

Old Name of Industry :

Town/Village : Honnali PIN : 577217

*District/ Taluka / KIADB : Davangere Honnali Not in I.A.

Landline : 9113252595 Mobile : 9113252595

Email : geethamurthy.gg@gmail.com

Contact Person : Geetha

Constitution Type : Pvt. Ltd. Employees: 30

*Applicant Name : nisha

Gender : Female

Consumer No. : (Electric Meter)

On East : main road

On West : highway road

1.TSDF Name : Not Regd with any TSDF

2.CETP Name : NOT a CETP Member

3.Licence SSUEM No. :

4.Area in Sq Mtr : Plantation 4046 Open 1000

5.Source of Water Supply : townsh

6.Water Consumption(KLPD): 1 Industrial 1 Domestic

7.Waste Water Generation: 0.1 Industrial 0.1 Domestic

8.Waste Wtr Discharge Pt: 1

No. of Pumps : 0

Tubewells/Borewells : 1 / 0

Latitude/Longitude : 15.3200 / 52.4000

Capacity of ALL : 32

Nationality : INDIAN

WEB Site URL :

Project Cost as on Dt : 5 5 Lakhs

Production Date : 02/04/2019

Plant Commission : 01/05/2015

On North : residential area

On South : residential area

9. Ultimate Receiving Body:

10. Hazard Wst Storage ? : Yes NO

11. Critical Polluted Area : No

12. Dist - Residential : 3000 Mts

13. Dist - Eco Sensitive : 0 Mts

14. Dist - Highway : 10000 Mts

15. Applicability of EIA : ECR required Not required

16. Premise Area-SqMtr : 0

17. Does it fall in ? In KIADB Area

18. Em. Clearance ?? NOEF SEIAA H.A. ECC

19. Applicability of CRZ : Yes NO

XGN-Extended Green Node 210.212.204.92 (IND) 16-Dec-2020 N I C

start :: Pollution Control Bo... :: KSPCB Internet - Goo... :: Microsoft Visual C++... :: New Microsoft Office... :: 3:04 PM

Update the details and click on “save”

Pollution Control Board :: Email: Inbox :: Pollution Control Board ::

https://xgn.karnataka.gov.in/IND/CCA_Application.aspx

Test Case Ewaste

Karnataka State Pollution Control Board

MPW!!! PCB Id Logout Menu

CLEAR OFF Pink Cases > Action= YES, Update Req. Click on OPEN to go related Screen !!!

Print Form : AIR-I Form-XXIII Auto HAZ-I C/E/CFO Receipt: Select Forwarding Letter

Comm Dt: 01/05/2015 Prodn Dt: 02/04/2019

NOC Valid upto: CFO upto:

100081

Seq	FN	Heading	Action	Result
1	Open	Update Profile Precisely & Accurately (For New Application)	---	---
2	Open	Update Stacks/ETP/HAZD/Products-Raw Material	YES	Records:0-0-1
3	Open	Pls Enter A / W Parameters Values (Applying for NOC only)	---	---
4	Open	LAR Bills NOT Paid Off even after 25 Days of Billing	---	---
5	Open	Update Constitution/Director Details	---	---
6	Open	Download, Merge, Upload, Applicable / STREAMLINE PDFs	---	---
7	Open	One-Time Master Data to be Updated by Units !!	---	---
8	Open	PCB Queries raised, but NOT Replied !!!	---	---

Click on Seq2 to update profile

New Application

HWM Authorization Application

Waiting for xgn.karnataka.gov.in...

start :: Pollution Control Bo... :: KSPCB Internet - Goo... :: Microsoft Visual C++... :: New Microsoft Office ...

3:04 PM

- ETPs - Effluent Treatment Plant
- HAZD - Hazardous
- A/W - Air/Water
- NOC - No Objection Certificate (Consent to establish)

Pollution Control Board :: Email: Inbox :: Pollution Control Board ::

https://xgn.karnataka.gov.in/IND/Consent_AWH.aspx

Test Case Ewaste

Karnataka State Pollution Control Board

MPW!!! PCB Id Logout Menu

Record Inserted Successfully

OK

AIR Stack Water - ETPs HAZD Waste QTY Products Raw Materials Solid Wastes E-Waste

Online Appl: 100081-Test Case Ewaste / Large ()

In Processing:

apC = as per Consent/Authorization & SMF = Stack Monitoring facility

Edit	Type	Height	Attach To	Remarks	APCM	Pollutants/STDs	Fuel	Consumption Unit	SMF	Diameter	apC
163718	PRE	25	OTH	320KVA	N.A	22,23,24	so2		NO	0	☒

NEW Stack

SAVE BACK

Emission Type	Stack Attached To	Hgt-Mtrs	Remarks/Capacity	SMF	Pollutants (e.g SO2, NH3, NOx ...)	APC	Diameter(cm)
Process Stack	Any Other.....	25	320KVA	NO	so2	☒	0

Air Pollution Control Measures

4 Stage Cyclone Separator

Acoustic Enclosures

Bag Filter

Bag House

Cladding

Cyclone

Dumper

Dust Collector

Dust Suppressor

E.S.P

Green Belt

Heater/Furnace-Low Sulphur Fuel

Hood Cover

INC-convert SO2+Talia gas

Low Nox Burner

Multi Cyclone

Natural Draft

Not Applicable

Not provided

Paint Arrest Filters

Port Hole

Scrubber

Settling Chamber

Teema Cyclone Separator

Water Deep Tank

Water Sprinkler

WaterFilters/Curtains

Wind Breaking Wall

start :: Pollution Control Bo... :: KSPCB Internet - Goo... :: Microsoft Visual C++... ::

3:02 PM

Select "Air Stack", click on "New Stack" fill all the details (Fill the details of Permissible limits for P.M/SO2&NOx if applicable) & click on Save button the message will pop up as "Record Inserted Successfully"

- P.M - Particulate Matter
- SO2 - Sulfur dioxide
- NOx - Oxides of Nitrogen

Test Case Ewaste

Karnataka State Pollution Control Board

MPW!!! PCB Id Logout Menu

Water Details updated successfully

OK

Online Appn: 100081-Test Case Ewaste / Large ()

WC / as per the Consent

WC Klsd (IND/DOM)	1.00	0.00	1.00	1.00
WWG Klsd (IND/DOM)	0.10	0.00	0.10	0.10
Capacity/HIP	12			
CETP Member	NOT a CETP Member			
Water Source	bwsb			

SAVE BACK

CAPACITY in Cubic Meters Units in Nos

ETP/STP Nos	ETP/STP Chamber	Capacity	Units	NEW
Remarks:				
ETP/STP No	ETP/STP TYPE	Capacity (Meter Cubic)	Units	

WC - Water Consumption / WWG - Waste Water Generation (KLS / DAY)

Select	WatSrc	WC Kls/Day	WWG Kls/Day	NEW
	Borewell			
Remarks:				

SAVE

Edit	Water Code	Water Source	WC Kls/Day	WWG Kls/Day
147402	DOM - Domestic Purpose	Tankers	1.000	0.100

Fill all the water details and click on save button

After clicking on save button the messages will pop up as "Water details uploaded successfully"

After clicking on save button the message will pop up as "Water details uploaded successfully".

- W.C - Water Consumption
- WWG - Waste Water Generation

Test Case Ewaste

Karnataka State Pollution Control Board

MPW!!! PCB Id Logout Menu

Online Appn: 100081-Test Case Ewaste / Large ()

apC = as per Consent/Authorization

Waste Cd	Waste Name	Qty/Year	Unit	Disp Mode	Sch	apC
B1	Metal and metal-bearing wastes	2.000	M.T	COL,GEN,RRE,TRA	I	

NEW Waste Category

H.W Name : Search SAVE BACK

Catg	Schedule	Waste Name	Qty/Year	Unit	apC
Select		Select		Metric Tonne	
Waste Selected					
Remark					

Management of Hazd Waste Disposal

☐ Co-processing	☐ Collection	☐ De-Contamination	☐ De-Toxification	☐ Disposal-Incinerator	☐ Disposal-Sale
☐ Disposal-TSDF	☐ Generation	☐ Other/Misc.	☐ Preprocessing	☐ Re-Cycling	☐ Re-Use
☐ Receiving	☐ Recovery	☐ Storage	☐ Thru Regd. Recycler	☐ Transportation	☐ Treatment
☐ Utilization					

XON-Extended Green Node 210,212,204,91 (IND) 22-Feb-2021 N I C

Test Case Ewaste

Karnataka State Pollution Control Board

MPW!!! PCB Id Logout Menu

Online Appln: 100081-Test Case Ewaste / Large ()

In Processing: apC = as per Consent/Authorization

Waste Cd	Waste Name	Qty/Year	Unit	Disp Mode	Sch	apC
10.1	Residues Containing Cadmium And Arsenic	0.000	M.T	DSLDT,GEN,CYC,REU,STO,RRE,TRE	1	
BI	Metal and metal-bearing wastes	2.000	M.T	COL,GEN,RRE,TRA	1	

NEW Waste Category

H.W Name : Search

SAVE BACK

Catg	Schedule	Waste Name	Qty/Year	Unit	apC
10	1	10.1	0	Metric Tonne	

Waste Selected: 10.1-Residues Containing Cadmium And Arsenic

Remark:

Management of Hazd Waste Disposal

☐ Co-processing
☒ Disposal-TSDF
☐ Receiving
☐ Utilization

☐ Collection
☒ Generation
☐ Recovery

☐ De-Contamination
☐ Other/Misc.
☒ Storage

☐ De-Toxification
☐ Preprocessing
☒ Thru Regd. Recycler

☒ Disposal-Incinerator
☒ Re-Cycling
☐ Transportation

☐ Disposal-Sale
☒ Re-Use
☒ Treatment

XGN-Extended Green Node 210.212.204.91 (IND) 22-Feb-2021 N I C

Click on “Hazd waste Qty”, Click on New Waste Category fill all the details then click on save button the message will pop up as “Record Inserted Successfully”

Test Case Ewaste

Karnataka State Pollution Control Board

MPW!!! PCB Id Logout Menu

Online Appln: 100081-Test Case Ewaste / Large ()

In Processing: Quantity in PER MONTH figure

Raw Material	Unit	Existing Qty	From Mth	Remarks	Edit
xyz	Number Of	45,0000	201911		

Enter From & Up to Month in YYYYMM e.g 200711 for Nov-2007 , To CHANGE QTY per MONTH- enter in PROPOSED Qty & Month + Reason !!!

Raw Material Name	Unit	Existing Qty	From Mth	Remarks [30 chars]	New Raw	Back
	Select				Save	

XGN-Extended Green Node 210.212.204.91 (IND) 22-Feb-2021 N I C

Click on “Raw Materials”, Click on New Raw fill all the details then click on save button the message will pop up as “Record Updated Successfully”

Pollution Control Board :: xgn.karnataka.gov.in/IND/Consent_AWH.aspx

Test Case Ewaste

Karnataka State Pollution Control Board

MPW!!! PCB Id Logout Menu

Record Updated Successfully !!!

OK

● AIR Stack ● Water - ETPs ● Hazd Waste QTY ● **Products** ● Raw Materials ● Solid Wastes ● E-Waste

Online Appln: 100081-Test Case Ewaste / Large ()

Quantity in PER MONTH figure / apC = as per Consent/Authorization

Product Name	Unit	CfE Qty	CfO Qty	Applied Qty	From Mth	Remarks	apC	Edit
abcd	Number Of	120.0000	120.0000	120.0000	201905			

New Product

BACK

Pls enter PRECISE CONSENT QUANTITY approved !!! Enter ZERO in QTY towards NOT-ALLOWING/NOT-GRANTED !!!

Product Name	Unit	CfE Qty	CfO Qty	Applied Quantity	From Mth	Remarks	apC
abcd	Number Of	120.0000	120.0000	120.0000	201905		

Update

XGN-Extended Green Node 210.212.204.92 (IND) 16-Dec-2020 N I C



Click on “Products”, Click on New product fill all the details then click on save button the message will pop up as “Record Updated Successfully”

Pollution Control Board :: xgn.karnataka.gov.in/IND/Consent_AWH.aspx

Test Case Ewaste

Karnataka State Pollution Control Board

MPW!!! PCB Id Logout Menu

● AIR Stack ● Water - ETPs ● Hazd Waste QTY ● **Products** ● Raw Materials ● **Solid Wastes** ● E-Waste

Online Appln: 100081-Test Case Ewaste / Large ()

SW ID	Solid Waste Name	Qty	Unit	Coll Mode	Disp Mode
-------	------------------	-----	------	-----------	-----------

New Solid Waste

BACK

Waste Name	Qty/Month	Unit
	0.00	Metric Tonne

Remark

Save

Solid Waste Disposal

☐ Land Fill ☐ Others

Solid Waste Collection

☐ In HDPE Bags ☐ Lined Pits ☐ Others ☐ Plastic Drums

XGN-Extended Green Node 210.212.204.91 (IND) 22-Feb-2021 N I C



Select the option “Solid Waste”, click on “New Solid Waste” and save the details

Test Case Ewaste

Karnataka State Pollution Control Board

MPW!!! PCB Id Logout Menu

AIR Stack Water - ETPs

Online Appln: 100081-Test Case Ewaste / Large () In Processing:

SW ID	Solid Waste Name	Qty	Unit	Coll Mode	Disp Mode
142082	paints	10.0000	KLIT	OTH	OTH

New Solid Waste

Waste Name Qty/Month Unit

Remark Save

Solid Waste Disposal Solid Waste Collection

☐ Land Fill ☐ Others ☐ In HDPE Bags ☐ Lined Pits ☐ Others ☐ Plastic Drums

XGN-Extended Green Node 210.212.204.91 (IND) 22-Feb-2021

If the data is saved a message will pop up as “Record Save Successfully”

Test Case Ewaste

Karnataka State Pollution Control Board

MPW!!! PCB Id Logout Menu

CLEAR OFF Pink Cases > Action= YES , Update Req. Click on OPEN to go related Screen !!!

Print Form : AIR-I Form-XIII Auto-F HAZ-I CIE/CFO Receipt: Select Forwarding Letter

Comm Dt: 01/05/2015 Prodn Dt: 02/04/2019

NOC Valid upto: CEF-116086 CFO upto:

100081

Seq	IND	Heading	Action	Result
1	Open	Update Profile Precisely & Accurately (For New Application)	---	---
2	Open	Update Stock/ETP/HAZ/Products-Raw Material	---	Records:2-1-1
3	Open	Pls Enter A / W Parameters Values (Applying for NOC only)	---	98143-16/12/2020-CEF-REP
4	Open	LAB Bills NOT Paid Off even after 25 Days of Billing	---	---
5	Open	Update Constitution/Director Details	---	---
6	Open	Download, Merge, Upload, Applicable / STREAMLINE PDFs	YES	ACA
7	Open	One-Time Master Data to be Updated by Units !!	---	---
8	Open	PCB Queries raised, but NOT Replied !!!	---	---

New Application

HWM Authorization Application

Click on open of profile-5 to update Constitution/Director details

Test Case Ewaste

Karnataka State Pollution Control Board

MPW!!! PCB Id Logout Menu

Record Updated Successfully !!!

Director's Name Designation Address + Phone No Mobile No Edit Delete

neha manager Davangere 9113252595 Edit Del

Address and Name

Director's Name Designation Address + Phone No Mobile No New Update

XON-Extended Green Node 210.212.204.91 (IND) 22-Feb-2021 N I C

start Microsoft Visual C++ ... Pollution Control Bo... KSPCB - Google Chrome Test cases CFO.docx - Microsoft... xgmmanual_0.pdf ... 1:48 PM

Fill the details & click on “Save”, “Record Updated successfully” message will popup

Test Case Ewaste

Karnataka State Pollution Control Board

MPW!!! PCB Id Logout Menu

CLEAR OFF Pink Cases > Action= YES , Update Req. Click on OPEN to go related Screen !!!

Print Form : AIR-I Form-XIII Auto-F HAZ-I C/E/CFO Receipt: Select Forwarding Letter

Comm Dt: 01/05/2015 Prodn Dt: 02/04/2019

NOC Valid upto: CEF-116086 CFO upto: Save

Seq	IND	Heading	Action	Result
1	Open	Update Profile Precisely & Accurately (For New Application)	---	---
2	Open	Update Stacks/ETP/HAZ/Products-Raw Material	---	Records:2-1-1
3	Open	Pls Enter A / W Parameters Values (Applying for NOC only)	---	98143-16/12/2020-CEF-REP
4	Open	LAB Bills NOT Paid Off even after 25 Days of Billing	---	---
5	Open	Update Constitution/Director Details	---	---
6	Open	Download,Merge,Upload,Applicable / STREAMLINE PDFs	YES	ACA
7	Open	One-Time Master Data to be Updated by Units !!	---	---
8	Open	PCB Queries raised, but NOT Replied !!!	---	---

New Application

HWM Authorization Application

start Microsoft Visual C++ ... Pollution Control Bo... KSPCB - Google Chrome Test cases CFO.docx - Microsoft... xgmmanual_0.pdf ... 1:50 PM

Click on profile 7 to update “One-Time Master Data To Be Updated by units”

Waiting for xgn.karnataka.gov.in...

100081 — Test Case Ewaste, L

General One Time AIR WAT HAZ Violations Compliance

WOW Back

Inspection Type : - 0 / / A, W, H

Last Inspection : 176102 -- 08/02/2021 Save Sch

Please enter Relevant REASONS precisely (Order No/Date/Details)

0	Air - Water - Hazd ACTs Applicability ?	☒ Air ☒ Water ☒ Haz	
1	Is Industry ZERO DISCHARGE Catg (If Yes, HOW ?)	☒ Yes ☐ No	
2	Electric Company Name (Power Supply)	bescom	
3	Display Board Provided at the Entrance ?	☒ Yes ☐ No ☐ N.A	
4	Nos of Stacks (Flue Gas & Process)	0	0
5	Regd with T.S.D.F	Not Regd with any TSDF	
6	Recyclable Hazd Waste Disposal to	O/s State	
7	Name & Address of MAIN Re-Cycler	abcd	
8	Recycler Registration Valid ??	☒ Yes ☐ No ☐ N.A	
9	W.W.G Treatment thru Pri / Sec / Tertiary / N.A :	Primary	
10	Nos of Flow-Meters - W.C / W.W.G / ETP =	0	0
11	Production since (Date) or Proposed	02/04/2019	

start Microsoft Visual C++... Pollution Control Board KSPCB - Google Chrome Test cases CFO.docx - Microsoft... xgnmanual_0.pdf - ... 1:51 PM

Fill the details & click on “Save”, “save successfully” message will popup

- T.S.D.F – Treatment Storage & Disposal Facility
- W.C - Water Consumption
- WWG - Waste Water Generation

Waiting for xgn.karnataka.gov.in...

Karnataka State Pollution Control Board

MPW!!! PCB Id Logout Menu

CLEAR OFF Pink Cases > Action= YES, Update Reqd. Click on OPEN to go related Screen !!!

Print Form : AIR-I Form-XIII Auto F HAZ-I CE/CFO Receipt: Select Forwarding Letter

Comm Dt: 01/05/2015 Prodn Dt: 02/04/2019

NOC Valid upto: CEF-116086 CFO upto: Save

100081

Seq	IND	Heading	Action	Result
1	Open	Update Profile Precisely & Accurately (For New Application)	---	---
2	Open	Update Stacks/ETP/HAZD/Products-Raw Material	---	Records: 2-1-1
3	Open	Please Enter A / W Parameters Values (Applying for NOC only)	---	98143-16/12/2020-CEF-REP
4	Open	LAB Bills NOT Paid Off even after 25 Days of Billing	---	---
5	Open	Update Constitution/Director Details	---	---
6	Open	Download, Merge, Upload, Applicable / STREAMLINE PDFs	YES	ACA
7	Open	One-Time Master Data to be Updated by Units !!	---	---
8	Open	PCB Queries raised, but NOT Replied !!!	---	---

New Application

HWM Authorization Application New Application

start Microsoft Visual C++... Pollution Control Board KSPCB - Google Chrome Test cases CFO.docx - Microsoft... xgnmanual_0.pdf - ... 1:52 PM

Click on profile 3 to update “Please Enter A/ W Parameters Value (Applying for NOC only)”

Karnataka State Pollution Control Board

MPW!!! PCB Id Logout Menu

Select ACT as per Applicability Water

MANDATORY : Pls enter BOTH Values - for all the Parameters for Air / Water Form Save

Code	Para Name	Before Treatment	After Treatment
AN	Ammoniacal Nitrogen-mg/l	0.000	0.000
ED	E.O.D	0.000	0.000
CD	C.O.D	0.000	0.000
CL	Coke-wt. Co. Sec.	0.000	0.000
CYN	Cyanides	0.000	0.000
HM	Heavy Metals	0.000	0.000
OG	Oil & Grease-mg/l	0.000	0.000
PH	pH	7.000	7.000
FC	Phenolic Compound-mg/l	0.000	0.000
SS	Suspended Solids-mg/l	0.000	0.000
WXY	Waxes - Others	0.000	0.000

Waiting for xgn.karnataka.gov.in...

210.212.204.91 (IND) 22-Feb-2021 1:53 PM

“Parameters save successfully” message will popup

Karnataka State Pollution Control Board

MPW!!! PCB Id Logout Menu

CLEAR OFF Pink Cases > Action= YES, Update Req. Click on OPEN to go related Screen !!!

Print Form : AIR-I Form-XIII Auto F HAZ-I CE/CO Receipt: Select Forwarding Letter

Comm Dt: 01/05/2015 Prodn Dt: 02/04/2019

NOC Valid upto: CEF-116086 CFO upto: Save

Seq	IND	Heading	Action	Result
1	Open	Update Profile Precisely & Accurately (For New Application)	---	---
2	Open	Update Stock/ETP/HAD/Products-Raw Material	---	Records:2-1-1
3	Open	Pls Enter A / W Parameters Values (Applying for NOC only)	---	98143-16/12/2020-CEF-REP
4	Open	LAB Bills NOT Paid Off even after 25 Days of Billing	---	---
5	Open	Update Constitution/Director Details	---	---
6	Open	Download, Merge, Upload, Applicable / STREAMLINE PDFs	YES	ACA
7	Open	One-Time Master Data to be Updated by Units !!	---	---
8	Open	PCB Queries raised, but NOT Replied !!!	---	---

New Application

HWM Authorization Application

start Microsoft Visual C++... Pollution Control Bo... KSPCB - Google Chrome Test cases CFO.docx - Microsoft... xgnmanual_0.pdf... 1:54 PM

Click on open of Profile-6

Waiting for xgn.karnataka.gov.in...

start | :: Pollution Control Bo... | KSPCB Internet - Goo... | Microsoft Visual C++... | New Microsoft Office... | 3:09 PM

https://xgn.karnataka.gov.in/CSHARP/INDUSTRYPDFS/ASPX2.aspx?cid=100081

xgn.karnataka.gov.in says:
File Uploaded Successfully !!!

Karnataka State Pollution Control Board

MPW!!! PCB Id Logout Menu

Test Case Ewaste

100081 - Test Case Ewaste

Download Upload Applicable Choose File No file chosen

Tag	View	Check List	Criteria	Pdf FILE	On_Dt	# File	#Pages	Size in KB
.0.	000	Project report indicating location, nature of land, water source, raw materials, products and by-products, water consumption details, waste water generation & Air Pollution Sources, Estimated Proposed Investment on Project & Pollution Control Measures (CFE/CFExp)	GEN	000	16/12/2020	1	1	67
.1.	ACA	Audited Balance sheet along with schedule of fixed assets indicating Gross block of fixed assets, (CFO-1st/CFO Renewal)	GEN	ACA	0	0	0	0
.4.	ACC	Land/premises Details - Documents w.r.t Special Economical Zone (SEZ)(CFE/CFExp)	GEN	ACC	0	0	0	0
.5.	ANR	Copy of proprietorship/ partnership /company deed (CFE/CFO-1st)	GEN	ANR	0	0	0	0
.6.	APC	Details of proposed Air pollution control measures (APC) along with design details (CFE/CFExp)	GEN	APC	0	0	0	0
.ae.	ARE	Analysis report of effluent/stack emission (CFO Renewal)	GEN	ARE	0	0	0	0
.J.	C&A	Previous Valid CFO orders (CFO Renewal)	GEN	C&A	0	0	0	0
.u.	CMP	Compliance to earlier consent/CFE conditions (as applicable) (CFO-1st/CFO Renewal)	GEN	CMP	0	0	0	0
.h7.	COP	Compliance reports with respect to the conditions of prior Environmental Clearance	GEN	COP	0	0	0	0
.D1.	DC1	Document1	GEN	DC1	18/11/2020	1	5	932
.D2.	DC2	Document2	GEN	DC2	0	0	0	0
.D3.	DC3	Document3	GEN	DC3	0	0	0	0
.B.	DIR	List of Directors/Partners (CFE/CFExp)	GEN	DIR	0	0	0	0
.y.	DIS	Distance Certificate from Local Panchayath (CFE/CFExp)	GEN	DIS	0	0	0	0
.h6.	DOE	Details of End users of Products or By Products/For Preprocessors/recyclers/Co-Processors or users of HW waste or other wastes)	GEN	DOE	0	0	0	0
.h6.	DOO	Details of Occupational health and safety measures (For Preprocessor/recyclers/Co-processors or users of HW waste or other wastes)	GEN	DOO	0	0	0	0
.h7.	DOT	Details of Treatment,Storage and disposal facility(For operator) including location map,storage details,treatment processes, secure landfills,incineration,leachate	GEN	DOT	0	0	0	0

a. Take a Word printout of Returns from Downloadable Link, update it with details , Scanned Signature , Seal with Designation, Date etc

The message will popup as “File uploaded successfully”

Waiting for xgn.karnataka.gov.in...

start | :: Pollution Control Bo... | KSPCB Internet - Goo... | Microsoft Visual C++... | New Microsoft Office... | 3:09 PM

https://xgn.karnataka.gov.in/IND/CCA_Application.aspx

Karnataka State Pollution Control Board

MPW!!! PCB Id Logout Menu

Test Case Ewaste

CLEAR OFF Pink Cases > Action= YES , Update Req. Click on OPEN to go related Screen !!!

Print Form : AIR-I Form-XIII Auto-F HAZ-I CFE/CFO Receipt: Select Forwarding Letter

Comm Dt: 01/05/2015 Prod Dt: 02/04/2019

NOC Valid upto: CEF-116086 CFO upto: Save

Seq	IND	Heading	Action	Result
1	Open	Update Profile Precisely & Accurately (For New Application)	...	Records: 1-1
2	Open	Update Stock/ETP/HAD/Products-Raw Material	...	98143-16/12/2020-CEF-REP
3	Open	Pls Enter A / W Parameters Values (Applying for NOC only)	...	...
4	Open	L&B Bills NOT Paid Off even after 25 Days of Billing	...	...
5	Open	Update Constitution/Director Details	...	...
6	Open	Download, Merge, Upload, Applicable / STREAMLINE PDFs	YES	ACA
7	Open	One-Time Master Data to be Updated by Units !!	...	...
8	Open	PCB Queries raised, but NOT Replied !!!	...	...

New Application

HWM Authorization Application

start | Microsoft Visual C++... | :: Pollution Control Bo... | KSPCB - Google Chrome | Test cases | CFO.docx - Microsoft... | xgnannual_0.pdf - ... | 1:56 PM

Click on New Application

Test Case Ewaste

Industry: Test Case Ewaste,41/42/43/44,1st cross, honnali, davangere,577217,Honnali,DVG,DV5,105 RO: DVG

100081 A/W/H CFE Val CFO Val Last CFE Det CFE-Inw Det

Large 108143/CEF SHO/D

CFE • CFO Select LINK ID: 108143/CEF

Sr.	Inw ID	Inw Dt	Inw Type	Inw Status	Insp ID	Fees	Consent No.
1	108179		CFO-Expand	Scrutiny-HO Staff	174939	0	
2	108143		CFO-Fresh	Scrutiny-HO Staff	174893	1	
3	107545		CFO-Re Apply	Granted	174668	0	115331

Application Date: 19/12/2020

Catg / Scale of the Industry: Green Large 99 Yrs. Validity

Sector of the Industry: Manufacturing of optical lenses (using electrical furnace)

Addl. Gross Fixed Assets(Crores): 0.05 Crores

Air/Water: / /

View PDFs Files: Select

CFE: 100 Late Penalty: Calculate Save Auto calculation

For Rental Premises & Mining Cases, U can EDIT Fees after clicking on CALCULATE

Gross Fixed Assets (GFA-CFO) & Total Estimated Investment (TEI-CFE)

Any relevant information to be mentioned in the A

XGN-Extended Green Node 210,212,204,92 (IND)

1. Select CFE (Consent for Establishment) /CFO (Consent For Operation)
2. Choose the CFE/CFO – Fresh/Renewal/Amendment

Test Case Ewaste

Industry: Test Case Ewaste,41/42/43/44,1st cross, honnali, davangere,577217,Honnali,DVG,DV5,105 RO: DVG

100081 A/W/H CFE Val CFO Val Last CFE Det CFE-Inw Det

Large 108143/CEF SHO/D

CFE • CFO CFE-Fresh LINK ID: 108143/CEF

Sr.	Inw ID	Inw Dt	Inw Type	Inw Status	Insp ID	Fees	Consent No.
1	108179	18/12/2020	HWM-Fresh	Scrutiny-HO Staff	174939	0	
2	108143	16/12/2020	CE-Fresh	Scrutiny-HO Staff	174893	1	
3	107545	07/12/2020	EWM-Fresh	Granted	174668	0	115331

Application Date: 19/12/2020

Catg / Scale of the Industry: Green Large 99 Yrs. Validity

Sector of the Industry: Manufacturing of optical lenses (using electrical furnace)

Addl. Gross Fixed Assets(Crores): 0.05 Crores

Air/Water: / /

View PDFs Files: Select

CFE: 100 Late Penalty: Calculate Save Auto calculation

For Rental Premises & Mining Cases, U can EDIT Fees after clicking on CALCULATE

Gross Fixed Assets (GFA-CFO) & Total Estimated Investment (TEI-CFE)

1. Kindly note down this Inward ID for future reference : 98305

2. Only after getting a APPROVAL Sticker from PCB-RO , Enter the I.D Details

Explain the PURPOSE of this Application (100 to 1000 Chrs)

Any relevant information to be mentioned in the A

Waiting for xgn.karnataka.gov.in...

Click here to edit CFE/CFO Fees

Click on save button to generate Inward Number

When the applicant makes an application an inward number is generated

On scrutiny of online application by RO, the applicant needs to make 'eSign' on the application forms. Initially, the applicant needs to click on any one form (Ex: Air-1(Form-1)/ NOC (OG Form)/Haz-1) for making eSign based on the type of Consent/Authorization.

Karnataka State Pollution Control Board

MPW!!! PCB Id Logout Menu

CLEAR OFF Print Form Action YES, Update... Click on OPEN to go related Screen !!!

Print Form: **AIR-1** Form-III Auto F HAZ-1 C/E/CFO Receipt: Select Forwarding Letter

Comm Dt: 01/05/2015 Prodn Dt: 02/04/2019

NOC Valid upto: CFO upto: Save

Seq	IND	Heading	Action	Result
1	Open	Update Profile Precisely & Accurately (For New Application)	YES	
2	Open	Update Stock/ETP/HAZD/Products-Raw Material	---	Records:1-1-1
3	Open	Pls Enter A / W Parameters Values (Applying for NOC only)	---	98143-16/12/2020-CEF-REP
4	Open	LAB Bills NOT Paid Off even after 25 Days of Billing	---	
5	Open	Update Constitution/Director Details	---	
6	Open	Download Merge Upload Applicable J STREAMLINE PDFs	---	
7	Open	One-Time Master Data to be Updated by Units !!	---	
8	Open	PCB Queries raised, but NOT Replied !!!	YES	128166-19/12/2020-ROH-QUE

Edit: 98305(Cfo-Fresh)-APP

HWM Authorization Application

The applicant shall enter the Aadhaar number & OTP

C-DAC's eSign Service

Ministry of Electronics and Information Technology Government of India

Digital India Power To Empower

सी डैक CDAC Centre for Development of Advanced Computing

You are currently using C-DAC eSign Service and have been redirected from

Hastakshar हस्तक्षर C-DAC's eSign Service

Aadhaar Based e-Authentication

Enter Your Virtual ID / Aadhaar Number [Get Virtual ID](#)

Enter Your Aadhaar OTP [View Document Information](#)

Get OPT Cancel [Not Received OTP? Resend OTP](#)

Enter the Aadhaar number & click on "Get OPT"

Enter the Aadhaar number & Click on "Get OPT" & enter the OTP received by your mobile or E-mail.
(Note: Please do not close the screen without entering the OTP/do not click on back button/ refresh to avoid locking of the screen) .

Enter the OTP & click on submit

The screenshot shows the C-DAC eSign Service interface in a Google Chrome browser. The address bar displays the URL: <https://esignservice.cdac.in/esignservice2.1/OTP>. The page features logos for the Ministry of Electronics and Information Technology, Government of India, Digital India, and C-DAC. A message states: "You are currently using C-DAC eSign Service and have been redirected from". Below this, the "Aadhaar Based e-Authentication" form is displayed. The form includes fields for Aadhaar number and PIN, a checkbox for "I have read and provide my consent", and a "Get Virtual ID" link. A red box with the text "Click on the declaration & submit" points to the "I have read and provide my consent" checkbox and the "Submit" button. Other links include "View Document Information" and "Not Received OTP? Resend_OTP".

- The page will be redirected automatically to XGN screen.
- In the applicant's login → Consent/Authorization Orders → Form1/Forwarding letter tab
- Download "Esigned" forms

The screenshot shows the Karnataka State Pollution Control Board (KSPCB) website. The address bar displays the URL: <https://xgn.karnataka.gov.in/MainPage.aspx>. The page features a navigation menu with links such as "Messages", "Status / Alerts", "Xgn Terminology", "Pending Amounts", "A.R Comparative", "Change Password", "View Inspections", "Queries & Replies", "Reprint Online Receipt", "Guidelines/DOS & DON'Ts", "Affidavit & Checklist for OC form", "Consent / Authorization Orders", and "Help Documents". The "Consent / Authorization Orders" link is highlighted with a red circle. The main content area displays a large red button labeled "Consent". Below the button, the text "Complexity of the Problem is reduced by the Simplicity of the Solution" is visible. The bottom of the page shows a Windows taskbar with various open applications.

Esignd application form can
be viewed here forwarding
letter can be viewed after
making online payment

g...pp...ann... :: Pollution Control Board :: Rep_NOC

file:///C:/Documents%20and%20Settings/Egov/My%20Documents/Downloads/signedpdfnew.pdf

Apps ★ Bookmarks CFCB Standards SDC-WGN login http://www.kspb.gov.in Consent module-Login EasyZip Karnataka State Pollution Control Board https://sgn.karnataka.gov.n... neil Email: Inbox :: Pollution Control Board



Karnataka State Pollution Control Board
 Parisara Bhavan, #49,4th & 5th Floor, Church Street, Bangalore-560001

Format of Application for obtaining CONSENT FOR ESTABLISHMENT(CFE) of the Board
 (To be submitted with all details and plans at REGIONAL OFFICE)

Cfe-Fresh - 98143

Date : 16/12/2020

- Name of the firm with full address and Pincode

Test Case Ewaste
PLOT/PHASE No. 41/42/43/44, 41/42/43/44, 1st cross, honnali, davangere,577217 41/42/43/44, 1st cross, honnali, davangere,577217, Honnali - 577217
DIST : Davangere, TAL : Honnali, SIDC : Not In LA
- (a) Location of the Proposed factory (site plan showing area and revenue survey of village or plot no of ADB including distance of the proposed location from the residential area (s) and / road and / railway and / river or lake or pond showing the direction.)

: Distance from residential area : 3 Kms
 Distance from State National Highway : 10 Kms
- (b) Layout proposed showing internal and usual direction of storm water , run off :

: **As per the PDF attached**
- Correspondence address with PIN Code :

: As per above.
- Purpose for which NOC is required :


: **CFE Fresh**
- Proposed date of starting Production :

: **02/04/2019**
- List of Raw materials with quantity in Metric units (MT/month)
- List of Production with quantity proposed to be produced per month :

Sr	Product Name	CFE Qty	CFO Qty	Applied Qty
1	labed	120.0000	120.0000 - NOS	120.0000
- Description of the manufacturing process with schematic diagram and flow Chart :


: **As per the PDF attached**
- Water Consumption in liters/day :



Test cases : 1.000 Domestic: 1.000



Online payment

After e-signing, the RO will verify whether the e-signature is printed on the application. Only after verification of e-sign, the applicant will be able to make online payment.





View/Download the Online Payment Receipt

Browser tabs: Email: Inbox (8), xgmannual_0.pdf, Online Payment Receipt

Address bar: https://xgn.karnataka.gov.in/ind/print_online_rcpt_pdf.aspx?ReferenceNo=VHMP9564564554

Navigation: Apps, Bookmarks, CPCB Standards, SDC-XGN login, http://www.kspcb.gov.in, Consent module-Login, EasyZip, Karnataka State Polluti..., https://xgn.karnataka.g..., neia, Email: Inbox, :: Pollution Control Board

ಕರ್ನಾಟಕ ರಾಜ್ಯ ಮಾಲಿನ್ಯ ನಿಯಂತ್ರಣ ಮಂಡಳಿ KARNATAKA STATE POLLUTION CONTROL BOARD	
Online Payment Receipt	
XGN_ID	100081
Name of the Organization	Test Case Ewaste
Correspondence Address	41/42/43/44, 1st cross, honnali, davangere, 577217
Inward no	98143
Inward Type	CEF
Name of the Regional Office	Davanagere
Bank Reference Number	VHMP9564564554
OrderId	92697
Date Of Payment	16/12/2020 00:00:00
Transaction Amount (In Rs.)	1.00
Transaction Amount (In Words)	One Rupees only

Print Receipt



Browser: Mozilla Firefox

Address bar: https://xgn.karnataka.gov.in/xgn/IND/ALL_RTGS_Payments_IND.aspx

Page Title: Xgn_Test_(Sr05032016)

Navigation: All Types of Payments, MPW!!!, PCB Id, Logout, Menu

Payment Type: 28145-Xgn_Test_(Sr05032016) (L)

Payment Method: ☒ Consent Fees ☐ LAB ☐ Miscellaneous ☐ Water/Occ

Fees Detail: Air = , Wat = , Haz = , Haz Waste =0 / Total Amt =

Payment Options: ☐ Online Payment ☐ D.D Payments/RTGS/NEFT ☐ Reprint Online Receipt ☒ Try Receipt


Declaration: ☐ I declare that I have submitted full and complete documents and information for my application which are in conformity with the applicable acts. I understand that, any delay in the process of application on account of incomplete and incorrect information shall be my responsibility also furnishing the wrong information attracts Penal provisions.

Enter The Amount in Rupees: 0

Payment Method: ☒ BillDesk

Footer: XGN-Extended Green Node, 117.192.58.130 (IND), 10-Nov-2017, PM 4:19, 10-11-2017


Click on “Try Receipt” hyperlink to generate the Online Payment Receipt



The screenshot shows a web browser window with the URL <https://xgn.karnataka.gov.in/xgn/IND/TryReceipt.aspx>. The page displays a table with the following columns: Merchant ID, Pcb ID, Inward ID, Order ID, Payment Date, Transaction Amount, and a 'Try Receipt' hyperlink. The table contains 10 rows of transaction data. A red circle highlights the 'Try Receipt' links in the last column of the table.

Mechant ID	Pcb ID	Inward ID	Order ID	Payment Date	Transaction Amount	Try Receipt
WL0000000001167	28148	8240	1748	04/10/2016 16:39:37	1.00	Try Receipt
WL0000000001167	28148	8240	1749	04/10/2016 16:40:41	1.00	Try Receipt
WL0000000001167	28148	8240	1750	04/10/2016 16:48:19	1.00	Try Receipt
WL0000000001167	28148	8240	1751	04/10/2016 17:01:22	1.00	Try Receipt
WL0000000001167	28148	8240	1752	04/10/2016 17:06:07	1.00	Try Receipt
WL0000000001167	28148	8240	1779	05/10/2016 17:14:04	1.00	Try Receipt
WL0000000001167	28148	8240	1780	05/10/2016 17:16:21	1.00	Try Receipt
WL0000000001167	28148	8240	1886	07/10/2016 15:04:52	1.00	Try Receipt
WL0000000001167	28148	8240	2234	18/10/2016 11:29:31	1.00	Try Receipt
WL0000000001167	28148	8240	2241	18/10/2016 11:42:06	1.00	Try Receipt
WL0000000001167	28148	8240	2246	18/10/2016 11:46:10	1.00	Try Receipt
WL0000000001167	28148	8240	2249	18/10/2016 11:51:24	1.00	Try Receipt

The below Popup message will display for successful payment.



Test Case Ewaste

Karnataka State Pollution Control Board

MPW!!! PCB Id Logout Menu

CLEAR OFF Pink Cases > Action= YES , Updation Req. Click on OPEN to go related Screen !!!

Print Form : AIR-I Form-XIII Auto HAZI CIE/CFO Receipt: Select Forwarding Letter

Comm Dt: 01/05/2015 Prodn Dt: 02/04/2019

NOC Valid upto: CEF-116086 CFO upto: Save

100081

Seq	STATUS	Heading	Action	Result
1	Open	Update Profile Precisely & Accurately (For New Application)	---	---
2	Open	Update Stacks/ETP/HAZD/Products-Raw Material	---	Records: 1-1-1
3	Open	Enter A / W Parameters Values (Applying for NOC only)	---	98143-16/12/2020-CEF-REP
4	Open	LAB Bills NOT Paid Off even after 25 Days of Billing	---	---
5	Open	Update Constitution/Director Details	---	---
6	Open	Download, Merge, Upload, Applicable / STREAMLINE PDFs	YES	ACA
7	Open	One Time Master Data to be Updated by Units !!	---	---
8	Open	PCB Queries raised, but NOT Replied !!!	---	---

Click on Profile 1 for updating the Profile

New Application

HWM Authorization Application

Test Case Ewaste

Karnataka State Pollution Control Board

MPW!!! PCB Id Logout Menu

Industry/PRJ/Local Body : Test Case Ewaste ,41/42/43/44 , 41/42/43/44, 1st cross, honnali, davangere,577217

Prv Consent : EWF.GRT,323736,07/02/2026

Save

Old Name of Industry :

Town/Village : Honnali PIN : 577217

*District / Taluka / KIADB : Davangere Honnali Not In I.A.

Landline : 9113252595 Mobile: 9113252595

Email : geethamurthy.gg@gmail.com

Contact Person : Geetha

Constitution Type : Pvt. Ltd. #Employees: 80

*Applicant Name : Neha Gender: Female

Consumer No. : (Electric Meter)

On East : main road

On West : highway road

1. TSDF Name : Not Regd with any TSDF

2. CETP Name : NOT a CETP Member

3. Licence SSU/EM No. :

4. Area in Sq Mtr : Plantation 4046 Open 1000

5. Source of Water Supply : Borewell

6. Water Consumption (KLPD) : 1 Industrial 1 Domestic

7. Waste Water Generation : 0.1 Industrial 0.1 Domestic

8. Waste Wtr Discharge Pt : 1

No. of Pumps : 0

Tubewells/Borewells : 1 / 0

Latitude/Longitude : 15.1200 / 52.4000

Capacity of ALL : 22

Nationality : INDIAN

WEB Site URL :

Project Cost as on Dt : 5 5 Lakhs

Production Date : 02/04/2019

Plant Commission : 01/05/2015

On North : residential area

On South : residential area

9. Ultimate Receiving Body :

10. Hard Wst Storage ? : Yes NO

11. Critical Polluted Area : No

12. Dist - Residential : 3000 Mts

13. Dist - Exo Sensitive : 0 Mts

14. Dist - Highway : 10000 Mts

15. Applicability of EIA : EC required Not required

16. Premise Area-SqMtr : 0

17. Does it fall in ? In KIADB Area

18. Env. Clearance ?? MOEF SEIAA N/A ECC

19. Applicability of CRZ : Yes NO

XON-Extended Green Node 210.212.204.91 (IND) 22-Feb-2021 2:24 PM

Test Case Ewaste

Industry Details Updated successfully

OK

The profile details has been updated

Industry/PRJ/Local Body : Test Case Ewaste /11/42/43/44 / 41/4

Prv Consent : EWF.GRT,323736,07/02/2026

Save

Old Name of Industry : Honnali

Town/Village : Honnali

*District / Taluka / KIADB : Davanagere

Landline : 9113252596

Email : geethamurthy.gg@gmail.com

Contact Person : Geetha

Constitution Type : Pvt. Ltd.

*Applicant Name : Geetha

Gender : Female

Consumer No. : (Electric Meter)

On East : main road

On West : highway road

1.TSDF Name : Not Regd with any TSDF

2.CETP Name : NOT a CETP Member

3.Licence SSL/EM No. :

4.Area in Sq Mtr : Plantation 4046 Open 1000

5.Source of Water Supply : Borewell

6.Water Consumptn(KLPD) : 1 Industrial 1 Domestic

7.Waste Water Generation : 0.1 Industrial 0.1 Domestic

8.Waste Wtr Discharge Pt :

No. of Pumps : 0

Tubewells/Borewells : 1

Latitude/Longitude : 15.1200 / 75.4000

Capacity of ALL : 32

Nationality : INDIAN

WEB Site URL :

Project Cost as on Dt : 5 5 Lakhs

Production Date : 02/04/2019

Plant Commission : 01/05/2015

On North : residential area

On South : residential area

9. Ultimate Receiving Body :

10. Hard Wet Storage ? : Yes NO

12. Dist. Residential : 3000 Mts

14. Dist. Highway : 10000 Mts

16. Premise Area SqMtr : 0

17. Does it fall in ? : In KIADB Area

18. Env. Clearance ?? : MOEF SEZAA N/A ECC

19. Applicability of CRZ : Yes NO

11. Critical Polluted Area : No

13. Dist. Exo Sensitive : 0 Mts

15. Applicability of EIA : EC required Not required

210.212.204.91 (IND) 22-Feb-2021 2:25 PM

Test Case Ewaste

Karnataka State Pollution Control Board

MPW!!! PCB Id Logout Menu

CLEAR OFF Pink Cases > Action= YES , Updation Req. Click on OPEN to go related Screen !!!

Print Form : AIR-I Form-XIII Auto HAZ-1 CIE/CFO Receipt: Select Forwarding Letter

Comm Dt : 01/05/2015

Prodn Dt : 02/04/2019

NOC Valid upto : CEF-116086

CFO upto :

Save

100081

Seq	IND	Heading	Action	Result
1	Open	Update Profile Precisely & Accurately (For New Application)		
2	Open	Update Stacks/ETP/HAZD/Products-Raw Material		Records:2-1-1
3	Open	Pls Enter A / W Parameters Values (Applying for NOC only)		98143-16/12/2020-CEF-REP
4	Open	LAB Bills NOT Paid Off even after 25 Days of Billing		
5	Open	Update Constitution/Director Details		
6	Open	Download, Merge, Upload, Applicable / STREAMLINE PDFs	YES	ACA
7	Open	One-Time Master Data to be Updated by Units !!		
8	Open	PCB Queries raised, but NOT Replied !!!		

After making online payment Forwarding letter can be viewed/downloaded

New Application

HWM Authorization Application

2:27 PM

After making online payment download receipt and forwarding letter

Download Consent Orders online (without physical Interface with department)

Consent For Operation
(CFO-Air/Water)

Industry/Client: **NRMA/NSW** Industry/Scale: **SMALL**

(This document contains: 2 pages including annexure & excluding additional condition)

Signature valid
Digitally signed by
Date: 2023.05.13 13:50:43
+05:30

Page: 2 of 2
a:\out\www\202305-01_12202302

Personal Stamp