1.

```
int x = 0, y = 0 , z = 0 ;
x = (++x + y-- ) * z++;
```

What will be the value of "x" after execution ?

A. -2

B. -1

C. 0 ✓

D. 1

E. 2

Answer & Solution | Discuss in Board | Save for Later

2.

```
int ++a = 100 ;
System.out.println( ++a ) ;
```

What will be the output of the above fraction of code ?

A. 100

B. Displays error as ++a is not enclosed in double quotes in println statement

C. **Compiler displays error as ++a is not a valid identifier** ✔

D. None of these

Answer & Solution | Discuss in Board | Save for Later

3. **What is the output of the following program ?**

```
class Numbers{
        public static void main(String args[]){
                int a=20, b=10;
                if((a < b) && (b++ < 25)){
                        System.out.println("This is any lan
guage logic");
                }
                System.out.println(b);
        }
}
```

A. 12

B. 11

C. 10 ✔

D. Compilation Error

Answer & Solution | Discuss in Board | Save for Later

4. **Select from among the following character escape code which is not available in Java.**

A. \t

B. \r

C. \a ✓

D. \\

E. \v

Answer & Solution | Discuss in Board | Save for Later

5. **What will be the output?**

```
if(1 + 1 + 1 + 1 + 1 == 5){
        System.out.print("TRUE");
}
else{
        System.out.print("FLASE");
}
```

A. ◉ **TRUE** ✔

B. ○ FALSE

C. ○ Compiler Error

D. ○ None of these

Answer & Solution | Discuss in Board | Save for Later

6. **Which of the following is the correct expression that evaluates to true if the number x is between 1 and 100 or the number is negative?**

A. ○ 1 < x < 100 || x < 0

B. ◉ ((x < 100) && (x > 1)) || (x < 0) ✔

C. ○ ((x < 100) && (x > 1)) && (x < 0)

D. ○ (1 > x > 100) || (x < 0)

Answer & Solution | Discuss in Board | Save for Later

7.

```java
public class Test{

      public static void main(String args[]){

            System.out.print(""==="");

            System.out.print(" ");

            System.out.print("A"=="A");

            System.out.print(" ");

            System.out.print("a==A");

      }

}
```

A. "==" A"=="A a==A

B. true true false

C. true true a==A ✔

8. **What will be the output?**

```
public class Test{
      public static void main(String args[]){
            int a = 42;
            double b = 42.25;
            System.out.print((a%10)+" "+(b%10));
      }
}
```

A. 42 42.5

B. 2 2.5 ✔

C. 4.2 4.225

D. 2 4.225

E. Compilation Error

Answer & Solution | Discuss in Board | Save for Later

9. **What will be the output after compiling and running following code?**

```
1. public class Test{
2.       public static void main(String... args){
3.             int x =5;
4.             x *= 3 + 7;
5.             System.out.println(x);
6.       }
7. }
```

A. 22

B. 50 ✔

C. 10

D. Compilation fails with an error at line 4

E. None of these

Answer & Solution | Discuss in Board | Save for Later

10. Determine output:

```
public class Test{
      public static void main(String... args){
            int a=5 , b=6, c=7;
            System.out.println("Value is "+ b + c);
            System.out.println(a + b + c);
            System.out.println("String " + (b+c));
      }
}
```

A. ◉ **Value is 67 18 String 13** ✔

B. ○ Value is 13 18 String 13

C. ○ Value is 13 18 String

D. ○ Compilation fails

E. ○ None of these

Answer & Solution | Discuss in Board | Save for Later

11. What will be the output for the below code ?

```
class A{
      public void printValue(){
            System.out.println("A");
      }
}
class B extends A{
      public void printValue(){
            System.out.println("B");
      }
}

1. public class Test{
2.       public static void main(String... args){
3.             A b = new B();
4.             newValue(b);
5.       }
6.       public static void newValue(A a){
7.             if(a instanceof B){
8.                   ((B)a).printValue();
9.             }
10.      }
11. }
```

A. ○ A

B. ◉ B ✔

12. Determine output:

```
public class Test{
      static int i = 5;
      public static void main(String... args){
            System.out.println(i++);
            System.out.println(i);
            System.out.println(++i);
            System.out.println(++i+i++);
      }
}
```

A. 6 6 6 16

B. 6 7 6 16

C. 5 6 7 16 ✔

D. 5 6 6 16

E. None of these

Answer & Solution | Discuss in Board | Save for Later