3. **What will be the return type of a method that not returns any value?**

A. void ✔

B. int

C. double

D. None of the above

Answer & Solution | Discuss in Board | Save for Later

4. **Which of the following options is the best for generating random integer 0 or 1?**

A. ○ (int)Math.random()

B. ○ (int)Math.random() + 1

C. ○ (int)(Math.random() + 0.5)

D. ○ (int)(Math.random() + 0.2)

Answer & Solution | Discuss in Board | Save for Later

5. What is Math.floor(3.6)?

A. 3.0 ✓

B. 3

C. 4

D. 4.0

Answer & Solution | Discuss in Board | Save for Later

6. **In which area of memory, the system stores parameters and local variables whenever a method is invoked?**

A. Heap

B. Storage Area

C. Stack ✔

D. Array

Answer & Solution | Discuss in Board | Save for Later

11. **Determine output of the following program.**

```
public class Test{
            public static void main(String args[]){
                  System.out.println( Math.floor( Math.random
( ) ) ) ;
            }
}
```

A. 1.0 ✗

B. 10.0 ✗

C. **0.0** ✓

D. 0.5

Answer & Solution | Discuss in Board | Save for Later

13. Determine Output:

```
class A{
        public static void method(int i){
                System.out.print("Method 1");
        }

        public static int method(String str){
                System.out.print("Method 2");
                return 0;
        }
}

public class Test{

        public static void main(String args[]){
                A.method(5);
        }
}
```

A. ◉ **Method 1** ✔

B. ○ Method 2

C. ○ Compile time error as final method can't be overloaded

D. ○ None of the above

14. What is the output of the program?

```
class Test{
        public int display(int x, int y){
                return ("The sum of x and y is " + x + y);
        }

        public static void main(String args[]){
                Test test = new Test();
                System.out.println(test.display(4,5));
        }
}
```

A. The sum of x and y is 9 ✗

B. The sum of x and y is 45 ✗

C. **does not compile** ✓

D. None of the above

17. **The main method should be static for the reason**

A. It can be accessed easily by the class loader.

B. It can be accessed by every method or variable without any hindrance.

C. **It can be executed without creating any instance of the class.** ✔

D. None of the above

18. Given the following piece of code:

```
class Person{
        public int number;
}
public class Test{
        public void doIt(int i , Person p){
                i = 5;
                p.number = 8;
        }
        public static void main(String args[]){
                int x = 0;
                Person p = new Person();
                new Test().doIt(x, p);
                System.out.println(x + " " + p.number);
        }
}
```

What is the result?

A. ◉ 0 8 ✓

B. ○ 5 0 ✗

C. ○ 0 0 ✗

19. **Which of the following statements regarding static methods are correct?**

1. Static methods are difficult to maintain, because you can not change their implementation.

2. Static methods can be called using an object reference to an object of the class in which this method is defined.

3. Static methods are always public, because they are defined at class-level.

4. Static methods do not have direct access to non-static methods which are defined inside the same class.

A. ○ 1 and 2

B. ◉ 2 and 4 ✓

C. ○ 3 and 4 ✗

D. ○ 1 and 3 ✗

22. Determine output:

```
public class Test{
      public static void main(String args[]){
            MyClass obj = new MyClass();
            obj.val = 1;
            obj.call(obj);
            System.out.println(obj.val);
      }
}

class MyClass{
      public int val;
      public void call(MyClass ref){
            ref.val++;
      }
}
```

A. 1

B. 2 ✔

C. 3 ✘

D. Compilation Error

E. None of these

26. What will be the output?

```
public class Test{
      public static void main(String[] args){
            String value = "abc";
            changeValue(value);
            System.out.println(value);
      }

      public static void changeValue(String a){
            a = "xyz";
      }
}
```

A. ◉ abc ✔

B. ○ xyz

C. ○ Compilation fails

D. ○ Compilation clean but no output

E. ○ None of these

27. What is the output for the below code?

```
public class Test{
      public static void printValue(int i, int j, int k){
            System.out.println("int");
      }

      public static void printValue(byte...b){
            System.out.println("long");
      }

      public static void main(String... args){
            byte b = 9;
            printValue(b,b,b);
      }
}
```

A. long ✗

B. int ✓

C. Compilation fails

D. Compilation clean but throws RuntimeException

E. None of these