

# Fleet-Management Sample

This is rest API created as a tool for dealers to manage customers. The dealers are into car service.

There is one dealer in each Region. Dealer can serve multiple Customers. Dealers are servicing car. This is a system which can store data in database.

---

## POST Create New Car

`http://localhost:8090/cars`

New Car can be created by giving Uniquenumber and Assembly date of the car as shown below

**Body** raw (json)

---

json

```
{
  "uniqueNumber": "432T1",
  "assemblyDate": "2019-05-20"
}
```

---

## POST Create New Customer

http://localhost:8090/customers

New Customer can be created by giving his/her fullname, phone number and email.  
There are usual validations in the system.

**Body** raw (json)

---

json

```
{  
  "fullName": "Manu Shrivastava",  
  "phoneNumber" : "785462154",  
  "email": "manu.shrivastava@ru.com"  
}
```

---

## POST Create New Dealer

http://localhost:8090/dealers

New Customer can be created by giving Company Name, email and representative  
fullname There are usual validations in the system.

**Body** raw (json)

---

json

```
{  
  "name": "ABC Corp",  
  "email": "manu.shrivastava@ru.com",  
}
```

```
"representativeFullName": "Radhe Shyam Tiwari"
```

```
}
```

---

## POST Assign Car to Customer

<http://localhost:8090/assign-car-customer>

A car in the system can be assigned to customer using below request

**Body** raw (json)

---

json

```
{  
  "carUniqueNumber": "03TXA",  
  "customerId": "101"  
}
```

---

## POST Unassign Car to Customer

<http://localhost:8090/unassign-car-customer>

A car in the system can be unassigned from customer using below request

**Body** raw (json)

---

json

```
{  
  "carUniqueNumber": "03TXA",  
  "customerId": "101"  
}
```

---

## POST Assign Customer to Dealer

http://localhost:8090/assign-customer-dealer

A Customer in the system can be assigned to dealer using below request

**Body** raw (json)

---

json

```
{  
  "customerId": "103",  
  "dealerId" : "1001"  
}
```

---

## POST Unassign Customer to Dealer

http://localhost:8090/unassign-customer-dealer

A Customer in the system can be unassigned to dealer using below request

**Body** raw (json)

---

json

```
{
  "customerId": "102",
  "dealerId" : "1001"
}
```

---

## GET Get Customer details with Cars

<http://localhost:8090/customers/101>

Customer details can be requested with Customer Id. it also give the details about the car owned by customer

---

## GET Get Dealer Details with Customer and Cars

<http://localhost:8090/dealers/1001>

Dealer details can be requested with dealer Id. it also give the details about customers and car owned by those customer.