```java
1  /*
2   * Copyright (C) 2016 redxef.
3   *
4   * This library is free software; you can redistribute it and/or
5   * modify it under the terms of the GNU Lesser General Public
6   * License as published by the Free Software Foundation; either
7   * version 2.1 of the License, or (at your option) any later version.
8   *
9   * This library is distributed in the hope that it will be useful,
10  * but WITHOUT ANY WARRANTY; without even the implied warranty of
11  * MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.  See the GNU
12  * Lesser General Public License for more details.
13  *
14  * You should have received a copy of the GNU Lesser General Public
15  * License along with this library; if not, write to the Free Software
16  * Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston,
17  * MA 02110-1301  USA
18  */
19 package powerspy.client;
20
21 import com.fazecast.jSerialComm.SerialPort;
22 import javax.swing.UIManager;
23 import javax.swing.UnsupportedLookAndFeelException;
24
25 /**
26  *
27  * @author redxef
28  */
29 public class PowerSpy {
30
31      public static void main(String[] args) throws InterruptedException
32      {
33              //Set the default look and feel to the system independent one
34              try {
35                      UIManager.setLookAndFeel(UIManager.getCrossPlatformLookAnd
36              } catch (ClassNotFoundException | InstantiationException |
37                      IllegalAccessException | UnsupportedLookAndFeelException e
38                      ex.printStackTrace(System.err);
39              }
40
41              //create new Frame and link it with a new Controller
42              Frame f = new Frame();
43              Controller c = new Controller(f);
44              f.installController(c);
45
46              //add the serial ports
47              for (SerialPort p : SerialPort.getCommPorts())
48                      if (!p.getDescriptivePortName().contains("Dial-In")) //rem
49                              if (!p.getDescriptivePortName().contains("Bluetoot
50                                      f.ports.addItem(p);
51
52              //display the frame
53              java.awt.EventQueue.invokeLater(() -> {
54                      f.setVisible(true);
55              });
56      }
```

```
57 }
```