# **Need an amazing tutor?**

www.teachme2.com/matric







# basic education

Department:
Basic Education
REPUBLIC OF SOUTH AFRICA

# SENIOR CERTIFICATE EXAMINATIONS/ NATIONAL SENIOR CERTIFICATE EXAMINATIONS SENIORSERTIFIKAAT-EKSAMEN/ NASIONALE SENIORSERTIFIKAAT-EKSAMEN

PHYSICAL SCIENCES: PHYSICS (P1) FISIESE WETENSKAPPE: FISIKA (V1)

2019

MARKING GUIDELINES/NASIENRIGLYNE

MARKS/PUNTE: 150

These marking guidelines consist of 28 pages./
Hierdie nasienriglyne bestaan uit 28 bladsye.

# Need an amazing tutor? www.teachme2.com/matric


Physical Sciences/P1/Fisiese Wetenskappe/V1 2 DBE/2019 SC/NSC/SS/NSS – Marking Guidelines/Nasienriglyne

# **QUESTION 1/VRAAG 1**

1.1	A✓✓	(2)
1.2	B✓✓	(2)
1.3	D✓✓	(2)
1.4	C✓✓	(2)
1.5	C✓✓	(2)
1.6	C√√	(2)
1.7	D√√	(2)
1.8	D✓✓	(2)
1.9	C✓✓	(2)
1.10	A✓✓	(2) <b>[20]</b>

#### **QUESTION 2/VRAAG 2**

#### 2.1.1



Accepted labels/Aanvaarde benoemings		
F	F <sub>A</sub> /90 N/F <sub>90</sub>	
W	$F_g$ / $F_{w/}$ weight / mg / gravitational force $F_g$ / $F_{w/}$ gewig / mg / gravitasiekrag	
f	(Kinetic) Friction / F <sub>f</sub> / / f <sub>k</sub> / wrywing / F <sub>w</sub>	
Ν	F <sub>Normal</sub> / Normal/Normaal / F <sub>N</sub>	


#### Notes/Aantekeninge

- Mark awarded for label and arrow / Punt toegeken vir benoeming en pyltjie
- Do not penalise for length of arrows since drawing is not to scale. /Moenie vir die lengte van die pyltjies penaliseer nie aangesien die tekening nie volgens skaal is nie
- Any other additional force(s) / Enige ander addisionele krag(te) Max/Maks
   3/4
- If force(s) do not make contact with body / Indien krag(te) nie met die voorwerp kontak maak nie: Max/Maks:  $\frac{3}{4}$
- Deduct 1 mark for an arrow/arrows omitted / trek 1 punt af indien pyl/pyle weggelaat
- 2.1.2 <u>It is moving at constant speed in a straight line/, the acceleration is zero/</u> the net force (resultant) acting on it is zero/it is moving at constant velocity ✓


  Dit beweeg teen konstante spoed in 'n reguit lyn / versnelling is nul / netto krag (resultant) wat daarop inwerk is nul/ dit beweeg teen konstante snelheid (1)


(4)





#### OR/OF






#### NOTE:

1 mark for formula/equation, 1 mark substitution with zero, 1 mark answer. *LW:1 punt vir formule/vergelyking, 1 punt substitusie, 1 punt antwoord.* 

# 2.1.4 POSITIVE MARKING FROM 2.1.3 /POSITIEWE NASIEN VANAF 2.1.3 OPTION 1/OPSIE 1



# POSITIVE MARKING FROM 2.1.3 /POSITIEWE NASIEN VANAF 2.1.3 OPTION 2/OPSIE 2

F<sub>net</sub>.
$$\Delta t = \Delta p \checkmark$$
Fcos 40°  $\checkmark$  - (68,94)  $\checkmark$  (3)  $\checkmark$  = 15(2 - 0)  $\checkmark$ 
F = 103.11 N $\checkmark$ 

(3)

SC/NSC/SS/NSS - Marking Guidelines/Nasienriglyne

# POSITIVE MARKING FROM 2.1.3 /POSITIEWE NASIEN VANAF 2.1.3 **OPTION 3/OPSIE 3**

$$F_{net} = ma$$
 $F_x - f_k = ma$ 

any one enige een

$$F_x - 68,94\checkmark = 15 \frac{(2-0)}{3\checkmark}$$

$$F_x = 78,94 \text{ N}$$

$$\tan \theta = \frac{F_y}{F_x}$$

$$\tan 40^{\circ} = \frac{F_{y}}{78,94}$$

$$F_y = 66,24 \text{ N}$$

$$F^2 = F_x^2 + F_y^2$$

$$F^2 = (78,94)^2 + (66,24)^2 \checkmark$$
  
F = 103,05 N $\checkmark$ 

# POSITIVE MARKING FROM 2.1.3 /POSITIEWE NASIEN VANAF 2.1.3 **OPTION 4/OPSIE 4**

$$\Delta x = \frac{v_i + v_f}{2} \Delta t$$
$$= \frac{(2+0)}{2} (3)$$

$$\Delta x = 3 \text{ m}$$

$$W_{net} = \Delta K$$

$$W_F + W_f = \Delta K$$

 $F\Delta x \cos \theta + f\Delta x \cos \theta = \Delta K$ 

 $F(3)\cos 40^{\circ} \checkmark + \frac{68,94(3)\cos 180^{\circ}}{100} \checkmark = \frac{1}{2}(15)(2^{\circ}) - \frac{1}{2}(15)(0)^{\circ}$ 

(6)

Physical Sciences/P1/Fisiese Wetenskappe/V1 SC/NSC/SS/NSS - Marking Guidelines/Nasienriglyne

DBE/2019

(4)

# OPTION 1/OPSIE 1 2.2 $F = G \frac{m_1 m_2}{r^2} \checkmark$ $20^{\checkmark} = (6.67 \times 10^{-11}) \frac{m_{\text{planet}} (10)}{(6 \times 10^5)^2} \checkmark$ $m_{planet} = 1,08 \times 10^{22} \text{ kg}$ **OPTION 2/OPSIE 2** w = mg **←** 20 = (10)(g)√ ✓ Any one $g = 2 \text{ m} \cdot \text{s}^{-2}$ Enige een $2 = \frac{(6.67 \times 10^{-11}) \text{M}}{(6 \times 10^5)^2} \checkmark$ $M = 1.08 \times 10^{22} \text{ kg}$ [18]

#### **QUESTION 3/VRAAG 3**

3.1 Motion of an object under the influence of gravity/gravitational force (weight) only  $\checkmark$  .

Beweging van 'n voorwerp slegs onder die invloed van gravitasie/gravitasie krag (gewig).

#### OR/OF

Motion in which the only force acting on the object is gravity/weight. ✓ ✓ Beweging waar die enigste krag wat op die voorwerp inwerk, gravitasie/gewig is

#### ACCEPT/AANVAAR

Vertical motion in which friction/air resistance is absent. ✓ ✓ *Vertikale beweging waar wrywing/lugweerstand afwesig is.* 

Motion in air with an acceleration of 9,8 m·s<sup>-2</sup>. ✓ ✓ Beweging in lug met 'n versnelling van 9,8 m·s<sup>-2</sup>. NOTE: 2 OR ZERO/ 2 of nul

(2)

# 3.2.1 **OPTION 1/OPSIE 1**

# Upwards positive/Opwaarts positief:

 $v_f = v_i + a\Delta t$  ✓  $0 = v_i + (-9.8) (1.53) ✓$ ∴  $v_i = 14.99 \text{ m·s}^{-1} (15 \text{ m·s}^{-1}) ✓$ 

# Downwards positive/Afwaarts positief

 $v_f = v_i + a\Delta t \checkmark$   $0 = v_i + (9.8) (1.53) \checkmark$   $\therefore v_i = -14.99 \text{ m} \cdot \text{s}^{-1}$   $v_i = 14.99 \text{ m} \cdot \text{s}^{-1} (15 \text{ m} \cdot \text{s}^{-1}) \checkmark$ 

### OPTION 2/OPSIE 2

 $F_{\text{net}} = \text{ma}$ = 9,8 (m)  $F_{\text{net}} \Delta t = \text{m} \Delta \text{v} \checkmark$  $(9,8)(\text{m})(1,53) = (\text{m})(\text{v}_f - 0) \checkmark$  $\text{v}_f = 14,99 \text{ m} \cdot \text{s}^{-1} (15 \text{ m} \cdot \text{s}^{-1}) \checkmark$ 

#### **OPTION 3/OPSIE 3**

# Upwards positive/Opwaarts positief:

 $\Delta y = v_i \Delta t + \frac{1}{2} a \Delta t^2 \checkmark$   $\frac{0 = v_i (3,06) + \frac{1}{2} (-9,8)(3,06)^2 \checkmark}{v_i = 14,99 \text{ m·s}^{-1} \checkmark (15 \text{ m·s}^{-1})}$ 

# Downwards positive/Afwaarts positief

$$\Delta y = v_i \Delta t + \frac{1}{2} a \Delta t^2 \checkmark$$

$$\frac{0 = v_i (3,06) + \frac{1}{2} (9,8)(3,06)^2 \checkmark}{v_i = 14,99 \text{ m·s}^{-1} \checkmark (15 \text{ m·s}^{-1})}$$

NOTE: initial and final velocities can be swopped if starting from top, as long as sign of g is changed accordingly.

LW:  $v_f$  en  $v_i$  kan omgeruil word indien van bopunt begin, solank teken van g dienooreenkomstig verander word.

(3)

#### 3.2.2 **OPTION 1/OPSIE 1**

# POSITIVE MARKING FROM 3.2.1/ Positiewe nasien vanaf 3.2.1

Upwards positive/Opwaarts positief:

 $\Delta y = v_i \Delta t + \frac{1}{2} a \Delta t^2 \checkmark$ 

$$= 14,99 (1,53) + \frac{1}{2} (-9,8)(1,53)^{2} \checkmark$$

$$= 11,47 \text{ m} \checkmark (11,46-11,48)$$

Maximum height is/Maksimum hoogte is 11,47 m

# Downwards positive/Afwaarts positief

 $\Delta y = v_i \Delta t + \frac{1}{2} a \Delta t^2 \checkmark$ 

$$= -14,99 (1,53) + \frac{1}{2} (9,8)(1,53)^{2} \checkmark$$

$$= -11,47 \text{ m} (11,46-11,48)$$

Maximum height is /Maksimum hoogte is 11,47 m√

# **OPTION 2/OPSIE 2**

# POSITIVE MARKING FROM 3.2.1/ Positiewe nasien vanaf 3.2.1

Upwards positive/Opwaarts positief:

$$v_f^2 = v_i^2 + 2a\Delta y \checkmark$$

$$0 = (14,99)^2 + 2(-9,8)(\Delta y) \checkmark$$

$$\Delta y = 11,47 \text{ m} \cdot \sqrt{(11,46-11,48)}$$

Maximum height reached is/Maksimum hoogte bereik is 11,47 m

# Downwards positive/Afwaarts positief:

$$v_f^2 = v_i^2 + 2a\Delta v \sqrt{ }$$

$$0 = (-14,99)^2 + 2(9,8)(\Delta y) \checkmark$$

$$\Delta y = -11.47 \text{ m} \cdot (11.46 - 11.48)$$

Maximum height reached is/Maksimum hoogte bereik is 11,47 m√

# **OPTION 3/OPSIE 3**

# POSITIVE MARKING FROM 3.2.1/ Positiewe nasien vanaf 3.2.1 Upwards positive/Opwaarts positief:

$$\Delta y = \left(\frac{v_i + v_f}{2}\right) \Delta t \checkmark$$
$$= \left(\frac{\left(14,99 + 0\right)}{2}\right) \left(1,53\right) \checkmark$$

$$\Delta y = 11,47 \text{ m} \checkmark$$

Maximum height reached is /Maksimum hoogte bereik is 11,47 m

### Downwards positive/Afwaarts positief:

$$\Delta y = \left(\frac{v_i + v_f}{2}\right) \Delta t \checkmark$$
$$= \left(\frac{\left(-14,99 + 0\right)}{2}\right) (1,53) \checkmark$$

$$\Delta y = -11,47 \text{ m} (11,46-11,48)$$

Maximum height reached is /Maksimum hoogte bereik is 11,47 m√

(3)

# **OPTION 4/OPSIE 4**

# **POSITIVE MARKING FROM 3.2.1**

$$\Delta E = \Delta K + \Delta U$$
1 mark for any 1 mark for any 1 more vir enige
1 mark for any 1 punt vir enige

$$\frac{1}{2}(14,994)^2 + (9,8)(0) = 0 + 9,8 \text{ h}_f \checkmark$$
  
 $\text{h}_f = 11,47 \text{ m} \checkmark (11,46-11,48)$ 

Maximum height reached is /Maksimum hoogte bereik is 11,47 m

### OR/OF

$$\Delta K = -\Delta U \checkmark$$
 $\frac{1}{2} m(v_f^2 - v_i^2) = -mg(h_f - h_i)$ 
 $\frac{1}{2} (0 - 14,99^2) = -9.8(h_f - 0) \checkmark$ 
 $h_f = 11,47 m (11,46-11,48)$ 
Maximum height reached is /Maksimum hoogte bereik is 11,47 m $\checkmark$ 

#### **OPTION 1/OPSIE 1** 3.3

#### **POSITIVE MARKING FROM 3.2.1**

# Upwards positive/Opwaarts positief:

$$\Delta y = v_i \Delta t + \frac{1}{2} a \Delta t^2 \checkmark$$
  
= (14,99) (4) +  $\frac{1}{2}$  (-9,8)(4)<sup>2</sup> $\checkmark$   
= -18,4 m

Position is 18,4 m downwards (below the edge of the roof) ✓ / Posisie is 18,4 m afwaarts (onder die kant van die dak).

#### Downwards positive/Afwaarts positief

$$\Delta y = v_i \Delta t + \frac{1}{2} a \Delta t^2 \checkmark$$
  
= (-14,99) (4) +  $\frac{1}{2}$  (9,8)(4)<sup>2</sup> \( \square \)  
= 18,4 m

Position is 18,4 m downwards (below the edge of the roof) \( / \) Posisie is 18,4 m afwaarts (onder die kant van die dak)

### **OPTION 2/OPSIE 2**

# **POSITIVE MARKING FROM 3.2.1**

# Upwards positive/Opwaarts positief:

 $v_f = v_i + a\Delta t$ 

$$= (14,99) + (-9,8) (4)$$

$$= -24.2 \text{ m} \cdot \text{s}^{-1}$$

$$v_f^2 = v_i^2 + 2a\Delta v \sqrt{ }$$

$$(-24,2)^2 = (14,99)^2 + 2(-9,8)(\Delta y)$$

 $\Delta y = -18,4 \text{ m} \cdot$ 

Ball is 18,4 m downwards (below the edge of the roof) / Bal is 18,4 m afwaarts (onder die kant van die dak)√

#### Downwards positive/Afwaarts positief:

 $v_f = v_i + a\Delta t$ 

$$= (-14,99) + (9,8) (4)$$

$$= 24,2 \text{ m}\cdot\text{s}^{-1}$$

$$v_f^2 = v_i^2 + 2a\Delta y \checkmark$$

$$(24,2)^2 = (-14,99)^2 + 2(9,8)(\Delta y)\sqrt{24}$$

 $\Delta y = 18,4 \text{ m}$ 

Ball is 18,4 m downwards (below the edge of the roof)√/ Bal is 18,4 m afwaarts (onder die kant van die dak)

#### **OPTION 3/OPSIE 3**

#### **POSITIVE MARKING FROM 3.2.1**

# Upwards positive/Opwaarts positief:

$$\Delta y = \left(\frac{v_i + v_f}{2}\right) \Delta t \quad \checkmark$$

$$= \left(\frac{(14,99 - 24,2)}{2}\right) (4) = -24,2 \text{ m·s}^{-1}$$

 $\Delta y = -18,4 \text{ m}$ 

Ball is 18,4 m downwards (below the edge of the roof) √ / Bal is 18,4 m afwaarts (onder die kant van die dak).

# Downwards positive/Afwaarts positief:

$$\Delta y = \left(\frac{v_i + v_f}{2}\right) \Delta t$$

$$= \left(\frac{(-14,99 + 24,2)}{2}\right) (4)$$

$$v_f = v_i + a \Delta t$$

$$= (-14,99) + (9,8) (4)$$

$$= 24,2 \text{ m·s}^{-1}$$

 $\Delta v = 18.4 \text{ m}$ 

Ball is 18,4 m downwards (below the edge of the roof) ✓ / Bal is 18,4 m afwaarts (onder die kant van die dak.)

#### **OPTION 4/OPSIE 4**

Total time to return to starting point/totale tyd terug na beginpunt = 2(1,53) = 3,06 s

∴ time from reference point to ground/ tyd vanaf verwysingspunt tot by grond

= 
$$(4 - 3.06) = 0.94 \text{ s}$$
  
 $\Delta y = v_i \Delta t + \frac{1}{2} (g) \Delta t^2 \checkmark$ 

 $= (14,99)(0,94) + \frac{1}{2}(9,8)(0,94)^2 \checkmark$ 

= 18,43 m ✓ downwards (below the edge of the roof) /afwaarts (onder die kant van die dak.

(3)

### 3.4 No/Nee√

The motion of the ball is only dependent on its initial velocity  $\sqrt{\ }$ /the initial velocity depends on the time taken to reach maximum height.

Die beweging van die bal is slegs afhanklik van sy beginsnelheid./die aanvanklike snelheid hang af van die tyd wat dit neem om maksimum hoogte te bereik.

ACCEPT for 1 mark/ AANVAAR vir 1 punt:

The ball will still be in the air. ✓ Die bal sal nog steeds in die lug wees.

#### OR/OF

The ball is still falling. ✓ Die bal is steeds besig om te val.

#### OR/OF

The ball would not have reached the ground. ✓ Die bal sal nog nie die grond bereik het nie.

#### OR/OF

The motion of the ball is independent of the height of the building. ✓ Die beweging van die bal is onafhanklik van die hoogte van die gebou.

NOTE: If learners gave separate answers for 3.2 and 3.3, mark them together. Thus, if one answer is correct and the other incorrect 0/3 (3) LW: Indien leerders twee afsonderlike antwoorde gee vir 3.2 en 3.3, sien as geheel na. Dus, indien een verkeerd is, 0/3

12

DBE/2019

(2)

(4)

#### **QUESTION 4/VRAAG 4**

4.1 The total (linear) momentum in a isolated/closed system remains constant./ is conserved √√

Die totale lineêre momentum in 'n geslote sisteem bly konstant/behoue.

#### OR/OF

In an <u>isolated/closed</u> system the <u>total momentum before a collision is equal to</u> the total momentum after the collision. <

In 'n geslote/geïsoleerde sisteem is die totale momentum voor die botsing gelyk aan die totale momentum na die botsing.

### NOTE/LET WEL:

- -1 for each key word/phrase omitted.
- -1 vir elke sleutel woorde/frase weggelaat.

Take the whole statement in context /Vat die hele stelling in konteks.

4.2 **OPTION 1/OPSIE 1**  $\sum p_i = \sum p_f$ 

$$\{0,45(9) + 0,20(0)\}\checkmark = (0,45 + 0,20)\lor\checkmark$$
  
v = 6,23 m·s<sup>-1</sup>✓

#### OR

$$\Delta p_{ball/bal} = -\Delta p_{cont/houer} \checkmark$$
  
0,45(v - 9)  $\checkmark$  = -0,2(v - 0)  $\checkmark$   
v = 6,23 m·s<sup>-1</sup>  $\checkmark$ 

If – sign omitted from formula 0/4 Indien – teken weggelaat uit formula 0/4

#### **OPTION 2/OPSIE 2**

$$\sum p_i = \sum p_f$$

$$p_{f Total} = p_{i Total}$$
1 mark for any \( 1 \) punt vir enige

(Thus change in total momentum = 0 /

(Thus change in total momentum = 0 /Dus verandering in momentum is=0))

$$0 \checkmark = (0.65 v_f) - (9)(0.45) \checkmark$$

$$v_f = 6.23 \text{ m} \cdot \text{s}^{-1} \checkmark$$

### 4.3 **POSITIVE MARKING FROM 4.2/POSITIEWE NASIEN VANAF 4.2**

 $K = \frac{1}{2} \text{ mv}^2 \checkmark \text{ (or } E_K = \frac{1}{2} \text{ mv}^2\text{)}$ 

Total kinetic energy before collision:/Totale kinetiese energie voor botsing:  $\frac{1}{2}(0.45)(9)^2 + 0\checkmark = 18,225$ J

Total kinetic energy after collision:/ Totale kinetiese energie na botsing:  $\frac{1}{2}(0.45 + 0.20)(6.23)^2 \checkmark$  = 12,614J

 $\sum K_{\text{before/voor}} \neq \sum K_{\text{after/na}}$ 

Collision is inelastic. /Botsing is onelasties√√

If start with/ indien begin met  $\sum E_{Ki} = \sum E_{Kf} = 4/5 \text{ max/maks}$ 

No calculation/ geen berekening: 0

Do not accept a conclusion of inelastic collision based on any other calculation (such as that of momentum or mechanical energy)./ Moet geen afleiding van 'n onelastiese botsing aanvaar wat op enige ander berekening gebaseer is nie (soos byvoorbeeld momentum of meganiese energie).

(5) **[11]** 

#### **QUESTION 5/VRAAG 5**

### 5.1 Tension/Spanning√

(1)

(1)

5.2 There is friction/ tension in the system ✓

Daar is wrywing/spanning in die sisteem

OR/OF

Friction/tension is a non concernative

Friction/tension is a non-conservative force ✓

Wrywing/spanning 'n 'n niekonserwatiewekrag OR/OF

The system is not isolated because there is friction/tension ✓ Die sisteem in nie geïsoleerd nie omdat

daar wrywing/spanning is

OR/OF

The internal energy increases because of friction ✓

Die interne energie neem toe as gevolg van wrywing.

OR


The applied force is non-conservative ✓

Die toegepaste krag is niekonservatief

OR

It is not an isolated system✓


5.3



and tension are not on a straight line LW: maksimum ¾ indien wrywing en spanning nie in 'n requitlyn nie.

NOTE: maximum ¾ if friction

### ACCEPT/AANVAAR



NOTE: maximum  $\frac{3}{4}$  if N and  $w_{\perp}$  are not on a straight line LW: maksimum  $\frac{3}{4}$  indien N en  $w_{\perp}$  nie in 'n reguitlyn nie.

(4)

Accepted labels/Aanvaarde benoemings		
w	F <sub>g</sub> /F <sub>w</sub> /weight/mg/gravitational force	1
	F <sub>g</sub> /F <sub>w</sub> /gewig/mg/gravitasiekrag	•
f	Friction/F <sub>f</sub> /f <sub>k</sub> /178,22 N/wrywing/F <sub>w</sub>	✓
Ν	Normal (force)/F <sub>normal</sub> /F <sub>N</sub> /F <sub>normaal</sub> /F <sub>reaction/reaksie</sub>	✓
Т	F <sub>T</sub> /F <sub>A</sub> /F <sub>applied/toegepas</sub> /700 N/Tension	✓

# Notes/Aantekeninge

- Mark awarded for label <u>and</u> arrow / Punt toegeken vir benoeming <u>en</u> pyltjie
- Do not penalise for length of arrows since drawing is not to scale. /Moenie vir die lengte van die pyltjies penaliseer nie aangesien die tekening nie volgens skaal is nie
- Any other additional force(s) / Enige ander addisionele krag(te) Max/Maks
   3/4
- If force(s) do not make contact with body / Indien krag(te) nie met die voorwerp kontak maak nie: Max/Maks:  $\frac{3}{4}$

Deduct 1 mark for an arrow/arrows omitted / trek 1 punt af indien pyl/pyle weggelaat

5.4  $W = F\Delta x \cos \theta \checkmark$   $W_f = [178,22(4)\cos 180^{\circ}] \checkmark$   $= -712,88 \text{ J}\checkmark$ (3)

# 5.5 **OPTION 1/OPSIE 1**

# POSITIVE MARKING FROM QUESTIONS 5.4 POSITIEWE NASIEN VANAF VRAE 5.4

$$\begin{aligned} W_{\text{net}} &= \Delta E_{\text{K}} \\ W_{\text{f}} &+ W_{\text{g}} &+ W_{\text{T}} &= \Delta K \\ W_{\text{f}} &+ \text{mgsin}\theta\Delta x \text{cos}\theta &+ W_{\text{T}} &= \Delta K \end{aligned} \qquad \begin{array}{c} \text{1 mark for any one} \checkmark / \\ \text{1 punt vir enige een} \\ \end{array}$$

$$-712,88 + \frac{(70)(9,8) (\sin 30^{\circ})(4) \cos 180^{\circ}}{\sqrt{100}} + \frac{(700 \times 4 \times \cos 0^{\circ})}{\sqrt{100}} = \frac{1/2}{2} \frac{70(v_{\rm f}^2 - 0)}{\sqrt{100}} = \frac{1/2}{2} \frac{70(v_{\rm f}^2 -$$

**NOTE**: W<sub>g</sub> can be obtained using any of the following formulae:

LW:  $w_g$  kan verkry word deur enige een van die volgende formules:

$$= (70)(9,8)(4).(\cos 120^{\circ})$$

$$\therefore -712,88 + (70)(9,8)(4)\cos 120^{\circ}) \checkmark + (700 \times 4 \times \cos 0^{\circ}) \checkmark = \frac{1/2}{2} \frac{70(v_{t}^{2} - 0) \checkmark}{120^{\circ}}$$

$$v_{t} = 4,52 \text{ m} \cdot \text{s}^{-1} \checkmark$$

$$\begin{split} W_{\text{gravity/gravitasie}} &= -\Delta \text{ mgh = - mg(h_f - h_0)} \\ &= \text{ mg}\Delta \text{ycos}\theta \\ &= ((70)(9.8) \text{ 4(sin } 30^\circ).\text{cos } 180^\circ \\ W_{\text{gravity/gravitasie}} &= \text{mgsin}\theta\Delta \text{xcos}\theta \\ &= (70)(9.8) \text{ (sin } 30^\circ)(4).\text{cos } 180^\circ \end{split}$$

 $W_{gravity/gravitasie} = mg\Delta x cos\theta$ 

Physical Sciences/P1/Fisiese Wetenskappe/V1 16 SC/NSC/SS/NSS – Marking Guidelines/Nasienriglyne

DBE/2019

#### **OPTION 2/OPSIE 2**

#### POSITIVE MARKING FROM 5.4 / POSITIEWE NASIEN VANAF 5.4

 $W_{nc} = \Delta E_{K} + \Delta E_{p} \checkmark$   $W_{T} + W_{f} = \Delta E_{K} + \Delta E_{p}$   $(700)(4) \cos 0^{\circ})\checkmark + (-712,88) = [(70)(9,8) \ 4(\sin 30^{\circ}). - 0 \ ]\checkmark + \frac{1/2}{2} \frac{70(v_{f}^{2} - 0)}{\sqrt{2}} \checkmark$   $v_{f} = 4.52 \ \text{m} \cdot \text{s}^{-1} \checkmark$ 

#### **OPTION 3**

$$F_{\text{net}} = F_{\text{T}} - [\text{mgsin}\theta + f_{k}]$$

$$= \frac{700 - [(70 \times 9.8 \sin 30^{\circ}) + 178.22]}{= 178.78 \text{ N}}$$

$$W_{\text{net}} = \Delta E_{\text{K}} \checkmark$$

$$F_{\text{net}} \cdot \Delta x \cos \theta = \Delta E_{\text{K}}$$

$$\frac{(178.78)(4)\cos 0^{\circ}}{\text{V}_{\text{f}}} \checkmark = \frac{1}{2} \frac{70(\text{V}_{\text{f}}^{2} - 0)}{\text{V}_{\text{f}}} \checkmark$$

$$V_{\text{f}} = 4.52 \text{ m·s}^{-1} \checkmark$$

(5)

# 5.5 WHERE EQUATIONS OF MOTION ARE USED:/ WAAR BEWEGINGSVERGELYKING GEBRUIK: MAX/MAKS 1/5

F<sub>net</sub> = ma F<sub>T</sub> − [mgsinθ + f<sub>k</sub>] = ma  $\frac{700 - [(70 \times 9.8 \sin 30^{\circ}) + 178,22]}{(70 \times 9.8 \sin 30^{\circ}) + 178,22]} \checkmark = 70a$   $\frac{1}{2} = 2.554 \text{ ms}^{-2}$ V<sub>1</sub> = V<sub>1</sub> + 2aΔx = 0 + 2(2,554)(4) V<sub>2</sub> = 4.52 m·s<sup>-1</sup>

# 5.6 **POSITIVE MARKING FROM 5.4/POSITIEWE NASIEN VANAF 5.4**

2(-712,88) = -1425,76 J

OR/OF

Double the answer (in question 5.4). ✓ Dubbel die antwoord (in vraag 5.4)

(1) **[15]**  Physical Sciences/P1/Fisiese Wetenskappe/V1 17 SC/NSC/SS/NSS – Marking Guidelines/Nasienriglyne

DBE/2019

#### **QUESTION 6/VRAAG 6**

6.1.1  $\Delta x = v_i \Delta t + \frac{1}{2} a \Delta t^2$  $\frac{300 = v_i (10)}{v_i = 30 \text{ m} \cdot \text{s}^{-1}} \checkmark$ 

$$v = \frac{d}{t} = \frac{300}{10} \checkmark = 30 \text{m} \cdot \text{s}^{-1} \checkmark$$

#### NOTE/LET WEL:

Accept/Aanvaar  $\Delta x = v_i \Delta t$ 

(2)

6.1.2 The change in frequency (or pitch) (of the sound) detected by a listener because the source and the listener have different velocities relative to the medium of sound propagation.

Die <u>verandering in die frekwensie (of toonhoogte)</u> (van die klank) waargeneem deur 'n luisteraar omdat die <u>bron en die luisteraar verskillende snelhede relatief tot die voortplantingsmedium het</u>.

#### OR/OF

An (apparent) change in observed/detected frequency (pitch), (wavelength) as a result of the <u>relative motion</u> between <u>a source and an observer</u> (listener). ✓✓

'n Skynbare verandering in waargenome frekwensie (toonhoogte),(golflengte) as gevolg van <u>die relatiewe beweging</u>tussen <u>die bron en 'n waarnemer/</u> luisteraar.

#### NOTE/LET WEL:

- -1 for each key word/phrase omitted.
- -1 vir elke sleutel woorde/frase weggelaat

(2)

6.1.3 Car/source (just) passes observer ✓ ✓ *Motor beweeg net verby die waarnemer* 

#### Accept:

Car moves away from observer  $\checkmark\checkmark$ No relative motion between car and observer  $\checkmark\checkmark$ Car and observer at the same place/position  $\checkmark\checkmark$ 

#### Aanvaar:

Motor beweeg verby waarnemer Geen relatiewe beweging tussen motor en waarnemer Motor en waarnemer by dieselfde plek/posisie.

(2)

Physical Sciences/P1/Fisiese Wetenskappe/V1 18 SC/NSC/SS/NSS – Marking Guidelines/Nasienriglyne

DBE/2019

6.1.4

#### POSITIVE MARKING FROM 6.1.1/POSITIEWE NAISEN VANF 6.1.1

$$f_{L} = \frac{v \pm v_{L}}{v \pm v_{s}} f_{s}$$

$$OR/OF f_{L} = \frac{v}{v - v_{s}} f_{s}$$

$$932 \left( = \frac{340}{340 - 30} \right) f_{s}$$

$$f_{s} = 849,76 \text{ Hz} \checkmark$$

Notes/Aantekeninge:

• Any other Doppler formula, e.g. /Enige ander Doppler formula b.v.

$$f_L = \frac{v - v_L}{v - v_S} f_S - \text{Max/Maks. } \frac{3}{4}$$

Marking rule 1.5: No penalisation if zero substitutions are omitted.

Nasienreël 1.5. Geen penalisering indein nul vervangings uitgelaat word

6.2 Doppler / Blood flow meter

Dopplervloeimeter/ bloedvloeimeter

Measuring the heartbeat of a foetus

Meting van hartklop van 'n fetus

Radar

Any 2 √ √ Enige 2

Sonar

Used to determine whether stars are receding or approaching earth/ Gebruik om te bepaal of sterre na of weg van die aarde beweeg

(2) **[12]** 

(4)

#### **QUESTION 7/VRAAG 7**

7.1 The electric field at a point is the <u>electrostatic force</u> experienced <u>per unit positive charge</u> placed at that point.  $\checkmark$ 

Die elektriese veld by 'n punt is die elektrostatiese krag wat <u>per eenheid</u> <u>positiewe lading</u> wat by daardie punt geplaas word, ervaar word. ✓

#### NOTE/LET WEL:

- -1 for each key word/phrase omitted. If definition of electric field: 0/2
- -1 vir elke sleutel woorde/frase weggelaat. Indien definisie van elektriese veld 0/2

(2)


7.2 \_q₂ is positive\_✓

The electric field due to  $q_1$  points to the right because  $q_1$  is negative.  $\checkmark$  Since the net field is zero, field due to  $q_2$  must point to the left away from  $q_2$ ,  $\checkmark$  hence  $q_2$  is positive.

q2 is positief

<u>Die elektriese veld as gevolg van  $q_1$  is na regs gerig omdat  $q_1$ negaitief is.</u> Aangesien die net veld nul is, <u>moet die veld as gevolg van  $q_2$  na links weg van  $q_2$  wees.</u>

OR/OF



Since  $E_{net}$  is zero,  $E_1$  and  $E_2$  are in opposite directions  $\checkmark$  therefore  $q_1$  and  $q_2$  are oppositely charged.  $\checkmark$ 

 $q_2$  is positief  $\checkmark$  Omdat  $E_{net}$  nul is, is  $E_1$  en  $E_2$  in teenoorgestelde rigtings  $\checkmark$  daarom is  $q_1$  en  $q_2$  teenoorgesteld gelaai.  $\checkmark$ 

(3)

Physical Sciences/P1/Fisiese Wetenskappe/V1 20 SC/NSC/SS/NSS – Marking Guidelines/Nasienriglyne

DBE/2019

(4)

(2)

7.3 
$$E = k \frac{Q}{r^2} \checkmark$$

$$E_{net} = 0$$

$$\therefore k \frac{q_1}{r_1^2} = k \frac{q_2}{r_2^2} \text{ OR}$$

$$\frac{q_1}{r_1^2} = \frac{q_2}{r_2^2}$$

$$\frac{q_1}{(0,1)^2} = \frac{(9 \times 10^9)q_2}{(0,4)^2}$$

$$q_2 = +4.8 \times 10^{-8} \text{ C}\checkmark$$

1 mark for formula
1 mark for equating the two fields
1 mark for answer
1 punt vir vergelyking
1 punt vir twee velde gelyk gestel
1 punt vir altwee substitusies
1 punt vir antwoord

Die elektrostatiese krag(aantekking/afstotend) tussen twee puntladings is direk eweredig aan die produk van die ladings en omgekeerd eweredig aan die kwadraat van die afstand tussen hulle.

## NOTE/LET WEL:

- -1 for each key word/phrase omitted. If masses used instead of charges 0
- -1 vir elke sleutel woorde/frase weggelaat Indien massas gebruik 0

7.5 POSITIVE MARKING FROM 7.3/POSITIEWE NASIEN VANAF 7.3
$$F = \frac{kQ_{1}Q_{2}}{r^{2}} \checkmark$$

$$F = \frac{(9 \times 10^{9})(3 \times 10^{-9})(4,8 \times 10^{-8})}{(0,3)^{2}} \checkmark$$

$$= 1,44 \times 10^{-5} \text{ N}\checkmark$$
(3)

7.6 POSITIVE MARKING FROM 7.2 AND 7.3/POSITIEWE NASIEN van 7.2 en 7.3

YES/JA√

Both charges are equal and positive ✓ Beide ladings is gelyk en positief

Accept calculation which shows charges the same and positive/ Aanvaar berekening wat toon dat ladings dieselfde en positief is.

If the answer is YES, mark according to the memo, if NO check 7.2 first for sign of charge. If stated NEGATIVE at 7.2, then answer is:

No√, the direction is incorrect. ✓

Positiewe nasien vanaf 7.2: Indien antwoord vir 7.2 NEGATIEF, dan is hierdie antwoord: Nee ✓, die rigting is verkeerd. ✓

(2)

[16]

(2)

### **QUESTION 8/VRAAG 8**

8.1.1 The rate at which (electrical) energy is converted (to other forms) (in a circuit)

The rate at which energy is used/Energy used per second

The rate at which work is done ✓✓

(2 or zero)

Die tempo waarteen elektriese energie omgesit word (in ander vorms) in 'n stroombaan.

Die tempo waarteen energie verbruik word.

Die tempo waarteen arbeid verrig word.

(2 of nul)


8.1.2

$$P = \frac{V^{2}}{R} \checkmark \qquad W = \frac{V^{2}\Delta t}{R} \checkmark \qquad \begin{cases} P = VI & P = VI \checkmark \\ 6 = (12)(I) & 6 = (12)(I) \end{cases}$$


$$6 = \frac{(12)^{2}}{R} \checkmark \qquad \begin{cases} 6 = \frac{(12)^{2}(1)}{R} \checkmark & P = I^{2}R \checkmark \\ R = 24 \Omega \checkmark & R = 24 \Omega \checkmark \end{cases}$$

$$R = 24 \Omega \checkmark \qquad R = 24 \Omega \checkmark \qquad R = 24 \Omega \checkmark \qquad (3)$$

8.1.3 POSITIVE MARKING FROM 8.1.2/POSITIEWE NASIEN VANAF 8.1.2 OPTION 1/OPSIE 1



Vetenskappe/V1 22 SC/NSC/SS/NSS – Marking Guidelines/Nasienriglyne



# 8.1.4 POSITIVE MARKING FROM 8.1.3 POSITIEWE NASIEN VANAF 8.1.3 OPTION 1/OPSIE 1

V = IR V = I(R<sub>A</sub>+r) = 0,316(26)  $\checkmark$ = 8,216 V (8,32 V)

$$V_{//} = (12 - 8,216) \checkmark$$
  
= 3,784 V(3,68 V)  
::  $V_C = 3,78 \text{ V } (3,68 \text{ V}) \checkmark$ 

# POSITIVE MARKING FROM 8.1.3 POSITIEWE NASIEN VANAF 8.1.3 OPTION 2/OPSIE 2

∨ = IK

For the parallel portion (or from 8.1.3): Vir die parallel gedeelte (of vanaf 8..1.3)

= 3.79 V (3,84 V)√

$$\frac{1}{R} = \frac{1}{R_1} + \frac{1}{R_2} \text{ OR } R = \frac{R_1 R_2}{(R_1 + R_2)}$$

$$R = \frac{(24)(24)}{48}$$

$$= 12 \Omega$$

$$V_{//} = V_C \checkmark$$

$$V = IR_{//}$$

$$= (0,316)(12) \checkmark$$
(3)

# POSITIVE MARKING FROM 8.1.3 POSITIEWE NASIEN VANAF 8.1.3 OPTION 3/OPSIE 3

$$I_A = I_B + I_C$$
  
= 2  $I_B$   
0,316 = 2 $I_B$   $\checkmark$   
 $I_B = 0,158 A$   
V = 0,158 (24)  $\checkmark$   
= 3,79 V $\checkmark$ 

(3)

(5)

#### 8.1.5 **OPTION 1/OPSIE 1**

The power rating (output voltage) of the bulb is 6 W, 12 V. /Die gloeilamp is gemerk 6W; 12 V

$$P = \frac{V^2}{R}$$

[For a given resistance, power is directly proportional to  $V^2$ ]  $\checkmark$ 

[of\_Vir 'n gegewe resistor is drywing direk eweredig aan V<sup>2</sup>]

Since the potential difference across light bulb C is less than the operating voltage, \( \sqrt{the output/power will be less}, \( \sqrt{/} \) Omdat die potensiaalverskil oor gloeilamp C minder is as die benodigde spanning sal die uitset/drywing minder wees.

# **OPTION 2/OPSIE 2**

$$P = \frac{V^2}{R}$$

The potential difference across light bulb C is less than the operating voltage. 
✓ Thus for the same resistance, ✓ brightness decreases.

<u>Die potensiaalverskil oor gloeilamp C is minder as die benodigde</u> potensiaalverskil. Dus vir dieselfde weerstand, sal die helderheid afneem.

#### **OPTION 3/OPSIE 3**

 $P = I^2 R$ 

For a given resistance ✓, power is directly proportional to I<sup>2</sup> Since current decreases ✓, brightness decreases.]

[vir 'n gegewe resistor is drywing direk eweredig aan I<sup>2</sup> Omdat stroom afneem sal die helderheid afneem]

# **OPTION 4/OPSIE 4**

 $P = I^2 R$ 

In the circuit, the total current in light bulb C is less than the optimum current required (0,5 A). ✓ Thus for the same resistance, ✓ the power will be less ✓ hence brightness will decrease.

In die stroombaan is die totale stroom in gloeilamp C minder as die optimum stroom benodig (0,5 A). Dus vir dieselfde weerstand, is die drywing minder en die helderheid sal afneem.

# OPTION 5/OPSIE 5

P = IV ✓ [Power is directly proportional/equal to product of V and I. ✓ Since current decreases ✓, brightnes decreases/

drywing is direk eweredig/gelyk aan produk van V en I. Omdat stroom afneem sal die helderheid afneem]]

OR/OF

The voltage across light bulb C, as well as the current in the bulb are all less ✓ than the optimum values ✓ hence power is less ✓ and brightness is less.

Die potensiaalverskil oor gloeilamp C sowel as die stroom in die gloeilamp is almal minder as die optimum waardes, dus is die drywing minder en die helderheid minder.

NOTE: No mark if only equation is given.

(3)

Physical Sciences/P1/Fisiese Wetenskappe/V1 24 SC/NSC/SS/NSS – Marking Guidelines/Nasienriglyne

DBE/2019

8.2.1 The total current passes through resistor A. ✓ For the parallel portion, the current branches, therefore only a portion of the total current passes through resistor C. ✓

Die totale stroom vloei deur resistor A. Vir die parallelle gedeelte verdeel die stroom, dus vloei slegs 'n gedeelte van die stroom deur resistor C.

ACCEPT for 1 mark: Resistor C is connected parallel to resistors B and D

ACCEPT for 1 mark: Resistor C is connected parallel to resistors B and L together. Current is dividing ✓ at the junction.

<u>AANVAAR vir 1 punt</u>: Resistor C is in parallel geskakel met B en D saam. <u>Die stroom breek op √</u> by die koppeling.

8.2.2 The current in B is <u>equal</u> ✓ to the current in A. The circuit becomes a <u>series</u> circuit. ✓

Die stroom in B is gelyk aan die stroom in A. Die stroombaan word 'n serie stroombaan.

(2)

(2)

[21]

Physical Sciences/P1/Fisiese Wetenskappe/V1 25 SC/NSC/SS/NSS – Marking Guidelines/Nasienriglyne

DBE/2019

#### **QUESTION 9/VRAAG 9**

9.3  $V_{rms/wgk} = \frac{V_{max/maks}}{\sqrt{2}} \checkmark$   $= \frac{312}{\sqrt{2}} \checkmark$   $= 220,62 \lor \checkmark$ (3)


# 9.4.1 POSITIVE MARKING FROM 9.3/POSITIEWE NASIEN VANAF 9.3 OPTION 1/OPSIE 1

$$P_{\text{aver/gemid}} = \frac{V_{\text{rms/wgk}}^{2}}{R} \checkmark$$

$$= \frac{(220,62)^{2}}{40} \checkmark$$

$$= 1216,83 \text{ W} \checkmark$$


# POSITIVE MARKING FROM 9.3/POSITIEWE NASIEN VANAF 9.3 OPTION 2/OPSIE 2



Physical Sciences/P1/Fisiese Wetenskappe/V1 26 SC/NSC/SS/NSS – Marking Guidelines/Nasienriglyne

DBE/2019

(3)





9.4.2 **OPTION 1/OPSIE 1** 

$$I_{\text{max/maks}} = \frac{V_{\text{max/maks}}}{R} \checkmark$$

$$= \frac{312}{40} \checkmark$$

$$= 7.8 \text{ A}\checkmark$$
Accept/ Aanvaar: I =  $\frac{V}{R}$ 





(4) [**12**]

#### **QUESTION 10/VRAAG 10**

10.1 The minimum frequency of light needed to eject electrons from a metal (surface)√√.

<u>Minimum frekwensie</u> van lig <u>benodig</u> <u>om elektrone vanaf 'n metaal</u> (oppervlak) vry te stel.

#### NOTE/LET WEL:

- -1 for each key word/phrase omitted.
- -1 vir elke sleutel woorde/frase weggelaat.

(2)

(3)

10.2 **OPTION 1/OPSIE 1 OPTION 2/OPSIE 2** c = fλ ←  $E=h\frac{C}{\lambda}$ √Both equations  $3 \times 10^8 = f(5 \times 10^{-7})$  $= \frac{(6,63 \times 10^{-34})(3 \times 10^{8})}{5 \times 10^{-7}} \checkmark$ = 3,98 x 10<sup>-19</sup> J\sqrt Beide vergelykings  $f = 6 \times 10^{14} \text{ Hz}$ E = hf=  $(6.63 \times 10^{-34})(6 \times 10^{14}) \checkmark$ =  $3.98 \times 10^{-19} \text{ J}\checkmark$ 

NOTE: do not penalise if v is used in place of c.

#### 10.3 **OPTION 1/OPSIE 2**

# POSITIVE MARKING FROM QUESTION 10.2/POSITIEWE NASIEN VANAF **VRAAG 10.2**

 $E = W_0 + E_{kmax}$ 1 mark any one/1 punt vir  $hf = W_0 + \frac{1}{2} m v_{max}^2$  $h\frac{c}{\lambda} = W_0 + E_{K(max/maks)}$  $h\frac{C}{\lambda} = hf_0 + E_{K(max/maks)}$  $\frac{3.98 \times 10^{\frac{19}{-19}} = (6.63 \times 10^{-34})(5.55 \times 10^{14}) + E_{K(max/maks)}}{E_{K(max/maks)}} = 3.0 \times 10^{-20} \text{ J} \checkmark$ 

 $E_{K(max/maks} > 0 \checkmark$ 

(The electrons emitted from the metal plate have kinetic energy to move between the plates, hence the ammeter registers a reading.

Die elektrone vrygestel vanaf die metaalplaat het kinetiese energie om tussen die plate te beweeg en gevolglik registreer die ammeter 'n lesing)

#### **OPTION 2/OPSIE 2**

# POSITIVE MARKING FROM QUESTION 10.2/POSITIEWE NASIEN VANAF VRAAG 10.2

$$W_o = hf_o \checkmark$$
=  $(6.63 \times 10^{-34})(5.55 \times 10^{14}) \checkmark$ 
=  $3.68 \times 10^{-19} J$ 

E<sub>photon</sub> > W<sub>o</sub> ✓

(The energy of the incident photon is greater than the work function of potassium. From the equation  $hf = W_0 + E_{Kmax}$ , the ejected photoelectrons will move between the plates, ✓ hence the ammeter registers a reading. Die energie van die invallende foton is hoër as die arbeidsfunksie van kalium. Vanaf die vergelyking  $hf = hf_0 + E_{K(maks)}$ , sal die vrygestelde foto-elektrone tussen die plate te beweeg en gevolglik registreer die ammeter 'n lesing.)

### **OPTION 3/OPSIE 3**

c = 
$$f\lambda \checkmark$$
  
3 x 10<sup>8</sup> =  $f(5 \times 10^{-7}) \checkmark$   
f = 6 x 10<sup>14</sup> Hz

 $f > f_0 \checkmark$ 

The frequency of the incident photon is higher than the threshold frequency. From the equation  $hf = hf_0 + E_{K(max)}$ , the ejected photoelectrons will be able to move between the plates ✓ (for the given frequency), hence the ammeter registers a reading.

Die frekwensie van die invallende foton is hoër as die drumpelfrekwensie. Vanaf die vergelyking  $hf = hf_0 + E_{K(maks)}$ , sal die vrygestelde foto-elektrone tussen die plate kan beweeg en gevolglik registreer die ammeter 'n lesing.)

The increase in intensity increases the *number* of photons per second. ✓ 10.4 Soos die intensiteit toeneem, neem die aantal fotone per sekonde toe.

> Since each photon releases one electron√ the number of ejected electrons per second increases.√

> Aangesien elke foton een elektron vrystel, neem die aantal vrygesteld e elektrone per sekonde toe.

ACCEPT: Flow of electrons per unit time increases ✓ (1 mark) AANVAAR: vloei van elektrone per eenheidstyd neem toe (1 punt)

This causes the current /ammeter reading to increase. Dit veroorsaak dat die stroom/ammeterlesing toeneem.

(3)[12]

TOTAL/TOTAAL: 150

(4)

Copyright reserved/Kopiereg voorbehou