Kristianstad University
SE-291 88 Kristianstad
+46 44-250 30 00
www.hkr.se

Assignment Lab 1

Remix Personal Portfolio
Show Your Work
(5 pointer)

Manuela Hackl

Manuela Hackl 0787 | manuela.hackl0787@stud.hkr.se

Design Journey 4
CD and Wireframe Iteration 4
Code Evaluation 6
Implementing corporate design 7
HTMl elements: from to semantic 8
Responsiveness and Accessability 14
Accessability 14
Responsiveness 15
Challenges 16
From Static logos to animated slider 16
Problem: 16
Solution Journey: 16
Unexpected White Space 17
Problem: 17
Solution Journey: 17
Responsive Issue: Media Queries for the Logo Slider 17
Problem: 17
Solution Journey: 17
Personal reflection 18
Sources 19

Project Overview and Design Journey

The requested portfolio website was to be developed as a professional portfolio, usable in business and communicating experiences in sales, digital media and CRM. Rather than creating a CV or a business website, the aim was to have a website showing both, my professional identity as well as my way of working as a freelancer and one-woman business.

The website then developed eventually into a small multi-page portfolio which made it eligible for grade 5 points consisting of the 4 pages homepage, about me, projects and data.

Initial Concept

The initial idea was relatively simple and aiming for a onepager showing logos, professional profile displaying me and my proficiency, 3 selected projects with pictures and contact opportunity with a form.

In the beginning areas as “service” were conceptually involved, throughout the process they were eliminated and replaced by more meaningful sections. This mainly affected the areas “service”, “the way I work”, as originally seen in the Wireframe.

Throughout the course of this website creation, I also brainstormed new colors, fonts and visual design. To express my work in the intersection between CRM/technology and growth, I choose a color palette consisting of dark blue, lime green and shades between. Dark blue intended to express a solid and professional base aiming for “quality and trustworthiness” (Elliot & Maier, 2014). Green highlights a more awareness catching contextual color for important words, button, and emphasis and is complementary to the blue.

Design Journey

CD and Wireframe Iteration


The design followed a fixed visual plan from the beginning. Starting with the Wireframe for the homepage, later on, the subpages were defined in the same color scheme.

At the initial stage, placeholder content and mostly colored borders were used to male the different areas visible and editable.

The design then developed into a more visual system, using typography, the remaining color palette and highlights with element, as well as spaces like padding and margin to visualize the content.

The green accent as element became an important part of the visual identity throughout and developed in the course of development as a highlight.

The font was set to Nunito as clear but playful font with web font replacement Verdana and the headers as well as paragraphs and highlights were finalized with different colors, sizes and text decoration.



Picture: final font & color definitions


In detail the single sections were defined as:

- Text paragraphs p: 12px dark gray
- Header h1: 54px, bold, dark gray #1f3a52
- Header h2: 10px, only Uppercase for highlight. Bold, and green #a9d926
- Header h3: 33px, bold, dark gray #1f3a52
- Header h4: 18px, bold, dark gray #1f3a52
- Highlight : bold underlined in green

The property Line-height was mostly not used but in paragraphs to make the text more readable and defined For highlighting certain words.




Picture: initial homepage wireframe (index.html)



Picture: About me wireframe (me.html)



Picture: Portfolio and projects wireframe (portfolio.html)



Picture: Data page wireframe (data.html)

Code Evaluation

The final pages are structure is as follows:

- Homepage (index.html)
- Portfolio (projects.html)
- About me (me.html)
- Data & privacy (data.html), reachable in the footer

Implementing corporate design

Already within the first few designing steps, the intended design font was imported from google, later the web font replacement Verdana and general sans-serif were added.

The colors were defined as Hex colors throughout the whole page and design draft.

To define the HTML-elements in the css, the declarations with the text properties font-family, text-decoration, color, font-size, font-weight and text transform were used as in the following example:

```
h2 {
    font-size: 10px;
    font-weight: 800;
    color: #a9d926;
    text-transform: uppercase;
}
```

Code: snippet for h2 (style_1009.css)

The property Line-height was mostly not used but in paragraphs to make the text more readable and defined For highlighting certain words, in the beginning the gradient was used to create the effect of the bold and slightly upwards moved underline in green. Later one this was also used in the navigation for active elements but using the text-decoration properties:

```
background:linear-gradient(180deg,transparent 62%,#a9d926 62%);
```

```
text-decoration: underline solid #a9d926 10px;
text-underline-offset: -2.5px;
text-decoration-skip-ink: none;
font-weight: bold;
```

Code snippet: initial declaration (style_1809.css)

Code snippet: active navigation declaration (style_2209.css)

HTMl elements: from to semantic

To structure the different areas, I initially used element to structure the html.

Example:

```
<div id="nav">
   Navigationbar
</div>
```

At this stage, I had little knowledge of the semantic HTML elements which I learned later on in the process but was useful for quickly setting up the page structure and already implementing the design patterns.

Since this did not communicate the meaning of the content, in later versions, I replaced most of the div-defined areas with semantic elements. The mst common used are:

- <header>: thai element was appropriate for the top area containing the navigation and branding to make its purpose clearer than a generic container.
- <nav>: used to implement a navigation bar
- <main>: for the main body content
- <section>: used for conceptually distinct areas, e.g. projects, about me. Each project card, for example, contains a self-contained piece of information, image, description, etc. The same applies for proficiency blocks as an experience.
- <article>: used for independent pieces within a section, e.g. the project cases or proficiency and experience blacks to mark them as more important tena just being a visual container.

- <figures>: used for images
- <figurecaption>: used for every element relevant and describing or extending the image
- <footer>: used for all elements that might occur in the footer area

```
<div id="projects">
        <h2>Projects</h2>
        <h3>Extract of some of
my Work</h3>
        <p>
          Lorem ipsum (...)
        </p>
    </div>
```

```
<section class="projects"
id="section-cases">
        <h2>Projects</h2>
        <h3>Extract(...)</h3>
        <div id="cases">
        <article class="case">
           <figure>
              <img
src="assets/memox_dashboard.PNG"
>
            </figure>
                <figcaption>
```

```
    <div id="footer">
        Footer
    </div>
```

```
 <footer>
© Manuela Hackl, 2026<br>
       <h2>HubSpot · CRM ·
RevOps · Lifecycle
Automation</h2>
<section class="foot"> (...)
```

Code: example of initial areas (index_1009.html)


Code; examples of final semantic HTML elements (index_2009.html)

CSS Layout

The primary technique for advanced layout was the flexbox design. This was mainly used for the project/cases cards, the about me section, the timeline and contact area.

Later on also the subsides projects and about me mainly consisted of this technique, for example showcasing the detailed about me and the proficiency

areas containing the tools, extended timeline and daily work in “about me” and the tools extract on the project subpage.



Picture: boxed tools extract area within the subpage for projects (portfolio_2109.html)

The grid technique was then used for the gallery on the projects subpage showcasing 3 rows and 3 columns of images:

```
#gallery {

   min-height: 700px;

    display: grid;

    grid-template-columns: repeat(3, 200px);

    grid-auto-rows: 200px;

    grid-template-flow: column;

    justify-content: center;

    grid-gap: 5%;

    margin: 5%;

}
```

Code: extract of the grid setup for the gallery (style_2109.css)

The grid design tuned out to be more challenging than the flexbox technique, introducing a totally different approach for positioning the content and did not work initially with <figure> or image elements.



Picture: grid layout of gallery on portfolio project page (portfolio_2109.html)
CSS selectors and animations were also used, mainly to design the navigation links and the slideshows, e.g.:

- a[aria-current=”page”] was the attribute selector used to style the currently active navigation link
- :nth-child() was the selector used to control the mobile animation of the mobile optimated slider, showing just one logo at a time. Meanwhile the desktop and tablet version are using an animated slider moving horizontally forever, teh mobile optimized slider should sjow one logo for 3 seconds and then automatically move one to the next one without interaction. Therefore this element in combination with other elements as z-idex or opacity was used to only show one logo at a time.
- ::after as pseudo element was used for the career timeline to create the connectuions as a line behind the different elements, positioned behind with z-index.

```
a[aria-current="page"] {
    text-decoration: underline
```

```
.sliders_logo figure
img:nth-child(1) {
```


```
solid #a9d926 10px;
    text-underline-offset:
-2.5px;
    text-decoration-skip-ink:
none;
    font-weight: bold;
}
```

Code: declaration for currently active navigation link (style_2109.css)


```
    animation-delay: 0s;
}
```

Code: declaration used to target the single logos in the mobile optimized slider animation (style_2109.css)


Compared to the beginning, the later versions showed some major progress ad changes comparing the initial design from the 18 September 2026 to the later version of 20 September 2026 as shown in picture. As soon as the temporary borders were removed, the site showed its nearly final design:



Picture: the initial state with div containers (1109_2.PNG)



Picture: initial visualization with initial backgrounds, fonts placeholders and styles adapted to the color scheme , as well as borders to separate the areas visually (1109_4.PNG)




Picture: advanced visualization with background gradients, buttons and highlights (2009_3.PNG)

Final Fixes & outlook

At the last day of implementation, smaller fixes were made and a plan for further optimization was made. Fixes included:

- Implementing the seed-phrase “Phrase Fresh Perspective“: This was implemented directly in the paragraph in the header section and highlighted.
- Checking the image attributes, copyright, alt-information



Picture: implemented seed highlight (2209_1.PNG)

Responsiveness and Accessability

Accessability

Several accessibility and responsive elements were implemented throughout the document.

- The initial container in the HTML document were replaced by semantic elements that add meaning to the single areas. This change made the document structure more meaningful and also provided a good foundation for accessibility and maintainability.

- The language definition <html lang=”en”> states the document language as english.
- The attribute aria-current=”page” identifies clearly the current active page
- The contact form associates labels and inputs for an explicit relationship between control elements and labels, e.g. <label for=”email”>Email:</label> and <input type=”email” name=”email” id=”email” required/>

Responsiveness


The responsive implementation uses 2 breakpoints:

- 1000px for tablets
- 700px for mobile devices

Earlier versions of the code experimented with 768px and 350px breakpoints but these were replaced by the broader definition to cover landscape modus.

Within the tablet media queries several horizontal elements become vertical, such as project cars, the timeline about me sections, the proficiency sections and the contact section. Also the gallery section only shows 2 columns.

For mobile all these sections also become vertical in addition to the sliders which cover only one logo that slides to the next one after 3 seconds. The project gallery changes to single column design.



Picture: preview of mobile layout for the proficiency area on mobile devices with single column grid layout (2109_5.PNG)

Challenges

From Static logos to animated slider

Problem:

The logos in the homepage sliders were displayed as static logos. I wanted to communicate the range of clients without a line of logos and dynamically displaying them without javascript initially. I therefore researched and experimented with CSS animations and keyframes.

Solution Journey:

The initial horizontal layout was created by <figure> semantic elements and <img> elements. line-block display and whitespace: no wrap together with keyframe definitions moved the logos sequentially from right top left with a 30second linear infinite animation for a slow animation, easy to follow. The starting and endpoints were set with translatex () for the horizontal axis. After a lot of trying, it worked out perfectly using two identical <figure> sections displayed after one another, with a linear movement at constant speed. The aim

was to make the transition smooth and not obviously switching back to the starting points.

Unexpected White Space

Problem:
Due to my design journey from to semantic html, A large white area appeared at the bottom of the webpage I initially for a long time could not find the reason for, neither in CSS or HTML.


Solution Journey:
With dev tools in Chrome I inspected the website, nevertheless it took me some time to discover a ID named caption, I initially created some image captions and a normal container, but forgot throughout the design process. Even after removing it, I discovered the white space some time since I forgot to remove the closing tag.

Responsive Issue: Media Queries for the Logo Slider


Problem:
The desktop slider did not sit well on mobile devices, since showing the logos at a small l size and sliding through, which seemed not appropriate for mobile.

Solution Journey:
I experimented firstly with height and width of the logos to adapt them to be a visually appropriate size, adjusted the slider height. Instead of just scaling the logos and the slider to the mobile sizes, I decided to do an extra version for mobile devices smaller than 700px with media queries.

I therefore wanted to appear every logo for 3 seconds and the slide to the next one. For this, I researched and implemented the :nth-child and animation-delay to successive images to delay their negative appearance values, elements together with opacity and z-index, the logos in the end showed up perfectly timed. Calculating the seconds and delays due to the amount of images was another confusing challenge.



Picture: final Desktop Slider (slider-bottom, 2109_1.PNG)



Picture: final Mobile Slider (slider-bottom, 2109_2.PNG)

Bigger logos were defined in their size furthermore with object-fit: contain.

Personal reflection


Building this website changed my understanding of HTML and CSS, because I knew some elements before, but I realised that the difficult part is not writing the code and knowing all the elements, but understanding and controlling how they interact. A probably small change in the stylesheet has a major impact on the layout of the site, particularly when flexboy or grids are involved.

The probably most surprising and difficult part was the slider. I did not know keyframes before and thought about a more difficult solution than simple css elements. Even more surprisingly, setting up the mobile version turned out to be even more difficult. The slider elements are surely a topic I have to study again to understand it fully in order to being able to implement it again. So is the grid method, which seemed very complicated at first, but with a little experience and

studying, this will probably become one of my most favourite methods due to its designing possibilities.

The final portfolio turned out to be a bit different from my initial design. Initially, I imagined a onepager and a relatively simple design, aiming for 3 points. In the course, sections were altered and became more structured, as well as more complicated so I started to reach out for 5 points.


The part I am most confident about and enjoying is probably the different viewpoints and media queries. Coming from a mobile marketing background, I know about the importance of mobile optimization. I enjoyed playing around with the elements to fit the screen sizes and will surely continue optimizing within the next few weeks. Furthermore, to optimize the accessibility, together with the responsiveness, within the few weeks will be a goal to aim for before submitting Lab2 - and I am eager to make my site even more interactive with javascript.



Picture: the final Desktop Website (2209_2.PNG)



Picture: the final Tablet Website (2209_3.PNG)



Picture: the final Mobile Website (2209_4.PNG)

Sources

- MDN, Using CSS gradients, https://developer.mozilla.org/en-US/docs/Web/CSS/Guides/Images/Using_gradients

- MDN, CSS-Funktion radial-gradient(), https://developer.mozilla.org/de/docs/Web/CSS/Reference/Values/gradient/radial-gradient
- W3 Schools, How to create a Slideshow, https://www.w3schools.com/howto/howto_js_slideshow.asp
- Coding with Robby, Creating an infinite logo carousel with pure CSS, 19.09.2026, https://www.youtube.com/watch?v=nAjR0Oj0J8E
- MDN, @keyframes CSS at-rule, 19.09.2026, https://developer.mozilla.org/de/docs/Web/CSS/Reference/At-rules/@keyframes
- Chris Coyier, A Complete CSS Flexbox Layout Guide, 28.05.2026, https://css-tricks.com/snippets/css/a-guide-to-flexbox/
- MDN, <form> HTML form element, https://developer.mozilla.org/en-US/docs/Web/HTML/Reference/Elements/form
- W3 Schools, HTML Responsive Web Design, https://www.w3schools.com/html/html_responsive.asp
- MDN, Using media queries, https://developer.mozilla.org/en-US/docs/Web/CSS/Guides/Media_queries/Using
- Jonas Hellwig, Websites mit CSS Media Queries für Smartphones, Tablets & Co. optimieren, https://kulturbanause.de/blog/websites-mit-css3-media-queries-fur-iphone-ipad-android-co-optimieren

- NCA, Mobile Slider Barrierefrei: 5 Wege zu inklusiven Erlebnissen, https://semantik-html-barrierefrei.de/articles/2026/06/mobile-slider-barrierefrei-5-wege-zu-inklusiven-erlebnissen

- formstack, Different Screens, Different Needs: How to Optimize Your Forms for Mobile, https://www.formstack.com/blog/screens-optimize-forms-mobile

- MDN, object-fit CSS property, https://developer.mozilla.org/de/docs/Web/CSS/Reference/Properties/object-fit

- MDN, object-position CSS property, https://developer.mozilla.org/en-US/docs/Web/CSS/Reference/Properties/object-position

- Web Dev Simplified, Learn CSS Grid in 20 Minutes, https://www.youtube.com/watch?v=9zBsdzdE4sM

- Andrew J. Elliot et al Front. Psychol., 02 April 2015, Sec. Personality and Social Psychology Volume 6 - 2015, https://www.frontiersin.org/journals/psychology/articles/10.3389/fpsyg.2015.00368/full?utm_source=chatgpt.com