

oREV-VN: A Rasch-compliant subtest of receptive verb comprehension for the oREV

First Author¹ & Ernst-August Doelle^{1,2}

¹ Wilhelm-Wundt-University

² Konstanz Business School

Author Note

Add complete departmental affiliations for each author here. Each new line herein must be indented, like this line.

Enter author note here.

The authors made the following contributions. First Author: Conceptualization, Writing - Original Draft Preparation, Writing - Review & Editing; Ernst-August Doelle: Writing - Review & Editing, Supervision.

Correspondence concerning this article should be addressed to First Author, Postal address. E-mail: my@email.com

Abstract

15 One or two sentences providing a **basic introduction** to the field, comprehensible to a
16 scientist in any discipline. Two to three sentences of **more detailed background**,
17 comprehensible to scientists in related disciplines. One sentence clearly stating the **general**
18 **problem** being addressed by this particular study. One sentence summarizing the main
19 result (with the words “**here we show**” or their equivalent). Two or three sentences
20 explaining what the **main result** reveals in direct comparison to what was thought to be
21 the case previously, or how the main result adds to previous knowledge. One or two
22 sentences to put the results into a more **general context**. Two or three sentences to provide
23 a **broader perspective**, readily comprehensible to a scientist in any discipline.

24 *Keywords:* keywords

25 Word count: X

oREV-VN: A Rasch-compliant subtest of receptive verb comprehension for the oREV

Methods

Participants

Material

Procedure

Data analysis

We used R (Version 4.3.1; R Core Team, 2023) and the R-packages *brms* (Version 2.22.0; Bürkner, 2017, 2018, 2021), *coda* (Version 0.19.4; Plummer, Best, Cowles, & Vines, 2006), *dplyr* (Version 1.1.3; Wickham, François, Henry, Müller, & Vaughan, 2023), *forcats* (Version 1.0.0; Wickham, 2023), *geomtextpath* (Version 0.1.1; Cameron & van den Brand, 2022), *ggplot2* (Version 3.5.2; Wickham, 2016), *ggrepel* (Version 0.9.3; Slowikowski, 2023), *ggridges* (Version 0.5.6; Wilke, 2024), *ggthemes* (Version 5.1.0; Arnold, 2024), *lattice* (Version 0.21.8; Sarkar, 2008), *lubridate* (Version 1.9.2; Grolemund & Wickham, 2011), *mirt* (Version 1.44.0; Chalmers, 2012), *papaja* (Version 0.1.3; Aust & Barth, 2024), *purrr* (Version 1.0.2; Wickham & Henry, 2023), *Rcpp* (Eddelbuettel & Balamuta, 2018; Version 1.0.11; Eddelbuettel & François, 2011), *readr* (Version 2.1.5; Wickham, Hester, & Bryan, 2024), *stringr* (Version 1.5.0; Wickham, 2022), *tibble* (Version 3.3.0; Müller & Wickham, 2025), *tidybayes* (Version 3.0.7; Kay, 2024), *tidyr* (Version 1.3.1; Wickham, Vaughan, & Girlich, 2024), *tidyverse* (Version 2.0.0; Wickham et al., 2019) and *tinylabels* (Version 0.2.4; Barth, 2023) for all our analyses.

Results

Discussion

References

- Arnold, J. B. (2024). *Ggthemes: Extra themes, scales and geoms for 'ggplot2'*. Retrieved from <https://CRAN.R-project.org/package=ggthemes>
- Aust, F., & Barth, M. (2024). *papaja: Prepare reproducible APA journal articles with R Markdown*. <https://doi.org/10.32614/CRAN.package.papaja>
- Barth, M. (2023). *tinylabels: Lightweight variable labels*. Retrieved from <https://cran.r-project.org/package=tinylabels>
- Bürkner, P.-C. (2017). brms: An R package for Bayesian multilevel models using Stan. *Journal of Statistical Software*, 80(1), 1–28. <https://doi.org/10.18637/jss.v080.i01>
- Bürkner, P.-C. (2018). Advanced Bayesian multilevel modeling with the R package brms. *The R Journal*, 10(1), 395–411. <https://doi.org/10.32614/RJ-2018-017>
- Bürkner, P.-C. (2021). Bayesian item response modeling in R with brms and Stan. *Journal of Statistical Software*, 100(5), 1–54. <https://doi.org/10.18637/jss.v100.i05>
- Cameron, A., & van den Brand, T. (2022). *Geomtextpath: Curved text in 'ggplot2'*. Retrieved from <https://CRAN.R-project.org/package=geomtextpath>
- Chalmers, R. P. (2012). mirt: A multidimensional item response theory package for the R environment. *Journal of Statistical Software*, 48(6), 1–29. <https://doi.org/10.18637/jss.v048.i06>
- Eddelbuettel, D., & Balamuta, J. J. (2018). Extending R with C++: A Brief Introduction to Rcpp. *The American Statistician*, 72(1), 28–36. <https://doi.org/10.1080/00031305.2017.1375990>
- Eddelbuettel, D., & François, R. (2011). Rcpp: Seamless R and C++ integration. *Journal of Statistical Software*, 40(8), 1–18. <https://doi.org/10.18637/jss.v040.i08>
- Grolemund, G., & Wickham, H. (2011). Dates and times made easy with lubridate. *Journal of Statistical Software*, 40(3), 1–25. Retrieved from <https://www.jstatsoft.org/v40/i03/>
- Kay, M. (2024). *tidybayes: Tidy data and geoms for Bayesian models*. <https://doi.org/10.5281/zenodo.1308151>

- Müller, K., & Wickham, H. (2025). *Tibble: Simple data frames*. Retrieved from <https://CRAN.R-project.org/package=tibble>
- Plummer, M., Best, N., Cowles, K., & Vines, K. (2006). CODA: Convergence diagnosis and output analysis for MCMC. *R News*, 6(1), 7–11. Retrieved from <https://journal.r-project.org/archive/>
- R Core Team. (2023). *R: A language and environment for statistical computing*. Vienna, Austria: R Foundation for Statistical Computing. Retrieved from <https://www.R-project.org/>
- Sarkar, D. (2008). *Lattice: Multivariate data visualization with r*. New York: Springer. Retrieved from <http://lmdvr.r-forge.r-project.org>
- Slowikowski, K. (2023). *Ggrepel: Automatically position non-overlapping text labels with 'ggplot2'*. Retrieved from <https://CRAN.R-project.org/package=ggrepel>
- Wickham, H. (2016). *ggplot2: Elegant graphics for data analysis*. Springer-Verlag New York. Retrieved from <https://ggplot2.tidyverse.org>
- Wickham, H. (2022). *Stringr: Simple, consistent wrappers for common string operations*. Retrieved from <https://CRAN.R-project.org/package=stringr>
- Wickham, H. (2023). *Forcats: Tools for working with categorical variables (factors)*. Retrieved from <https://CRAN.R-project.org/package=forcats>
- Wickham, H., Averick, M., Bryan, J., Chang, W., McGowan, L. D., François, R., . . . Yutani, H. (2019). Welcome to the tidyverse. *Journal of Open Source Software*, 4(43), 1686. <https://doi.org/10.21105/joss.01686>
- Wickham, H., François, R., Henry, L., Müller, K., & Vaughan, D. (2023). *Dplyr: A grammar of data manipulation*. Retrieved from <https://CRAN.R-project.org/package=dplyr>
- Wickham, H., & Henry, L. (2023). *Purrr: Functional programming tools*. Retrieved from <https://CRAN.R-project.org/package=purrr>
- Wickham, H., Hester, J., & Bryan, J. (2024). *Readr: Read rectangular text data*. Retrieved from <https://CRAN.R-project.org/package=readr>

Wickham, H., Vaughan, D., & Girlich, M. (2024). *Tidyr: Tidy messy data*. Retrieved from <https://CRAN.R-project.org/package=tidyr>

Wilke, C. O. (2024). *Ggridges: Ridgeline plots in 'ggplot2'*. Retrieved from <https://CRAN.R-project.org/package=ggridges>

Appendix

Table 1

All items considered and final selection for the oREV-VN

Target word		Distractor				Selected	
		Semantic		Phonological			Unrelated
schweben (to float)	(to	springen (to jump)	(to	schieben (to push)	(to	weinen (to cry)	yes
jonglieren (to juggle)	(to	werfen (to throw)	(to	verlieren (to lose)	(to	anfassen (to touch)	no
torkeln (to stagger)		hüpfen (to jump)		schnorcheln (to snorkel)	(to	backen (to bake)	yes
studieren (to study)	(to	unterrichten (to teach)	(to	marschieren (to march)	(to	liegen (to lay down)	yes
operieren (to operate)	(to op- erate)	impfen (to vac- cinate)		spazieren (to walk)	(to	rufen (to call)	yes
wählen (to choose)	(to	überlegen (to think)	(to	schälen (to peel)		bauen (to build)	no
scheren (to cut)		streicheln (to ca- ress)		leeren (to empty)		begrüßen (to greet)	yes
tadeln (to blame)	(to	loben (to praise)		radeln (to cycle)		flüstern (to whis- per)	no

Table 1 continued

Target word		Distractor			Selected
		Semantic	Phonological	Unrelated	
empfangen (to receive)	(to)	verschicken (to send)	(to) einfangen (to catch)	(to) gießen (to water, e.g., plants)	no
verloben (to get engaged)	(to)	heiraten (to marry)	(to) vergeben (to forgive)	joggen (to jog)	yes
faulenzern (to laze)	(to)	spazieren (to walk)	(to) begrenzen (to limit)	kochen (to cook)	no
liefern (to deliver)	(to)	de-holen (to fetch)	töpfern (to do pottery)	trösten (to comfort)	yes
dekorieren (to decorate)	(to)	werkeln (to work, do crafts)	ignorieren (to ignore)	lesen (to read)	no
bekennen (to confess)	(to)	verstecken (to hide)	(to) verbrennen (to burn)	ziehen (to pull)	yes
schwanken (to sway)	(to)	drehen (to turn)	schenken (to give as a present)	malen (to paint)	no
türmen (to pile up)	(to)	sammeln (to collect)	krümmen (to bend)	öffnen (to open)	no
befreien (to free)	(to)	fangen (to catch)	schreien (to scream)	pusten (to blow)	no
abseilen (to abseil)	(to)	herunterklettern (to climb down)	beeilen (to hurry)	schreiben (to write)	no
tuscheln (to whisper)	(to)	verpetzen (to snitch)	tuschen (to ink)	singen (to sing)	no

Table 1 continued

Target word	Distractor			Selected
	Semantic	Phonological	Unrelated	
betrachten (to consider)	zeigen (to show)	bewachen (to guard)	telefonieren (to phone)	no

Note. English translations in parenthesis