
Top 30 Most Neglected Diseases
(PCA-Derived Unified Score)
African trypanosomiasis †
Ebola †
Zika virus †
Guinea worm disease †
Cystic echinococcosis †
Invasive non-typhoidal Salmonella
Cysticercosis
Iodine deficiency
Food-borne trematodiases
Scabies
Typhoid and paratyphoid
Rheumatic heart disease
Onchocerciasis
Leprosy †
Diphtheria †
Other neglected tropical diseases
Pertussis
Vitamin A deficiency
Tetanus
Encephalitis
Lymphatic filariasis
Paralytic ileus / intestinal obstruction
Fungal skin diseases
Measles
Other intestinal infectious diseases †
Otitis media
Chagas disease †
Yellow fever †
Leishmaniasis
Varicella and herpes zoster
91.7
89.2
88.8
87.3
86.3
84.4
84.1
83.5
83.3
82.2
81.5
80.8
80.3
79.5
79.1
79.0
78.8
78.6
77.9
76.6
75.4
74.9
74.8
74.8
73.0
72.7
72.3
71.9
71.6
71.5
0
20
40
60
80
100
Unified Neglect Score (PCA-derived)
Top 10: 10/10 Global South burden
6/10 WHO NTDs
Weights: D=0.57, T=0.17, K=0.26 (PCA)
† lowest decile of global DALYs
WHO Neglected Tropical Disease
Global South priority (non-NTD)
Other condition