

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report [Options...](#)

Check by ☐ CSS

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1">

    <!-- CSRF Token -->
    <meta name="csrf-token"
content="NwDeK06KCj1EhYCIwosX9Fc1UwQ3hSVvaWwXT4e">

    <title>StyleSwap</title>

    <!-- Styles -->
    <link href="http://127.0.0.1:8000/css/milligram.min.css" rel="stylesheet">
```

[Check](#)

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

[Message Filtering](#)

- Warning** The `type` attribute is unnecessary for JavaScript resources.
[From line 16, column 9; to line 16, column 39](#)

```
><      <script type="text/javascript"><
```
- Warning** The `type` attribute is unnecessary for JavaScript resources.
[From line 20, column 9; to line 20, column 81](#)

```
><      <script type="text/javascript" src=http://127.0.0.1:8000/js/app.js
defer><
```
- Warning** Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections](#), or else use a `div` element instead for any cases where no heading is needed.
[From line 35, column 9; to line 35, column 31](#)

```
><      <section id="messages"><
```

4. **Error** An `input` element with a `type` attribute whose value is `hidden` must not have an `autocomplete` attribute whose value is `on` or `off`.

[From line 43, column 5; to line 43, column 107](#)

```
gin"><input type="hidden" name="_token"
value="NwDeK06KCj1EhYCIImwosX9Fc1UwQ3hSVvaWwXT4e" autocomplete="off">
```

5. **Error** No `p` element in scope but a `p` end tag seen.

[From line 46, column 77; to line 46, column 80](#)

```
autofocus></p>
```

6. **Warning** Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections](#), or else use a `div` element instead for any cases where no heading is needed.

[From line 41, column 9; to line 41, column 30](#)

```
><section id="content">
```

7. **Error** Stray start tag `footer`.

[From line 70, column 1; to line 70, column 76](#)

```
<</body><footer id="sticky-footer" class="flex-shrink-0 py-4 bg-dark text-
white-50">
```

Document checking completed.

Source

```
1. <!DOCTYPE html>
2. <html lang="en">
3.   <head>
4.     <meta charset="utf-8">
5.     <meta http-equiv="X-UA-Compatible" content="IE=edge">
6.     <meta name="viewport" content="width=device-width, initial-scale=1">
7.
8.     <!-- CSRF Token -->
9.     <meta name="csrf-token"
content="NwDeK06KCj1EhYCIImwosX9Fc1UwQ3hSVvaWwXT4e">
10.
11.     <title>StyleSwap</title>
12.
13.     <!-- Styles -->
14.     <link href="http://127.0.0.1:8000/css/milligram.min.css"
rel="stylesheet">
15.     <link href="http://127.0.0.1:8000/css/app.css" rel="stylesheet">
16.     <script type="text/javascript">
17.       // Fix for Firefox autofocus CSS bug
18.       // See: http://stackoverflow.com/questions/18943276/html-5-
autofocus-messes-up-css-loading/18945951#18945951
19.     </script>
20.     <script type="text/javascript" src="http://127.0.0.1:8000/js/app.js
defer>
21.   </script>
22. </head>
```

```

23.     <body>↵
24.     <main>↵
25.         <header>↵
26.             <h1><a href="http://127.0.0.1:8000/home">StyleSwap!</a></h1>↵
27.                 <!-- Non-authenticated user links -->↵
28.                     <a class="button"
href="http://127.0.0.1:8000/login">Login</a>↵
29.                     <a class="button" href="http://127.0.0.1:8000/register?
pageNr=1">Register</a>↵
30.                         <!-- Search form for all users -->↵
31.                         <!-- Links visible to all users -->↵
32.                             <a class="button"
href="http://127.0.0.1:8000/auctions/1">Auctions</a>↵
33.                             <a class="button" href="http://127.0.0.1:8000/users/1">Users</a>↵
34.                         </header>↵
35.                     <section id="messages">↵
36.                         <div class="alert alert-success">↵
37.                             You have logged out successfully!↵
38.                         </div>↵
39.                     ↵
40.                 </section>↵
41.                 <section id="content">↵
42.                     <form method="POST" action="http://127.0.0.1:8000/login">↵
43.                         <input type="hidden" name=" token"
value="NwDeK06KCj1EhYCIwosX9Fc1UwQ3hSVvaWwXT4e" autocomplete="off">↵
44.                     ↵
45.                         <label for="email">E-mail</label>↵
46.                         <input id="email" type="email" name="email" value="" required autofocus>
</p>↵
47.                     ↵
48.                         <label for="password">Password</label>↵
49.                         <input id="password" type="password" name="password" required>↵
50.                     ↵
51.                         <button type="submit">↵
52.                             Let's Go!↵
53.                         </button>↵
54.                     </form>↵
55.                     ↵
56.                     <button type="button" onclick="redirectToHome()">↵
57.                         Continue as Guest↵
58.                     </button>↵
59.                     ↵
60.                     ↵
61.                     <script>↵
62.                         function redirectToHome() {↵
63.                             window.location.href = "http://127.0.0.1:8000/home";↵
64.                         }↵
65.                     </script>↵
66.                 </section>↵
67.             </main>↵
68.         </body>↵
69.     ↵
70.     <footer id="sticky-footer" class="flex-shrink-0 py-4 bg-dark text-white-50">↵
71.         <div class="container text-center">↵
72.             <small> <a href="/aboutUs">About Us </a> | <a
href="/contacts">Contacts</a> | <a href="/faq">FAQ</a> | <a
href="/features">Features</a></small>↵
73.         </div>↵
74.     </footer> ↵
75.     ↵
76. </html>

```

Used the HTML parser.

Total execution time 14 milliseconds.

