

Battery monitor



File: kxusbc2_btmon.kicad_sch


J7

1 VDC

J8

1 BAT

USB-C




File: kxusbc2_usbc.kicad_sch

TP4

TP5


TP6

uC



File: kxusbc2_uc.kicad_sch

Charger



File: kxusbc2_chg.kicad_sch

TP7

J4

1 2 3


J3

1 2 3

J1

1 2 3

KX2 interface




© 2025–2026 HB9DQM
Licensed under CERN–OHL–W v2


Sheet: /
File: kxusbc2.kicad_sch


Title: KXUSBC2 - Internal USB-C charger for the Elecraft KX2

Size: A4	Date:	Rev:
KiCad E.D.A. 9.0.6		Id: 1/5



Rev:
Id: 2/5





© 2025–2026 HB9DQM
Licensed under CERN–OHL–W v2


Sheet: /USB–C/
File: kxusbc2_usbc.kicad_sch

Title: USB–C connector

Size: A4
KiCad E.D.A. 9.0.6

Date:

Rev:
Id: 4/5



© 2025–2026 HB9DQM
Licensed under CERN–OHL–W v2

Sheet: /Battery monitor/
File: kxusbc2_btmon.kicad_sch

Title: Battery monitor

Size: A4
KiCad E.D.A. 9.0.6

Date:

Rev:
Id: 5/5