DifferenceSettings

(from org.sidiff.difference.technical.api.settings)



LiftingSettings

```
+ruleBases: IRuleBase[]
+rrSorter: IRecognitionRuleSorter = GenericRecognitionRuleSorter
+useThreadPool: Boolean = true
+number0fThreads: Integer = 32
+rulesPerThread: Integer = 10
+sortRecognitionRuleNodes: Boolean = true
+ruleSetReduction: Boolean = true
+buildGraphPerRule: Boolean = true
+calculateEditRuleMatch: Boolean = false
+serializeEditRuleMatch: Boolean = false
+detectSplitJoins: Boolean = false
+validate: Boolean = false
+LiftingSettings()
+LiftingSettings(in documentType:String)
+LiftingSettings(in scope:Scope,in validate:Boolean,
in matcher: IMatcher, in candidates Service,
in correspondenceService:ICorrespondences,
in techBuilder:ITechnicalDifferenceBuilder,
in symbolicLinkHandler:ISymbolicLinkHandler,
in validate:Boolean,in ruleBases:IRuleBase[],
in rrsorter:IRecognitionRuleSorter)
+LiftingSettings(in scope:Scope,in validate:Boolean,
in matcher:IMatcher,in candidatesService:ICandidates,
in correspondenceService:ICorrespondences,
in techBuilder:ITechnicalDifferenceBuilder,
in validate:Boolean,in symbolicLinkHandler:ISymbolicLinkHandler,
in ruleBases:IRuleBase[],
in rrsorter: IRecognitionRuleSorter,
in calculateEditRuleMatch:Boolean,
in serializeEditRuleMatch:Boolean)
+validateSettings(): Boolean
+toString(): String
```

<<Enumeration>>

RecognitionEngineMode

NO_LIFTING
LIFTING
LIFTING AND POST PROCESSING

<<Enumeration>>

LiftingSettingsItem

RECOGNITION_RULE_SORTER
RULEBASES
SORT_RECOGNITIONRULE_NODES
RULE_SET_REDUCTION
USE_THREAD_POOL
NUMBER_OF_THREADS
RULES_PER_THREAD
BUILD_GRAPH_PER_RULE
CALCULATE_EDIT_RULE_MATCH
SERIALIZE_EDIT_RULE_MATCH
RECOGNITION_ENGINE_MODE