

[← Go to Dashboard](#)

# LangChain & Vector Databases in Production

31% complete

Search by lesson title



✓ Course Introduction 4/4 ▼

✓ From Zero to Hero 2/2 ▼

○ Large Language Models and LangChain 9/10 ▼

○ Learning How to Prompt 7/8 ^

✓ Intro to Prompting module

📄 MULTIMEDIA

✓ Intro to Prompt Engineering: Tips and Tricks

📄 MULTIMEDIA

✓ Using Prompt Templates

📄 MULTIMEDIA

## Learning How to Prompt Module Quiz



You need 100% to pass

RETAKE QUIZ

You answered 5 out of 9 questions correctly

1. What is the main difference between the FewShotPromptTemplate when working with an **example set** versus an **example selector**?



2. What does the correct FewShotPromptTemplate creation code look like?



```
from langchain.prompts.few_shot import FewShotPromptTemplate
from langchain.prompts.prompt import PromptTemplate

# Create a formatter for the few-shot examples
example_prompt = PromptTemplate(input_variables=["question", "answer"])

# Create a FewShotPromptTemplate object
prompt = FewShotPromptTemplate(
    examples=example_prompt,
    prefix="Question: ",
    suffix="Answer: ",
    input_variables=["question"]
)

print(prompt.format(input="What does the correct FewShotPromptTemplate creation code look like?"))
```

