SI.No	Item Name	Rate	Unit	Qty	Total
	Earth work in excavation by mechanical				
1	means (Hydraulic excavator) /manual	302.53	cum	1.00	302.53
	means in foundation trenches or drains				
	(not exceeding 1.5 m in width or 10 sqm on				
	plan), including dressing of sides and				
	ramming of bottoms, lift up to 1.5 m,				
	including getting out the excavated soil and				
	disposal of surplus excavated soil as				
	directed, within a lead of 50 m. All kinds of				. 1
	soil (PRICE Code: 2.8.1)				
2	Providing and laying in position cement				
	concrete of specified grade excluding the				
	cost of centering and shuttering - All work	8141.14	oum	2.00	16282.29
	up to plinth level: 1:2:4 (cement : 2 coarse	0141.14	cum	2.00	10202.29
	sand : 4 graded stone aggregate 20 mm				
	nominal size) (PRICE Code: 4.1.3)				
3	Providing and laying in position specified				
	grade of reinforced cement concrete,				
	excluding the cost of centering, shuttering,				
	finishing and reinforcement - All work up to	8749.99	cum	3.00	26249.98
	plinth level: 1:2:4 (1 cement : 2 coarse				
	sand : 4 graded stone aggregate 20 mm				
	nominal size) (PRICE Code: 5.1.3)				
4	Steel reinforcement for R.C.C work				
	including straightening, cutting, bending,				
	placing in position and binding all complete	98.49	kg	4.00	393.98
	upto plinth level Mild steel and Medium				
	Tensile steel bars (PRICE Code: 5.22.1)				
5	Structural steel work in single section, fixed				
	with or without connecting plate, including	103.19	kilogram	5.00 (Platform)	515.95
	cutting, hoisting, fixing in position and				
	applying a priming coat of approved steel			()	
	primer all complete. (PRICE Code: 10.1)				
6	Providing and fixing bolts including nuts				
	and washers complete. (PRICE Code:	154.03	kg	6.00	924.16
	10.2)				
Subtotal					44668.88
GST (18%)					8040.40
Unforeseen (5%)					2233.44

Grand Total