

```
//UserServiceSimpleApplication.java
```

```
package com.spring_user_service_simple_with_swagger;
```

```
import org.springframework.boot.SpringApplication;
```

```
import org.springframework.boot.autoconfigure.SpringBootApplication;
```

```
@SpringBootApplication
```

```
public class UserServiceSimpleApplication {
```

```
    public static void main(String[] args) {
```

```
        SpringApplication.run(UserServiceSimpleApplication.class, args);
```

```
    }
```

```
}
```

```
//UserController.java
```

```
package com.spring_user_service_simple_with_swagger.controller;
```

```
import java.util.List;
```

```
import org.springframework.beans.factory.annotation.Autowired;
```

```
import org.springframework.web.bind.annotation.GetMapping;
```

```
import org.springframework.web.bind.annotation.PathVariable;
```

```
import org.springframework.web.bind.annotation.PostMapping;
```

```
import org.springframework.web.bind.annotation.RequestBody;
```

```
import org.springframework.web.bind.annotation.RequestMapping;

import org.springframework.web.bind.annotation.RestController;


import com.spring_user_service_simple_with_swagger.model.User;
import com.spring_user_service_simple_with_swagger.service.UserService;


@RestController

@RequestMapping("/users")

public class UserController {


    @Autowired

    private UserService userUserService;


    @GetMapping("/{username}")

    public User getUser(@PathVariable("username") String username) {


        return userUserService.getUser(username);

    }


    @GetMapping("/getall")

    public List<User> getAllUsers() {


        return userUserService.getAllUsers();

    }

}
```

```
@PostMapping("/add")

public User addUser(@RequestBody User user) {

    return userUserService.addUser(user);

}
```

```
@GetMapping("/hello")

public String hello() {

    return "Hello World!";

}
```

```
// Test url: http://localhost:9001/swagger-ui/index.html
```

```
}
```

```
//User.java
```

```
package com.spring_user_service_simple_with_swagger.model;
```

```
public class User {
```

```
    private String username;
```

```
    private String password;
```

```
    private String email;
```

```
public User() {
```

```
    super();
```

```
}
```

```
public User(String username, String password, String email) {
```

```
    super();
```

```
    this.username = username;
```

```
    this.password = password;
```

```
    this.email = email;
```

```
}
```

```
public String getUsername() {
```

```
    return username;
```

```
}
```

```
public void setUsername(String username) {
```

```
    this.username = username;
```

```
}
```

```
public String getPassword() {
```

```
    return password;
```

```
}
```

```
    public void setPassword(String password) {  
        this.password = password;  
    }  
  
    public String getEmail() {  
        return email;  
    }  
  
    public void setEmail(String email) {  
        this.email = email;  
    }  
  
}
```

//UserService.java

```
package com.spring_user_service_simple_with_swagger.service;
```

```
import java.util.List;
```

```
import com.spring_user_service_simple_with_swagger.model.User;
```

```
public interface UserService {
```

```
    public User getUser(String username);
```

```
        public List<User> getAllUsers();

        public User addUser(User user);

    }

//UserServiceImpl.java

package com.spring_user_service_simple_with_swagger.service;

import java.util.ArrayList;
import java.util.List;

import org.springframework.stereotype.Service;

import com.spring_user_service_simple_with_swagger.model.User;

@Service
public class UserServiceImpl implements UserService {

    private List<User> listUser;

    public UserServiceImpl() {

        super();
    }
}
```

```

listUser = new ArrayList<User>();

listUser.add(new User("abc", "abc", "abc@yahoo.com"));

listUser.add(new User("xyz", "xyz", "xyz@yahoo.com"));

}

@Override

public User getUser(String username) {

    return listUser

        .stream()

        .filter(user -> user.getUsername().equals(username))

        .findAny()

        .orElse(null);

}

@Override

public List<User> getAllUsers() {

    return listUser;

}

```

```
@Override
```

```
public User addUser(User user) {
```

```
    listUser.add(user);
```

```
    return user;
```

```
}
```

```
}
```

```
//application.properties
```

```
spring.application.name=user_service_simple_with_swagger
```

```
server.port=9001
```

```
//pom.xml
```

```
<?xml version="1.0" encoding="UTF-8"?>
```

```
<project xmlns="https://maven.apache.org/POM/4.0.0"
```

```
    xmlns:xsi="https://www.w3.org/2001/XMLSchema-instance"
```

```
    xsi:schemaLocation="https://maven.apache.org/POM/4.0.0  
https://maven.apache.org/xsd/maven-4.0.0.xsd">
```

```
    <modelVersion>4.0.0</modelVersion>
```

```
    <parent>
```

```
        <groupId>org.springframework.boot</groupId>
```

```
        <artifactId>spring-boot-starter-parent</artifactId>
```

```
        <version>3.3.4</version>
```

```
        <relativePath /> <!-- lookup parent from repository -->
    </parent>

    <groupId>com.spring_user_service_simple_with_swagger</groupId>
    <artifactId>spring_user_service_simple_with_swagger</artifactId>
    <version>0.0.1-SNAPSHOT</version>
    <name>user_service_simple</name>
    <description>Demo project for Spring Boot</description>
    <url />
    <licenses>
        <license />
    </licenses>
    <developers>
        <developer />
    </developers>
    <scm>
        <connection />
        <developerConnection />
        <tag />
        <url />
    </scm>
    <properties>
        <java.version>17</java.version>
    </properties>
    <dependencies>
        <dependency>
```

```
        <groupId>org.springframework.boot</groupId>
        <artifactId>spring-boot-starter-web</artifactId>
    </dependency>

    <dependency>
        <groupId>org.springframework.boot</groupId>
        <artifactId>spring-boot-starter-test</artifactId>
        <scope>test</scope>
    </dependency>

    <dependency>
        <groupId>org.springdoc</groupId>

        <artifactId>springdoc-openapi-starter-webmvc-ui</artifactId>
        <version>2.5.0</version>
    </dependency>

</dependencies>

<build>
    <plugins>
        <plugin>
            <groupId>org.springframework.boot</groupId>
            <artifactId>spring-boot-maven-plugin</artifactId>
        </plugin>
    </plugins>
</build>
```

```
</plugins>
```

```
</build>
```

```
</project>
```