

# **Express - CRUD** application

- Aditya Kumar Chief Technology Officer, edwisor.com

## We will cover with the following concepts

- 1) Taking input in the APIs
- 2) Read APIs
- 3) Write APIs
- 4) Delete APIs
- 5) Edit APIs



## Three ways of taking input in Express

- → Route parameters : Available as a part of request object. Can be accessed easily using req.params
- → Query parameters : Available as a part of request object. Can be accessed easily using req.query
- → Body parameters: You need to install a body parser middleware.

Let's try out a few examples



### Choice of input is important

- → Route parameters: should be the first choice of input in cases with few inputs.
- → Query parameters: should be used in cases where additional functionalities are involved in api like search, pagination etc.
- → Body parameters : Not available in GET requests. You have various options like form data, url encoded etc.

Lets try out a few examples



#### Let's start creating our APIs

- → Read APIs read all blogs, read a particular blog, read blogs by a particular author, read blogs in a particular category (find function)
- → Create APIs create the blog (save function)
- → Delete APIs delete the blog (remove function)
- → Edit APIs edit the blog. (update function)



## The next steps are ...

- 1) ExpressJS Request and Response
- 2) Concept of Middlewares
- \_, \_\_,
- 3) Three common types of middlewares
- 4) Essential middlewares that come in handy
- 5) Integrating the middlewares at the right time