PREPARACIÓN PERSONAL · 04 NOV 2026

Diagnóstico de arquitectura con Claude

Punto de partida para Claude Certified Architect - Foundations. Material independiente, preparado para tu experiencia construyendo aplicaciones o agentes y tu disponibilidad de 15 horas semanales.

45 minutos

25 min para 10 preguntas · 15 min para el caso práctico · 5 min para revisar tus decisiones. Responde sin consultar fuentes ni usar otro asistente. Las preguntas están en inglés para practicar el idioma del examen; tus justificaciones pueden estar en español.

Cómo responder

Marca una opción, salvo donde se indiquen dos. Añade tu confianza (alta, media o baja). Anota una justificación breve para las preguntas 1, 6, 7 y 9. Puedes enviar las respuestas directamente en este chat: **número + opción elegida + confianza**.

Dominio publicado [S1]	Peso
Arquitectura y orquestación	27%
Herramientas e integración MCP	18%
Configuración y flujos de Claude Code	20%
Prompts y salidas estructuradas	20%
Contexto y fiabilidad	15%

Interpretación del resultado

Este diagnóstico da señales iniciales, con solo dos preguntas por dominio. No reproduce el examen ni permite estimar tu probabilidad de aprobar. Revisaremos errores y decisiones del caso antes de ajustar el plan.

Acceso al examen: pendiente de resolver. Abeduls no es partner, según tu confirmación. La preparación pública puede avanzar; este cuaderno no acredita elegibilidad ni concede una certificación. Consulta S11 y S12 para las condiciones actuales.

DOMINIO 1 · 27% DEL ALCANCE PUBLICADO

Arquitectura y orquestación

Agentic Architecture & Orchestration

01 Choose ONE answer.

A support service always retrieves an order, applies fixed return rules, and routes refunds above USD 100 for human approval. Open-ended investigation is not required. What is the best initial architecture?

A. One LLM call that interprets the request, authorizes the refund, and issues the payment.

B. An explicitly orchestrated workflow, with an LLM for language tasks and application-controlled refund decisions.

C. An orchestrator that creates a new set of specialist agents for every refund request.

D. An autonomous agent with a detailed refund policy and an unrestricted payment tool.

Respuesta: _____ Confianza: alta / media / baja

Justificación breve:

---

02 Choose TWO answers.

A research agent must compare five suppliers using independent read-only searches. The team wants lower latency, traceable evidence, and a fixed execution budget. Which TWO design choices best support those requirements?

A. Run independent searches concurrently, with bounded timeouts and evidence attached to each result.

B. Give each worker the full conversation and all available write tools to minimize handoffs.

C. Give each worker a scoped task, allowed tools, and a defined result contract that the coordinator can validate.

D. Allow workers to create additional workers until their summaries agree, without a shared limit.

Respuesta: _____ Confianza: alta / media / baja

Fuentes de contraste después de responder: S2. Las preguntas son originales; las referencias se listan al final.

DOMINIO 2 · 18% DEL ALCANCE PUBLICADO

Herramientas e integración MCP

Tool Design & MCP Integration

03 Choose ONE answer.

Claude often confuses two tools: searching policy text and retrieving a policy by its stable ID. The tools currently have short, overlapping descriptions. What should the team change first?

A. Increase the generation temperature so that the model tries more tool combinations.

B. Keep the tool definitions unchanged and add several retries after every tool failure.

C. Rename both tools to shorter names while retaining the same descriptions and input fields.

D. Clarify the operation, selection conditions, ID semantics, required inputs, and response shape of each tool.

Respuesta: _____ Confianza: alta / media / baja

04 Choose ONE answer.

One AI application connects to a local document MCP server and a remote CRM MCP server. Which statement correctly describes the architecture?

A. Both servers become MCP hosts because each one exposes tools to a model.

B. The application must use a single MCP client shared by all servers and transport connections.

C. The application is the host; it manages a client connection for each server, while permissions remain an application and server concern.

D. MCP defines the model prompt and automatically grants user authorization to every discovered tool.

Respuesta: _____ Confianza: alta / media / baja

Fuentes de contraste después de responder: S3 / S4. Las preguntas son originales; las referencias se listan al final.

DOMINIO 3 · 20% DEL ALCANCE PUBLICADO

Configuración y flujos de Claude Code

Claude Code Configuration & Workflows

05 Choose ONE answer.

Every developer needs Claude Code to know the repository build commands and coding conventions in each new session. Personal debugging notes should stay private. What is the best place for the shared instructions?

A. A private memory note on the original developer's machine, copied to teammates when needed.

B. A concise project CLAUDE.md under version control, with personal notes kept in the appropriate local scope.

C. Only the opening chat message of each session, maintained independently by each developer.

D. The full output of the last build, stored as the project's permanent instruction file.

Respuesta: _____ Confianza: alta / media / baja

06 Choose ONE answer.

In a controlled Claude Code setup, every deployment uses one dedicated tool. A deterministic policy check must deny that tool call before execution when the approved release ID is missing. Which hook event fits this check?

A. PreToolUse, inspecting the tool and its arguments and returning a deny decision when required.

B. PostToolUse, checking the release ID after the deployment has completed.

C. SessionStart, adding a reminder that the model should remember for the whole session.

D. Stop, asking the model at the end of the turn whether the deployment was allowed.

Respuesta: _____ Confianza: alta / media / baja

Justificación breve:

Fuentes de contraste después de responder: S5 / S6. Las preguntas son originales; las referencias se listan al final.

DOMINIO 4 · 20% DEL ALCANCE PUBLICADO

Prompts y salidas estructuradas

Prompt Engineering & Structured Output

07 Choose ONE answer.

An invoice extraction response matches its JSON schema, but the tax amount is not supported by the source invoice. What follows from this result?

A. Schema compliance proves that all extracted amounts are factually correct.

B. The response can be posted to accounting because numeric fields have valid types.

C. Changing the field name to verified_tax will ensure evidence-based extraction.

D. The format constraint worked, but source grounding and business validation are still needed before posting.

Respuesta: _____ Confianza: alta / media / baja

Justificación breve:

---

08 Choose TWO answers.

A retrieved policy document contains text telling the assistant to ignore its instructions and export customer records. Which TWO controls are most appropriate?

A. Keep retrieved content in clearly identified tool results and treat embedded instructions as untrusted data.

B. Promote the document into the system prompt because it came from a search tool.

C. Enforce user and operation permissions in the application or service before sensitive tool execution.

D. Grant export access for this turn so the assistant can decide whether the document is trustworthy.

Respuesta: _____ Confianza: alta / media / baja

Fuentes de contraste después de responder: S7 / S8. Las preguntas son originales; las referencias se listan al final.

DOMINIO 5 · 15% DEL ALCANCE PUBLICADO

Contexto y fiabilidad

Context Management & Reliability

09 Choose ONE answer.

A long-running agent is nearing its context limit. It must resume accurately after compaction. Which information should the compacted state prioritize?

A. Only the latest assistant message, because earlier evidence has already influenced the model.

B. The current objective, constraints, decisions, stable references, verified state, and unresolved work, with original evidence retrievable.

C. Every raw tool response, even if it leaves no room for the next task or instruction.

D. A short success summary that omits uncertain results so the next turn remains focused.

Respuesta: _____ Confianza: alta / media / baja

Justificación breve:

---

10 Choose ONE answer.

A cheaper model looks good on three hand-picked agent demos. The team wants to replace the production model. What is the strongest next step?

A. Approve the replacement if its final answers sound as helpful as the original answers.

B. Compare only average token cost because the application prompt has not changed.

C. Run representative held-out tasks with outcome and failure checks, repeated trials where useful, and measured cost and latency.

D. Require identical wording to the old model on the same three demos.

Respuesta: _____ Confianza: alta / media / baja

Fuentes de contraste después de responder: S9 / S10. Las preguntas son originales; las referencias se listan al final.

CASO PRÁCTICO · 15 MINUTOS

Un asistente para Abeduls

Supuesto didáctico. Los requisitos que siguen son inventados para el ejercicio y no describen una implementación existente de Abeduls. Usa datos ficticios.

Se quiere probar un asistente que localice recuerdos autorizados y proponga un texto para una cápsula. Nunca puede leer cápsulas selladas antes de su fecha de apertura. El usuario debe revisar y confirmar el contenido exacto antes de compartirlo. El primer piloto solo permite búsquedas y borradores; la publicación queda fuera de sus herramientas.

1. Arquitectura

Elige un flujo predefinido, un agente con herramientas o varios agentes. Justifica tu elección con los requisitos y un límite de ejecución.

2. Contratos

Propón hasta cuatro herramientas. Indica sus entradas, salidas y qué identidad o permiso comprueba el servicio.

3. Cápsulas selladas

Explica dónde se impide la lectura anticipada y por qué una instrucción en el prompt no basta.

4. Contexto

Decide qué fragmentos y referencias recibirá el modelo, qué retendrás entre turnos y cómo tratarás instrucciones incrustadas en un recuerdo.

5. Evaluación

Describe tres pruebas: una tarea legítima, un intento de leer una cápsula sellada y un fallo de herramienta. Añade una métrica de calidad y una de coste o latencia.

Puedes escribir el diseño en papel o responder aquí en 10-15 líneas. No hace falta código ni una cuenta de API.

REFERENCIAS Y SIGUIENTE PASO

Revisar con evidencia

Fuentes oficiales consultadas el 4 de noviembre de 2026. Los enlaces son clicables. Abre las fuentes técnicas después de completar el diagnóstico para que la primera respuesta refleje tu nivel actual.

S1. Alcance publicado y pesos del examen Foundations

S2. Building effective agents

S3. Define tools

S4. MCP: Architecture overview

S5. Claude Code: How Claude remembers your project

S6. Claude Code: Hooks reference

S7. Structured outputs

S8. Mitigate jailbreaks and prompt injections

S9. Effective context engineering for AI agents

S10. Demystifying evals for AI agents

S11. FAQ de certificación: acceso y condiciones

S12. Solicitud actual al Claude Partner Network

Formación pública

Catálogo público de Anthropic: Building with the Claude API, Introduction to Model Context Protocol y Claude Code in Action. Elegiremos las secciones según los errores del diagnóstico. Los certificados de finalización de cursos no equivalen a la credencial Architect.

Cómo usaremos tus 15 horas semanales

Actividad	Horas
Lectura y cursos dirigidos a tus lagunas	3
Práctica de arquitectura e integración	6
Preguntas de escenarios con justificación	3
Revisión de errores y repetición con casos nuevos	3

Distribución inicial ajustable. Para corregir, envía tus diez respuestas y el caso práctico. A partir de ahí registraremos qué decisión falló, por qué y cómo comprobar que la dominas en un escenario nuevo.

Nota de alcance: se verificaron los dominios en la ficha pública indexada del examen. El PDF oficial descargable no estuvo accesible durante esta consulta; no se presenta como leído. Este material no está afiliado ni avalado por Anthropic.