Assignment: 7 Manual calculations

Batch Gradeest Descont

STEP-1: Read Dobaset [X.Y], epochs = 2; etass), x + m=1, c=-1, n=0.1, ns = 2.

step-a: thex=1

STEP-3: E = 1 2 (40 - mag-c)2

15 = - 1 [ = ( ye-mxe-c)(xe)]

 $= -\frac{1}{2} \left[ (3.4 - (1)(0.2) + 1)(0.2) + (3.8 - (1)(0.4) + 1)(0.4) \right]$ 

= -1 [(3.4-0.2+1)(0.2)+(3.8-0.4+1)(0.4)]

== [ (4.2)(0.2) + (4.4)(0.4)] = -1 [0.84 +1.76]

=- 1.3

 $\frac{\delta E}{3c} = -\frac{1}{n_{2}} \left[ \frac{2^{n_{2}}}{2^{n_{1}}} (y_{1} - m_{1} + y_{1} - y_{1}) \right] = -\frac{1}{2} \left[ (4.2 + 4.4) \right] = -\frac{1}{2} \left[ (8.6) \right]$ 

= - 4.3

STEP-4: Dm = - 1/2E = - (0.1) x (-1.3) = 0.13

DC = - 18 = - (0.1) x (-4.3) = 0.43

f drough all these trains

STEP-5: 
$$m = 1 + 0.13 = 1.13$$
  
 $C = -1 + 0.93 = -0.57$   
STEP-6: Plense = Plen+1 = 1+1 = 2  
STEP-7: Pf 2>2 > false.  
Goto step 3.

$$= \frac{1}{2} \left[ \left[ \left( 3.4 - \left( 1.13 \times 0.2 \right) + 0.57 \right) \times 0.2 \right] + \left[ \left( 3.8 - \left( 1.13 \times 0.4 \right) + 0.57 \right) \times 0.4 \right] \right]$$

$$\times 0.4 + 0.57 \times 0.4$$

$$= -\frac{1}{2} \left[ (3.744) \times (0.2) + (3.918) \times 0.47 \right]$$

$$= -\frac{1}{2} \left[ 3.2994 + 1.5672 \right] = -2.4333$$

$$\frac{\delta E}{\delta C} = -\frac{1}{2} \left[ 3.744 + 3.918 \right] = -3.831$$

STEP-9: 
$$\Delta m = -\eta \frac{\Delta E}{\Delta m} = -(0.1) \times (-2.4333) = 0.24333$$

$$\Delta C = -\eta \frac{\Delta E}{8C} = -(0.1) \times (-3.831) = 0.3831$$

$$STEP-10$$
:  $m = m + Dm = 1.18 + 0.24833 = 1.37333$   
 $C = C + \Delta C = -0.57 + 0.3831 = -0.1869$ 

```
STEP-13: Point (m.c)
= (1.37333, -0.1869)
```

step-14: mse of data.

 $mse = [3.2 - (1.37333 \times 0.2) + 0.1869]^{2} + [3.8 - (1.37333) \times 0.4) + 0.1869]^{2}$ 

2

= [10.97089]+[11.81687]

2

= 11.39388