

```
lesha@alesha MINGW64 /c/games/ia (master)
$ gitignore text3.txt
bash: gitignore: command not found

lesha@alesha MINGW64 /c/games/ia (master)
$ git status
On branch master

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
    new file:   text1.txt
    new file:   text2.txt

Untracked files:
  (use "git add <file>..." to include in what will be committed)
    .gitignore

lesha@alesha MINGW64 /c/games/ia (master)
$ git status
On branch master

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
    new file:   text1.txt
    new file:   text2.txt

Untracked files:
  (use "git add <file>..." to include in what will be committed)
    .gitignore
    hohohoh.txt

lesha@alesha MINGW64 /c/games/ia (master)
$ git status
On branch master

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
    new file:   text1.txt
    new file:   text2.txt

Untracked files:
  (use "git add <file>..." to include in what will be committed)
    .gitignore
```

```
lesha@alesha MINGW64 /c/games/ia (master)
$ git status
On branch master
Untracked files:
  (use "git add <file>..." to include in what will be committed)
    .gitignore

nothing added to commit but untracked files present (use "git add" to track)
```

```
lesha@alesha MINGW64 /c/games/ia (master)
$ git commit -m
error: switch `m` requires a value
```

```
lesha@alesha MINGW64 /c/games/ia (master)
$
```

```
lesha@alesha MINGW64 /c/games/ia (master)
$ git commit -m "text1.txt"
On branch master
Untracked files:
  (use "git add <file>..." to include in what will be committed)
    .gitignore

nothing added to commit but untracked files present (use "git add" to track)
```

```
lesha@alesha MINGW64 /c/games/ia (master)
$ git log
commit 7174363b3946a464a5704275dc2f2934c1986463 (HEAD -> master)
Author: aleksei <mican99900@gmail.com>
Date:   Sun Sep 7 14:55:40 2025 +0300
```

```
    text1.txt
```

```
lesha@alesha MINGW64 /c/games/ia (master)
$ git add .
```

```
lesha@alesha MINGW64 /c/games/ia (master)
$ git status
On branch master
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
    new file:   .gitignore
```

```
lesha@alesha MINGW64 /c/games/ia (master)
$ git status
On branch master
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
    new file:   .gitignore
```

```
lesha@alesha MINGW64 /c/games/ia (master)
$ git log
commit 7174363b3946a464a5704275dc2f2934c1986463 (HEAD -> master)
Author: aleksei <mican99900@gmail.com>
```

# ОЗНАКОМТЕСЬ

```
lesha@alesha MINGW64 /c/games/ia (master)
$ git log
commit 1f42dcc6c3ae6b086d057ce614e27dc4b332ff80 (HEAD -> master)
Author: aleksei <mican99900@gmail.com>
Date:   Sun Sep 7 15:01:25 2025 +0300

    text2.txt

commit 7174363b3946a464a5704275dc2f2934c1986463
Author: aleksei <mican99900@gmail.com>
Date:   Sun Sep 7 14:55:40 2025 +0300

    text1.txt

lesha@alesha MINGW64 /c/games/ia (master)
$ git commit -m "error.log"
On branch master
Untracked files:
  (use "git add <file>..." to include in what will be committed)
        error.log
        oda.log

nothing added to commit but untracked files present (use "git add" to track)

lesha@alesha MINGW64 /c/games/ia (master)
$ git add.
git: 'add.' is not a git command. See 'git --help'.

The most similar command is
    add

lesha@alesha MINGW64 /c/games/ia (master)
$ git status
On branch master
Untracked files:
  (use "git add <file>..." to include in what will be committed)
        error.log
        oda.log

nothing added to commit but untracked files present (use "git add" to track)

lesha@alesha MINGW64 /c/games/ia (master)
$ git status
On branch master
Changes not staged for commit:
```

```
lesha@alesha MINGW64 /c/games/ia (master)
$ git status
On branch master
Untracked files:
  (use "git add <file>..." to include in what will be committed)
        error.log
        oda.log

nothing added to commit but untracked files present (use "git add" to track)
```

```
lesha@alesha MINGW64 /c/games/ia (master)
$ git status
On branch master
Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   .gitignore

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        error.log
        hohohoh.txt
        oda.log

no changes added to commit (use "git add" and/or "git commit -a")
```

```
lesha@alesha MINGW64 /c/games/ia (master)
$ git status
On branch master
Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   .gitignore

no changes added to commit (use "git add" and/or "git commit -a")
```

```
lesha@alesha MINGW64 /c/games/ia (master)
$ git log
commit 1f42dcc6c3ae6b086d057ce614e27dc4b332ff80 (HEAD -> master)
Author: aleksei <mican99900@gmail.com>
Date:   Sun Sep 7 15:01:25 2025 +0300
```

text2.txt

```
commit 7174363b3946a464a5704275dc2f2934c1986463
Author: aleksei <mican99900@gmail.com>
Date:   Sun Sep 7 14:55:40 2025 +0300
```

text1.txt

```
commit 1f42dcc6c3ae6b086d057ce614e27dc4b332ff80
Author: aleksei <mican99900@gmail.com>
Date: Sun Sep 7 15:01:25 2025 +0300
```

text2.txt

```
commit 7174363b3946a464a5704275dc2f2934c1986463
Author: aleksei <mican99900@gmail.com>
Date: Sun Sep 7 14:55:40 2025 +0300
```

text1.txt

```
lesha@alesha MINGW64 /c/games/ia (master)
$ git status
On branch master
Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   .gitignore
```

no changes added to commit (use "git add" and/or "git commit -a")

```
lesha@alesha MINGW64 /c/games/ia (master)
$ git add .
```


```
lesha@alesha MINGW64 /c/games/ia (master)
$ git status
On branch master
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        modified:   .gitignore
```

```
lesha@alesha MINGW64 /c/games/ia (master)
$ git log
commit 0b8b85b53dd65497ef83287ad2232a127c5ee94a (HEAD -> master)
Author: aleksei <mican99900@gmail.com>
Date: Sun Sep 7 15:11:17 2025 +0300
```

first commit

```
commit 1f42dcc6c3ae6b086d057ce614e27dc4b332ff80
Author: aleksei <mican99900@gmail.com>
Date: Sun Sep 7 15:01:25 2025 +0300
```

text2.txt



```
lesha@alesha MINGW64 /c/games/ia (master)
$ git checkout -b "main"
Switched to a new branch 'main'
```

```
lesha@alesha MINGW64 /c/games/ia (main)
$ git checkout -b "second"
Switched to a new branch 'second'
```

```
lesha@alesha MINGW64 /c/games/ia (second)
$ git coomit
git: 'coomit' is not a git command. See 'git --help'.
```

The most similar command is  
commit

```
lesha@alesha MINGW64 /c/games/ia (second)
$ git commit -m "3 commit"
[second ffb69e5] 3 commit
1 file changed, 1 insertion(+), 3 deletions(-)
```

```
lesha@alesha MINGW64 /c/games/ia (second)
$ git checkout "main"
Switched to branch 'main'
```

```
lesha@alesha MINGW64 /c/games/ia (main)
$ git sattus
git: 'sattus' is not a git command. See 'git --help'.

The most similar command is
  status

lesha@alesha MINGW64 /c/games/ia (main)
$ git sattus
git: 'sattus' is not a git command. See 'git --help'.

The most similar command is
  status

lesha@alesha MINGW64 /c/games/ia (main)
$ git status
On branch main
Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   text1.txt
        modified:   text2.txt

no changes added to commit (use "git add" and/or "git commit -a")

lesha@alesha MINGW64 /c/games/ia (main)
$ git add .

lesha@alesha MINGW64 /c/games/ia (main)
$ git status
On branch main
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        modified:   text1.txt
        modified:   text2.txt

lesha@alesha MINGW64 /c/games/ia (main)
$ git commit -m "4 commit"
[main 2f7a35d] 4 commit
2 files changed, 4 insertions(+)

lesha@alesha MINGW64 /c/games/ia (main)
$ gti log
bash: gti: command not found

lesha@alesha MINGW64 /c/games/ia (main)
$ git log
commit 2f7a35d13b03927d314d11f5ed155f96cf1d460b (HEAD -> main)
Author: aleksei <mican99900@gmail.com>
```

```
lesha@alesha MINGW64 /c/games/ia (second)
$ git checkout "main"
Switched to branch 'main'

lesha@alesha MINGW64 /c/games/ia (main)
$ git log
commit 2f7a35d13b03927d314d11f5ed155f96cf1d460b (HEAD -> main)
Author: aleksei <mican99900@gmail.com>
Date:   Sun Sep 7 15:26:16 2025 +0300

    4 commit

commit ffb69e5059e5ab13372d6dbf99ddc070839607e3
Author: aleksei <mican99900@gmail.com>
Date:   Sun Sep 7 15:18:31 2025 +0300

    3 commit

commit 0b8b85b53dd65497ef83287ad2232a127c5ee94a (master)
Author: aleksei <mican99900@gmail.com>
Date:   Sun Sep 7 15:11:17 2025 +0300

    first commit

commit 1f42dcc6c3ae6b086d057ce614e27dc4b332ff80
Author: aleksei <mican99900@gmail.com>
Date:   Sun Sep 7 15:01:25 2025 +0300

    text2.txt
```

```
lesha@alesha MINGW64 /c/games/ia (main)
$ git log
commit 2f7a35d13b03927d314d11f5ed155f96cf1d460b (HEAD -> main)
Author: aleksei <mican99900@gmail.com>
Date:   Sun Sep 7 15:26:16 2025 +0300
```

4 commit

```
commit ffb69e5059e5ab13372d6dbf99ddc070839607e3 (second)
Author: aleksei <mican99900@gmail.com>
Date:   Sun Sep 7 15:18:31 2025 +0300
```

3 commit

```
commit 0b8b85b53dd65497ef83287ad2232a127c5ee94a (master)
Author: aleksei <mican99900@gmail.com>
Date:   Sun Sep 7 15:11:17 2025 +0300
```

first commit

```
commit 1f42dcc6c3ae6b086d057ce614e27dc4b332ff80
Author: aleksei <mican99900@gmail.com>
Date:   Sun Sep 7 15:01:25 2025 +0300
```

text2.txt

```
commit 7174363b3946a464a5704275dc2f2934c1986463
Author: aleksei <mican99900@gmail.com>
Date:   Sun Sep 7 14:55:40 2025 +0300
```

text1.txt

```
lesha@alesha MINGW64 /c/games/ia (main)
$ git checkout "second"
Switched to branch 'second'
```

```
lesha@alesha MINGW64 /c/games/ia (second)
$ git checkout
```

```
lesha@alesha MINGW64 /c/games/ia (second)
$ git checkout
```

```
lesha@alesha MINGW64 /c/games/ia (second)
$ git checkout "main"
Switched to branch 'main'
```

```
lesha@alesha MINGW64 /c/games/ia (main)
$ git checkout "second"
Switched to branch 'second'
```

```
lesha@alesha MINGW64 /c/games/ia (second)
$ git commit "5 commit"
error: pathspec '5 commit' did not match any file(s) known to git
```

```

lesha@alesha MINGW64 /c/games/ia (second)
$ git log --oneline --graph --all
* 2e0fcab (main) 6 commit
| \
| * f7ae221 (HEAD -> second) 5 commit
* | 2f7a35d 4 commit
| /
* ffb69e5 3 commit
* 0b8b85b (master) first commit
* 1f42dcc text2.txt
* 7174363 text1.txt

lesha@alesha MINGW64 /c/games/ia (second)
$ git merge "main"
Updating f7ae221..2e0fcab
Fast-forward
 text1.txt | 8 ++++++-
 text2.txt | 6 +++++-
 2 files changed, 12 insertions(+), 2 deletions(-)

lesha@alesha MINGW64 /c/games/ia (second)
$ git log --oneline --graph --all
* 2e0fcab (HEAD -> second, main) 6 commit
| \
| * f7ae221 5 commit
* | 2f7a35d 4 commit
| /
* ffb69e5 3 commit
* 0b8b85b (master) first commit
* 1f42dcc text2.txt
* 7174363 text1.txt

lesha@alesha MINGW64 /c/games/ia (second)
$

```

```

lesha@alesha MINGW64 /c/games/ia (main)
$ git log --oneline --graph --all
* 90ba942 (HEAD -> main) 7commit
* 2e0fcab (second) 6 commit
| \
| * f7ae221 5 commit
* | 2f7a35d 4 commit
| /
* ffb69e5 3 commit
* 0b8b85b (master) first commit
* 1f42dcc text2.txt
* 7174363 text1.txt

lesha@alesha MINGW64 /c/games/ia (main)
$ |

```

```

lesha@alesha MINGW64 /c/games/ia (main)
$ git remote add origin https://github.com/many-wile/-11

lesha@alesha MINGW64 /c/games/ia (main)
$ git remote -v
origin https://github.com/many-wile/-11 (fetch)
origin https://github.com/many-wile/-11 (push)

lesha@alesha MINGW64 /c/games/ia (main)
$

```