

SQL OPERATORS:

Arithmetic Operators:

Addition:

```
4 • CREATE TABLE STUDENT
5 • (
6 •     ID INT,
7 •     NAME VARCHAR(30),
8 •     MARKS INT,
9 •     AGE INT
10 • );
11 • INSERT INTO STUDENT VALUES
12 • (1, 'Manyu', 90, 19),
13 • (2, 'Navya', 85, 19),
14 • (3, 'Neha', 70, 20),
15 • (4, 'Spoorthi', 65, 21),
16 • (5, 'Varshitha', 95, 20),
17 • (6, 'Tanisha', 85, 20);
18 • SELECT * FROM STUDENT;
19 • SELECT NAME, MARKS, MARKS + 5 AS ADDITION
20 • FROM STUDENT;
```

OUTPUT:

	NAME	MARKS	ADDITION
▶	Manyu	90	95
	Navya	85	90
	Neha	70	75
	Spoorthi	65	70
	Varshitha	95	100

Subtraction:

```
1 • CREATE DATABASE IF NOT EXISTS LAB5;
2 • USE LAB5;
3 • DROP TABLE IF EXISTS STUDENT;
4 • CREATE TABLE STUDENT
5 • (
6 •     ID INT,
7 •     NAME VARCHAR(30),
8 •     MARKS INT,
9 •     AGE INT
10 • );
```

```

11 • INSERT INTO STUDENT VALUES
12     (1, 'Manyu', 90, 19),
13     (2, 'Navya', 85, 19),
14     (3, 'Neha', 70, 20),
15     (4, 'Spoorthi', 65, 21),
16     (5, 'Varshitha', 95, 20),
17     (6, 'Tanisha', 85, 20);
18 • SELECT NAME, MARKS, MARKS - 5 AS SUBTRACTION
19     FROM STUDENT;

```

OUTPUT:

Result Grid			
		Filter Rows:	
		Export:	Wrap Cell Content:
	NAME	MARKS	SUBTRACTION
▶	Manyu	90	85
	Navya	85	80
	Neha	70	65
	Spoorthi	65	60
	Varshitha	95	90
	Tanisha	85	80

Multiplication:

```

1 • CREATE DATABASE IF NOT EXISTS LAB5;
2 • USE LAB5;
3 • DROP TABLE IF EXISTS STUDENT;
4 • CREATE TABLE STUDENT
5     (
6         ID INT,
7         NAME VARCHAR(30),
8         MARKS INT,
9         AGE INT
10    );

11 • INSERT INTO STUDENT VALUES
12     (1, 'Manyu', 90, 19),
13     (2, 'Navya', 85, 19),
14     (3, 'Neha', 70, 20),
15     (4, 'Spoorthi', 65, 21),
16     (5, 'Varshitha', 95, 20),
17     (6, 'Tanisha', 85, 20);
18 • SELECT NAME, MARKS, MARKS * 2 AS MULTIPLICATION
19     FROM STUDENT;

```

OUTPUT:

Result Grid	Filter Rows:	Export:	Wrap Cell Content:
	NAME	MARKS	MULTIPLICATION
▶	Manya	90	180
	Navya	85	170
	Neha	70	140
	Spoorthi	65	130
	Varshitha	95	190
	Tanisha	85	170

Division:

```
1 • CREATE DATABASE IF NOT EXISTS LAB5;
2 • USE LAB5;
3 • DROP TABLE IF EXISTS STUDENT;
4 • CREATE TABLE STUDENT
5   (
6     ID INT,
7     NAME VARCHAR(30),
8     MARKS INT,
9     AGE INT
10  );

11 • INSERT INTO STUDENT VALUES
12   (1, 'Manya', 90, 19),
13   (2, 'Navya', 85, 19),
14   (3, 'Neha', 70, 20),
15   (4, 'Spoorthi', 65, 21),
16   (5, 'Varshitha', 95, 20),
17   (6, 'Tanisha', 85, 20);
18 • SELECT NAME, MARKS, MARKS / 2 AS DIVISION
19 FROM STUDENT;
```

OUTPUT:

Result Grid	Filter Rows:	Export:	Wrap Cell Content:
	NAME	MARKS	DIVISION
▶	Manya	90	45.0000
	Navya	85	42.5000
	Neha	70	35.0000
	Spoorthi	65	32.5000
	Varshitha	95	47.5000
	Tanisha	85	42.5000

Reminder:


```
1 • CREATE DATABASE IF NOT EXISTS LAB5;
2 • USE LAB5;
3 • DROP TABLE IF EXISTS STUDENT;
4 • CREATE TABLE STUDENT
5   (
6     ID INT,
7     NAME VARCHAR(30),
8     MARKS INT,
9     AGE INT
10  );

11 • INSERT INTO STUDENT VALUES
12   (1, 'Manya', 90, 19),
13   (2, 'Navya', 85, 19),
14   (3, 'Neha', 70, 20),
15   (4, 'Spoorthi', 65, 21),
16   (5, 'Varshitha', 95, 20),
17   (6, 'Tanisha', 85, 20);
18 • SELECT NAME, MARKS, MARKS % 10 AS REMAINDER
19 FROM STUDENT;
```

OUTPUT:

Result Grid			
Filter Rows:		Export:	Wrap Cell Content:
	NAME	MARKS	REMAINDER
▶	Manya	90	0
	Navya	85	5
	Neha	70	0
	Spoorthi	65	5
	Varshitha	95	5
	Tanisha	85	5

COMPARISON OPERATORS:




```
1 • CREATE DATABASE IF NOT EXISTS Comparison;
2 • USE Comparison;
3 • DROP TABLE IF EXISTS STUDENT;
4 • CREATE TABLE STUDENT
5 • (
6 •     ID INT,
7 •     NAME VARCHAR(30),
8 •     MARKS INT,
9 •     AGE INT
10 • );
11 • INSERT INTO STUDENT VALUES
12 • (1, 'Manya', 90, 19),
13 • (2, 'Navya', 85, 19),
14 • (3, 'Neha', 70, 20),
15 • (4, 'Spoorthi', 65, 21),
16 • (5, 'Varshitha', 95, 20),
17 • (6, 'Tanisha', 85, 20);

18 • SELECT * FROM STUDENT;
19 • SELECT * FROM STUDENT
20 • WHERE MARKS = 90;
21
22
```

Result Grid

	ID	NAME	MARKS	AGE
▶	1	Manya	90	19



```
1 • CREATE DATABASE IF NOT EXISTS Comparison;
2 • USE Comparison;
3 • DROP TABLE IF EXISTS STUDENT;
4 • CREATE TABLE STUDENT
5 • (
6 •     ID INT,
7 •     NAME VARCHAR(30),
8 •     MARKS INT,
9 •     AGE INT
10 • );
11 • INSERT INTO STUDENT VALUES
12 • (1, 'Manya', 90, 19),
13 • (2, 'Navya', 85, 19),
14 • (3, 'Neha', 70, 20),
15 • (4, 'Spoorthi', 65, 21),
16 • (5, 'Varshitha', 95, 20),
17 • (6, 'Tanisha', 85, 20);
```

```

18 • SELECT * FROM STUDENT
19 WHERE MARKS <> 90;
20

```

Result Grid   Filter Rows: Export:  Wrap Cell Content: 

	ID	NAME	MARKS	AGE
▶	2	Navya	85	19
	3	Neha	70	20
	4	Spoorthi	65	21
	5	Varshitha	95	20
	6	Tanisha	85	20

```

1 • CREATE DATABASE IF NOT EXISTS Comparison;
2 • USE Comparison;
3 • DROP TABLE IF EXISTS STUDENT;
4 • CREATE TABLE STUDENT
5   (
6     ID INT,
7     NAME VARCHAR(30),
8     MARKS INT,
9     AGE INT
10  );
11 • INSERT INTO STUDENT VALUES
12   (1, 'Manyu', 90, 19),
13   (2, 'Navya', 85, 19),
14   (3, 'Neha', 70, 20),
15   (4, 'Spoorthi', 65, 21),
16   (5, 'Varshitha', 95, 20),
17   (6, 'Tanisha', 85, 20);

```

```

18 • SELECT * FROM STUDENT
19 WHERE MARKS > 80;

```

Result Grid   Filter Rows: Export:  Wrap Cell Content: 

	ID	NAME	MARKS	AGE
▶	1	Manyu	90	19
	2	Navya	85	19
	5	Varshitha	95	20
	6	Tanisha	85	20

Limit to 1000 rows

```
1 • USE Comparison;
2 • DROP TABLE IF EXISTS STUDENT;
3 • CREATE TABLE STUDENT
4 • (
5     ID INT,
6     NAME VARCHAR(30),
7     MARKS INT,
8     AGE INT
9 );
10 • INSERT INTO STUDENT VALUES
11     (1, 'Manya', 90, 19),
12     (2, 'Navya', 85, 19),
13     (3, 'Neha', 70, 20),
14     (4, 'Spoorthi', 65, 21),
15     (5, 'Varshitha', 95, 20),
16     (6, 'Tanisha', 85, 20);
17 • SELECT * FROM STUDENT
18 WHERE MARKS < 80;
19
```

Result Grid

	ID	NAME	MARKS	AGE
▶	3	Neha	70	20
	4	Spoorthi	65	21

Limit to 1000 rows

```
1 • USE Comparison;
2 • DROP TABLE IF EXISTS STUDENT;
3 • CREATE TABLE STUDENT
4 • (
5     ID INT,
6     NAME VARCHAR(30),
7     MARKS INT,
8     AGE INT
9 );
10 • INSERT INTO STUDENT VALUES
11     (1, 'Manya', 90, 19),
12     (2, 'Navya', 85, 19),
13     (3, 'Neha', 70, 20),
14     (4, 'Spoorthi', 65, 21),
15     (5, 'Varshitha', 95, 20),
16     (6, 'Tanisha', 85, 20);
17 • SELECT * FROM STUDENT
18 WHERE MARKS >= 85;
19
```

Result Grid

Filter Rows:

Export:

Wrap Cell Content:

	ID	NAME	MARKS	AGE
▶	1	Manya	90	19
	2	Navya	85	19
	5	Varshitha	95	20
	6	Tanisha	85	20

```

1 • USE Comparison;
2 • DROP TABLE IF EXISTS STUDENT;
3 • CREATE TABLE STUDENT
4   (
5       ID INT,
6       NAME VARCHAR(30),
7       MARKS INT,
8       AGE INT
9   );
10 • INSERT INTO STUDENT VALUES
11   (1, 'Manya', 90, 19),
12   (2, 'Navya', 85, 19),
13   (3, 'Neha', 70, 20),
14   (4, 'Spoorthi', 65, 21),
15   (5, 'Varshitha', 95, 20),
16   (6, 'Tanisha', 85, 20);
17 • SELECT * FROM STUDENT
18   WHERE MARKS <= 70;

```

Result Grid					Filter Rows:	Export:	Wrap Cell Content:
	ID	NAME	MARKS	AGE			
▶	3	Neha	70	20			
	4	Spoorthi	65	21			

Logic Operators:

The screenshot shows a SQL IDE with a query editor and a result grid. The query uses the AND logic operator to filter students based on marks and age.

```
1 • USE Comparison;
2 • DROP TABLE IF EXISTS STUDENT;
3 • CREATE TABLE STUDENT
4 • (
5 •     ID INT,
6 •     NAME VARCHAR(30),
7 •     MARKS INT,
8 •     AGE INT
9 • );
10 • INSERT INTO STUDENT VALUES
11 • (1, 'Many', 90, 19),
12 • (2, 'Navya', 85, 19),
13 • (3, 'Neha', 70, 20),
14 • (4, 'Spoorthi', 65, 21),
15 • (5, 'Varshitha', 95, 20),
16 • (6, 'Tanisha', 85, 20);
17 • SELECT * FROM STUDENT
18 • WHERE MARKS > 80 AND AGE = 19;
```

The result grid shows the following data:

ID	NAME	MARKS	AGE
1	Many	90	19
2	Navya	85	19

The screenshot shows a SQL IDE with a query editor. The query uses the OR logic operator to filter students based on marks or age.

```
1 • USE Comparison;
2 • DROP TABLE IF EXISTS STUDENT;
3 • CREATE TABLE STUDENT
4 • (
5 •     ID INT,
6 •     NAME VARCHAR(30),
7 •     MARKS INT,
8 •     AGE INT
9 • );
10 • INSERT INTO STUDENT VALUES
11 • (1, 'Many', 90, 19),
12 • (2, 'Navya', 85, 19),
13 • (3, 'Neha', 70, 20),
14 • (4, 'Spoorthi', 65, 21),
15 • (5, 'Varshitha', 95, 20),
16 • (6, 'Tanisha', 85, 20);
17 • SELECT * FROM STUDENT
18 • WHERE MARKS > 90 OR AGE = 19;
```

Result Grid				
		Filter Rows:		
		Export:		
		Wrap Cell Content:		
	ID	NAME	MARKS	AGE
▶	1	Manya	90	19
	2	Navya	85	19
	5	Varshitha	95	20

```

1 • USE Comparison;
2 • DROP TABLE IF EXISTS STUDENT;
3 • CREATE TABLE STUDENT
4   (
5     ID INT,
6     NAME VARCHAR(30),
7     MARKS INT,
8     AGE INT
9   );
10 • INSERT INTO STUDENT VALUES
11   (1, 'Manya', 90, 19),
12   (2, 'Navya', 85, 19),
13   (3, 'Neha', 70, 20),
14   (4, 'Spoorthi', 65, 21),
15   (5, 'Varshitha', 95, 20),
16   (6, 'Tanisha', 85, 20);
17 • SELECT * FROM STUDENT
18   WHERE NOT MARKS = 90;

```

Result Grid				
		Filter Rows:		
		Export:		
		Wrap Cell Content:		
	ID	NAME	MARKS	AGE
▶	2	Navya	85	19
	3	Neha	70	20
	4	Spoorthi	65	21
	5	Varshitha	95	20
	6	Tanisha	85	20

