

AGGREGATE FUNCTIONS:

- GROUP BY()

queries.sql × +

```
1 CREATE TABLE STUDENTS (  
2     student_usn VARCHAR(20) PRIMARY KEY,  
3     student_name VARCHAR(60),  
4     student_age INT,  
5     student_email VARCHAR(60),  
6     student_marks INT,  
7     student_class VARCHAR(20)  
8 );  
9 INSERT INTO STUDENTS VALUES  
10 ('USN001', 'Manya', 21, 'manya@gmail.com', 85, '10A'),  
11 ('USN002', 'Tanisha', 22, 'tanish@gmail.com', 78, '10A'),  
12 ('USN003', 'Varshitha', 21, 'varshitha@gmail.com', 92, '10B'),  
13 ('USN004', 'Neha', 22, 'neha@gmail.com', 74, '10B'),  
14 ('USN005', 'Spoorthi', 21, 'spoorthi@gmail.com', 88, '10A'),  
15 ('USN006', 'Navya', 22, 'navya@gmail.com', 81, '10B');  
16 SELECT * FROM STUDENTS  
17 ORDER BY student_marks DESC;
```

I/O AI Agent

STDIN
Input for the program (Optional)

Output:

student_usn	student_name	student_age	student_email	student_marks	student_class
USN003	Varshitha	21	varshitha@gmail.com	92	10B
USN005	Spoorthi	21	spoorthi@gmail.com	88	10A
USN001	Manya	21	manya@gmail.com	85	10A
USN006	Navya	22	navya@gmail.com	81	10B
USN002	Tanisha	22	tanish@gmail.com	78	10A
USN004	Neha	22	neha@gmail.com	74	10B

CLAUSE:

queries.sql × +

```
1 DROP TABLE IF EXISTS STUDENTS;  
2 CREATE TABLE STUDENTS  
3 (  
4     student_usn VARCHAR(20) PRIMARY KEY,  
5     student_name VARCHAR(60),  
6     student_age INT,  
7     student_email VARCHAR(60),  
8     student_marks INT,  
9     student_class VARCHAR(20)  
10 );  
11  
12 INSERT INTO STUDENTS VALUES  
13 ('USN001', 'Manya', 21, 'manya@gmail.com', 85, '10A'),  
14 ('USN002', 'Tanisha', 22, 'tanisha@gmail.com', 78, '10A'),  
15 ('USN003', 'Varshitha', 21, 'varshitha@gmail.com', 92, '10B'),  
16 ('USN004', 'Neha', 22, 'neha@gmail.com', 74, '10B'),  
17 ('USN005', 'Spoorthi', 21, 'spoorthi@gmail.com', 88, '10A'),  
18 ('USN006', 'Navya', 22, 'navya@gmail.com', 81, '10B');  
19  
20 SELECT * FROM STUDENTS;  
21  
22 SELECT student_class, COUNT(*) AS TOTAL_STUDENTS  
23 FROM STUDENTS  
24 GROUP BY student_class;
```

OUTPUT:

Output:

student_usn	student_name	student_age	student_email	student_marks	student_class
USN001	Manya	21	manya@gmail.com	85	10A
USN002	Tanisha	22	tanisha@gmail.com	78	10A
USN003	Varshitha	21	varshitha@gmail.com	92	10B
USN004	Neha	22	neha@gmail.com	74	10B
USN005	Spoorthi	21	spoorthi@gmail.com	88	10A
USN006	Navya	22	navya@gmail.com	81	10B

student_class	TOTAL_STUDENTS
10A	3
10B	3

● ORDERED BY:

```
1 DROP TABLE IF EXISTS STUDENTS;
2 CREATE TABLE STUDENTS
3 (
4     student_usn VARCHAR(20) PRIMARY KEY,
5     student_name VARCHAR(60),
6     student_age INT,
7     student_email VARCHAR(60),
8     student_marks INT,
9     student_class VARCHAR(20)
10 );
11 INSERT INTO STUDENTS VALUES
12 ('USN001', 'Manya', 21, 'manya@gmail.com', 85, '10A'),
13 ('USN002', 'Tanisha', 22, 'tanisha@gmail.com', 78, '10A'),
14 ('USN003', 'Varshitha', 21, 'varshitha@gmail.com', 92, '10B'),
15 ('USN004', 'Neha', 22, 'neha@gmail.com', 74, '10B'),
16 ('USN005', 'Spoorthi', 21, 'spoorthi@gmail.com', 88, '10A'),
17 ('USN006', 'Navya', 22, 'navya@gmail.com', 81, '10B');
18 SELECT * FROM STUDENTS;
19 SELECT *
20 FROM STUDENTS
21 ORDER BY student_marks ASC;
22 SELECT *
23 FROM STUDENTS
24 ORDER BY student_marks DESC;
25
```

OUTPUT:

Output:

student_usn	student_name	student_age	student_email	student_marks	student_class
USN001	Manya	21	manya@gmail.com	85	10A
USN002	Tanisha	22	tanisha@gmail.com	78	10A
USN003	Varshitha	21	varshitha@gmail.com	92	10B
USN004	Neha	22	neha@gmail.com	74	10B
USN005	Spoorthi	21	spoorthi@gmail.com	88	10A
USN006	Navya	22	navya@gmail.com	81	10B

student_usn	student_name	student_age	student_email	student_marks	student_class
USN004	Neha	22	neha@gmail.com	74	10B
USN002	Tanisha	22	tanisha@gmail.com	78	10A
USN006	Navya	22	navya@gmail.com	81	10B
USN001	Manya	21	manya@gmail.com	85	10A
USN005	Spoorthi	21	spoorthi@gmail.com	88	10A
USN003	Varshitha	21	varshitha@gmail.com	92	10B

student_usn	student_name	student_age	student_email	student_marks	student_class
USN003	Varshitha	21	varshitha@gmail.com	92	10B
USN005	Spoorthi	21	spoorthi@gmail.com	88	10A
USN001	Manya	21	manya@gmail.com	85	10A
USN006	Navya	22	navya@gmail.com	81	10B
USN002	Tanisha	22	tanisha@gmail.com	78	10A
USN004	Neha	22	neha@gmail.com	74	10B

CLAUSE:

```

1 DROP TABLE IF EXISTS STUDENTS;
2 CREATE TABLE STUDENTS
3 (
4     student_usn VARCHAR(20) PRIMARY KEY,
5     student_name VARCHAR(60),
6     student_age INT,
7     student_email VARCHAR(60),
8     student_marks INT,
9     student_class VARCHAR(20)
10 );
11 INSERT INTO STUDENTS VALUES
12 ('USN001', 'Manya', 21, 'manya@gmail.com', 85, '10A'),
13 ('USN002', 'Tanisha', 22, 'tanisha@gmail.com', 78, '10A'),
14 ('USN003', 'Varshitha', 21, 'varshitha@gmail.com', 92, '10B'),
15 ('USN004', 'Neha', 22, 'neha@gmail.com', 74, '10B'),
16 ('USN005', 'Spoorthi', 21, 'spoorthi@gmail.com', 88, '10A'),
17 ('USN006', 'Navya', 22, 'navya@gmail.com', 81, '10B');
18 SELECT * FROM STUDENTS;
19 SELECT *
20 FROM STUDENTS
21 ORDER BY student_marks ASC;
22 SELECT *
23 FROM STUDENTS
24 ORDER BY student_marks DESC;

```

OUTPUT:

Output:

student_usn	student_name	student_age	student_email	student_marks	student_class
USN001	Manya	21	manya@gmail.com	85	10A
USN002	Tanisha	22	tanisha@gmail.com	78	10A
USN003	Varshitha	21	varshitha@gmail.com	92	10B
USN004	Neha	22	neha@gmail.com	74	10B
USN005	Spoorthi	21	spoorthi@gmail.com	88	10A
USN006	Navya	22	navya@gmail.com	81	10B

student_usn	student_name	student_age	student_email	student_marks	student_class
USN004	Neha	22	neha@gmail.com	74	10B
USN002	Tanisha	22	tanisha@gmail.com	78	10A
USN006	Navya	22	navya@gmail.com	81	10B
USN001	Manya	21	manya@gmail.com	85	10A
USN005	Spoorthi	21	spoorthi@gmail.com	88	10A
USN003	Varshitha	21	varshitha@gmail.com	92	10B

student_usn	student_name	student_age	student_email	student_marks	student_class
USN003	Varshitha	21	varshitha@gmail.com	92	10B
USN005	Spoorthi	21	spoorthi@gmail.com	88	10A
USN001	Manya	21	manya@gmail.com	85	10A
USN006	Navya	22	navya@gmail.com	81	10B
USN002	Tanisha	22	tanisha@gmail.com	78	10A
USN004	Neha	22	neha@gmail.com	74	10B