

JOIN

1. INNER JOIN:




```
CREATE DATABASE CollegeDB;
USE CollegeDB;
CREATE TABLE COURSE
(
    course_id INT PRIMARY KEY,
    course_name VARCHAR(60)
);
INSERT INTO COURSE VALUES
(1, 'Database Management System'),
(2, 'OOP With Java'),
(3, 'Numeric Method'),
(4, 'Yoga'),
(5, 'Computer Networks'),
(6, 'Digital Experience Design'),
(7, 'UX Design'),
(8, 'Climate Changes');
DROP TABLE IF EXISTS STUDENTS;
CREATE TABLE STUDENTS
```




```
(
    student_id INT PRIMARY KEY,
    student_name VARCHAR(50),
    course_id INT,
    marks INT
);
INSERT INTO STUDENTS VALUES
(61, 'Manya', 1, 90),
(73, 'Navya', 2, 85),
(74, 'Neha', 3, 80),
(106, 'Spoorthi', 4, 88),
(116, 'Varshitha', 5, 89),
(111, 'Tanisha', 6, 91);
SELECT
    STUDENTS.student_id,
    STUDENTS.student_name,
    COURSE.course_name,
    STUDENTS.marks
FROM STUDENTS
INNER JOIN COURSE
ON STUDENTS.course_id = COURSE.course_id;
```

OUTPUT:

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

student_id	student_name	course_name	marks
61	Manya	Database Management System	90
73	Navya	OOP With Java	85
74	Neha	Numeric Method	80
106	Spoorthi	Yoga	88
111	Tanisha	Digital Experience Design	91
116	Varshitha	Computer Networks	89

2. Left Join:

Query 1 | SQL File 1* | SQL File 2* | SQL File 3* | SQL File 4

Limit to 2000 rows

```
1  CREATE DATABASE CollegeLB;
2  USE CollegeLB;
3  CREATE TABLE COURSE
4  (
5      course_id INT PRIMARY KEY,
6      course_name VARCHAR(60)
7  );
8  INSERT INTO COURSE VALUES
9  (1, 'Database Management System'),
10 (2, 'OOP With Java'),
11 (3, 'Numeric Method'),
12 (4, 'Yoga'),
13 (5, 'Computer Networks'),
14 (6, 'Digital Experience Design'),
15 (7, 'UX Design'),
16 (8, 'Climate Changes');
17 DROP TABLE IF EXISTS STUDENTS;
18 CREATE TABLE STUDENTS
19 (
20     student_id INT PRIMARY KEY,
```

```
    student_id INT PRIMARY KEY,
    student_name VARCHAR(50),
    course_id INT,
    marks INT
);
INSERT INTO STUDENTS VALUES
(61, 'Manya', 1, 90),
(73, 'Navya', 2, 85),
(74, 'Neha', 3, 80),
(106, 'Spoorthi', 4, 88),
(116, 'Varshitha', 5, 89),
(111, 'Tanisha', 6, 91);
SELECT
    STUDENTS.student_id,
    STUDENTS.student_name,
    COURSE.course_name,
    STUDENTS.marks
FROM STUDENTS
LEFT JOIN COURSE
ON STUDENTS.course_id = COURSE.course_id;
```

OUTPUT:

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

student_id	student_name	course_name	marks
61	Manya	Database Management System	90
73	Navya	OOP With Java	85
74	Neha	Numeric Method	80
106	Spoorthi	Yoga	88
111	Tanisha	Digital Experience Design	91
116	Varshitha	Computer Networks	89

3. Right Join:

```
DROP DATABASE IF EXISTS CollegeRB;
CREATE DATABASE CollegeRB;
USE CollegeRB;
CREATE TABLE COURSE
(
    course_id INT PRIMARY KEY,
    course_name VARCHAR(60)
);
INSERT INTO COURSE VALUES
(1, 'Database Management System'),
(2, 'OOP With Java'),
(3, 'Numeric Method'),
(4, 'Yoga'),
(5, 'Computer Networks'),
(6, 'Digital Experience Design'),
(7, 'UX Design'),
(8, 'Climate Changes');
CREATE TABLE STUDENTS
(
    student_id INT PRIMARY KEY,
```

```
20      student_id INT PRIMARY KEY,
21      student_name VARCHAR(50),
22      course_id INT,
23      marks INT
24  );
25  INSERT INTO STUDENTS VALUES
26  (61, 'Manya', 1, 90),
27  (73, 'Navya', 2, 85),
28  (74, 'Neha', 3, 80),
29  (106, 'Spoorthi', 4, 88),
30  (116, 'Varshitha', 5, 89),
31  (111, 'Tanisha', 6, 91);
32  SELECT
33      STUDENTS.student_id,
34      STUDENTS.student_name,
35      COURSE.course_name,
36      STUDENTS.marks
37  FROM STUDENTS
38  RIGHT JOIN COURSE
39  ON STUDENTS.course_id = COURSE.course_id;
```


OUTPUT:

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

student_id	student_name	course_name	marks
61	Manya	Database Management System	90
73	Navya	OOP With Java	85
74	Neha	Numeric Method	80
106	Spoorthi	Yoga	88
116	Varshitha	Computer Networks	89
111	Tanisha	Digital Experience Design	91
NULL	NULL	UX Design	NULL
NULL	NULL	Climate Changes	NULL

Result 2


4. Full Outer Join:



```
1  DROP DATABASE IF EXISTS CollegeRB;
2  CREATE DATABASE CollegeRB;
3  USE CollegeRB;
4  CREATE TABLE COURSE
5  (
6      course_id INT PRIMARY KEY,
7      course_name VARCHAR(60)
8  );
9  INSERT INTO COURSE VALUES
10 (1, 'Database Management System'),
11 (2, 'OOP With Java'),
12 (3, 'Numeric Method'),
13 (4, 'Yoga'),
14 (5, 'Computer Networks'),
15 (6, 'Digital Experience Design'),
16 (7, 'UX Design'),
17 (8, 'Climate Changes');
18 CREATE TABLE STUDENTS
19 (
20     student_id INT PRIMARY KEY,
21     student_name VARCHAR(50),
22     course_id INT,
23     marks INT
24 );
25 INSERT INTO STUDENTS VALUES
26 (61, 'Manya', 1, 90),
27 (73, 'Navya', 2, 85),
28 (74, 'Neha', 3, 80),
29 (106, 'Spoorthi', 4, 88),
30 (116, 'Varshitha', 5, 89),
31 (111, 'Tanisha', 6, 91);
32 SELECT
33     STUDENTS.student_id,
34     STUDENTS.student_name,
35     COURSE.course_name,
36     STUDENTS.marks
37 FROM STUDENTS
38 LEFT JOIN COURSE
```

```
39      ON STUDENTS.course_id = COURSE.course_id
40      UNION
41      SELECT
42          STUDENTS.student_id,
43          STUDENTS.student_name,
44          COURSE.course_name,
45          STUDENTS.marks
46      FROM STUDENTS
47      RIGHT JOIN COURSE
48      ON STUDENTS.course_id = COURSE.course_id;
```

OUTPUT:



Result Grid | Filter Rows: | Export: | Wrap Cell Content:

student_id	student_name	course_name	marks
61	Manya	Database Management System	90
73	Navya	OOP With Java	85
74	Neha	Numeric Method	80
106	Spoorthi	Yoga	88
111	Tanisha	Digital Experience Design	91
116	Varshitha	Computer Networks	89
NULL	NULL	UX Design	NULL
NULL	NULL	Climate Changes	NULL

Github:
https://github.com/manyappoojarybca25-byte/Dbms.git