

QUERY 1: Retrieve all Students:

```
Query 1 x
Limit to 1000 rows

1 • CREATE DATABASE IF NOT EXISTS CollegeRB;
2 • USE CollegeRB;
3 • CREATE TABLE STUDENTS(
4     student_id INT PRIMARY KEY,
5     student_name VARCHAR(50),
6     course_id INT,
7     marks INT
8 );
9 • INSERT INTO STUDENTS
10 (student_id, student_name, course_id, marks)
11 VALUES
12 (61, 'Manyu', 1, 90),
13 (73, 'Navya', 2, 85),
14 (74, 'Neha', 3, 80),
15 (106, 'Spoorthi', 4, 88),
16 (116, 'Varshitha', 5, 89),
17 (111, 'Tanisha', 6, 91);
18 • SELECT * FROM STUDENTS;
```

OUTPUT:

Result Grid

student_id	student_name	course_id	marks
61	Manyu	1	90
73	Navya	2	85
74	Neha	3	80
106	Spoorthi	4	88
111	Tanisha	6	91
116	Varshitha	5	89

STUDENTS 1 x

Output

#	Time	Action	Message	Duration / Fetch
✓ 1	12:08:12	CREATE	Select output pane	0.016 sec
✓ 2	12:08:12	USE CollegeRB	1 row(s) affected	0.000 sec
✓ 3	12:08:12	CREATE TABLE STUDENTS(student_id INT PRIMARY KEY, student_name V...	0 row(s) affected	0.031 sec
✓ 4	12:08:12	INSERT INTO STUDENTS (student_id, student_name, course_id, marks) VALUES (...)	6 row(s) affected Records: 6 Duplicates: 0 Warnings: 0	0.016 sec
✓ 5	12:08:12	SELECT * FROM STUDENTS LIMIT 0, 1000	6 row(s) returned	0.000 sec / 0.000 sec

Query 2: Retrieve selected columns

```
Query 1  SQL File 1* x
Limit to 1000 rows

1 • CREATE DATABASE IF NOT EXISTS CollegeRB;
2 • USE CollegeRB;
3 • DROP TABLE IF EXISTS STUDENTS;
4 • CREATE TABLE STUDENTS
5 • (
6 •     student_id INT PRIMARY KEY,
7 •     student_name VARCHAR(50),
8 •     course_id INT,
9 •     marks INT
10 • );

11 • INSERT INTO STUDENTS
12 •     (student_id, student_name, course_id, marks)
13 •     VALUES
14 •     (61, 'Manyu', 1, 90),
15 •     (73, 'Navya', 2, 85),
16 •     (74, 'Neha', 3, 80),
17 •     (106, 'Spoorthi', 4, 88),
18 •     (116, 'Varshitha', 5, 89),
19 •     (111, 'Tanisha', 6, 91);
20 • SELECT student_name, marks
21 • FROM STUDENTS;
```

OUTPUT:

Result Grid

student_name	marks
Manyu	90
Navya	85
Neha	80
Spoorthi	88
Tanisha	91
Varshitha	89

STUDENTS 2 x

Output

#	Time	Action	Message	Duration / Fetch
15	12:21:45	CREATE DATABASE IF NOT EXISTS CollegeRB	1 row(s) affected, 1 warning(s): 1007 Can't create database 'collegeRB'; database exists...	0.031 sec
16	12:21:45	USE CollegeRB	0 row(s) affected	0.000 sec
17	12:21:45	DROP TABLE IF EXISTS STUDENTS	0 row(s) affected	0.000 sec
18	12:21:45	CREATE TABLE STUDENTS (student_id INT PRIMARY KEY, student_name...	0 row(s) affected	0.015 sec
19	12:21:45	INSERT INTO STUDENTS (student_id, student_name, course_id, marks) VALUES...	6 row(s) affected Records: 6 Duplicates: 0 Warnings: 0	0.000 sec
20	12:21:45	SELECT student_name, marks FROM STUDENTS LIMIT 0, 1000	6 row(s) returned	0.000 sec / 0.000 sec

Query 3: Find students scoring more than 80

```
Query 1  SQL File 1*  SQL File 2* x
Limit to 1000 rows

1 • CREATE DATABASE IF NOT EXISTS CollegeRB;
2 • USE CollegeRB;
3 • DROP TABLE IF EXISTS STUDENTS;
4 • CREATE TABLE STUDENTS
5 (
6     student_id INT PRIMARY KEY,
7     student_name VARCHAR(50),
8     course_id INT,
9     marks INT
10 );

11 • INSERT INTO STUDENTS
12 (student_id, student_name, course_id, marks)
13 VALUES
14 (61, 'Manya', 1, 90),
15 (73, 'Navya', 2, 85),
16 (74, 'Neha', 3, 80),
17 (106, 'Spoorthi', 4, 88),
18 (116, 'Varshitha', 5, 89),
19 (111, 'Tanisha', 6, 91);
20 • SELECT student_id, student_name, course_id, marks
21 FROM STUDENTS
22 WHERE marks > 80;
23
```

OUTPUT:

Result Grid					Filter Rows:		Edit:	Export/Import:	Wrap Cell Content:	Result Grid	Form Editor
	student_id	student_name	course_id	marks							
▶	61	Manya	1	90							
	73	Navya	2	85							
	106	Spoorthi	4	88							
	111	Tanisha	6	91							
	116	Varshitha	5	89							
*	NULL	NULL	NULL	NULL							

Query 4: Find CSE students

```
Query 1    SQL File 1*    SQL File 2*    SQL File 3* x
Limit to 1000 rows

1 • CREATE DATABASE IF NOT EXISTS CollegeRB;
2 • USE CollegeRB;
3 • DROP TABLE IF EXISTS STUDENTS;
4 • CREATE TABLE STUDENTS
5 • (
6 •     student_id INT PRIMARY KEY,
7 •     student_name VARCHAR(50),
8 •     course_id INT,
9 •     marks INT
10 • );

11 • INSERT INTO STUDENTS
12 •     (student_id, student_name, course_id, marks)
13 •     VALUES
14 •     (61, 'Manya', 1, 90),
15 •     (73, 'Navya', 2, 85),
16 •     (74, 'Neha', 3, 80),
17 •     (106, 'Spoorthi', 4, 88),
18 •     (116, 'Varshitha', 5, 89),
19 •     (111, 'Tanisha', 6, 91);
20 • SELECT student_id, student_name, course_id, marks
21 • FROM STUDENTS
22 • WHERE course_id = 1;
```

OUTPUT:

student_id	student_name	course_id	marks
61	Manya	1	90
HULL	61	HULL	HULL

Query 5: Find students from Delhi who scored above 80

```
1 • CREATE DATABASE IF NOT EXISTS CollegeRB;
2 • USE CollegeRB;
3 • DROP TABLE IF EXISTS STUDENTS;
4 • CREATE TABLE STUDENTS
5 (
6     student_id INT PRIMARY KEY,
7     student_name VARCHAR(50),
8     course_id INT,
9     marks INT
10 );
11 • INSERT INTO STUDENTS
12 (student_id, student_name, course_id, marks)
13 VALUES
14 (61, 'Manyu', 1, 90),
15 (73, 'Navya', 2, 85),
16 (74, 'Neha', 3, 80),
17 (106, 'Spoorthi', 4, 88),
18 (116, 'Varshitha', 5, 89),
19 (111, 'Tanisha', 6, 91);
20 • SELECT *
21 FROM STUDENTS
22 WHERE course_id = 4 AND marks > 80;
```

OUTPUT:

Result Grid				
Filter Rows:				
	student_id	student_name	course_id	marks
▶	106	Spoorthi	4	88
*	NULL	NULL	NULL	NULL

Query 6: Find the highest marks

```
Query 1  SQL File 1*  SQL File 2*  SQL File 3*  SQL File 6* x
1 • CREATE DATABASE IF NOT EXISTS CollegeRB;
2 • USE CollegeRB;
3 • DROP TABLE IF EXISTS STUDENTS;
4 • CREATE TABLE STUDENTS
5 (
6     student_id INT PRIMARY KEY,
7     student_name VARCHAR(50),
8     course_id INT,
9     marks INT
10 );
11 • INSERT INTO STUDENTS
12 (student_id, student_name, course_id, marks)
13 VALUES
14 (61, 'Manyu', 1, 90),
15 (73, 'Navya', 2, 85),
16 (74, 'Neha', 3, 80),
17 (106, 'Spoorthi', 4, 88),
18 (116, 'Varshitha', 5, 89),
```

```

18      (116, 'Varshitha', 5, 89),
19      (111, 'Tanisha', 6, 91);
20 •    SELECT MAX(marks) AS Highest_Marks
21      FROM STUDENTS;

```

OUTPUT:

Result Grid				
Filter Rows: Export: Wrap Cell Content:				
Highest_Marks				
91				

Result 1 x				
Read Only Context Help Snippets				
Output				
Action Output				
#	Time	Action	Message	Duration / Fetch
✓ 1	12:08:12	CREATE DATABASE IF NOT EXISTS CollegeRB	1 row(s) affected	0.016 sec
✓ 2	12:08:12	USE CollegeRB	0 row(s) affected	0.000 sec
✓ 3	12:08:12	CREATE TABLE STUDENTS(student_id INT PRIMARY KEY, student_name ...	0 row(s) affected	0.031 sec
✓ 4	12:08:12	INSERT INTO STUDENTS (student_id, student_name, course_id, marks) VALUES...	6 row(s) affected Records: 6 Duplicates: 0 Warnings: 0	0.016 sec
✓ 5	12:08:12	SELECT * FROM STUDENTS LIMIT 0, 1000	6 row(s) returned	0.000 sec / 0.000 sec

Query 7: Find the average marks

Limit to 1000 rows				
1	•	CREATE DATABASE IF NOT EXISTS CollegeRB;		
2	•	USE CollegeRB;		
3	•	DROP TABLE IF EXISTS STUDENTS;		
4	•	CREATE TABLE STUDENTS		
5	•	(		
6		student_id INT PRIMARY KEY,		
7		student_name VARCHAR(50),		
8		course_id INT,		
9		marks INT		
10		);		
11	•	INSERT INTO STUDENTS		

Limit to 1000 rows				
11	•	INSERT INTO STUDENTS		
12		(student_id, student_name, course_id, marks)		
13		VALUES		
14		(61, 'Manyu', 1, 90),		
15		(73, 'Navya', 2, 85),		
16		(74, 'Neha', 3, 80),		
17		(106, 'Spoorthi', 4, 88),		
18		(116, 'Varshitha', 5, 89),		
19		(111, 'Tanisha', 6, 91);		
20	•	SELECT AVG(marks) AS Average_Marks		
21		FROM STUDENTS;		

OUTPUT:

Result Grid

Filter Rows:

Export:

Wrap Cell Content:

Result Grid

Form Editor

Average_Marks

87.1667

Result 1

Read Only

Context Help

Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 85	12:39:05	INSERT INTO STUDENTS (student_id, student_name, course_id, marks) VALUES...	6 row(s) affected Records: 6 Duplicates: 0 Warnings: 0	0.000 sec
✓ 86	12:39:05	SELECT MAX(marks) AS Highest_Marks FROM STUDENTS LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
⚠ 87	12:42:50	CREATE DATABASE IF NOT EXISTS CollegeRB	1 row(s) affected, 1 warning(s): 1007 Can't create database 'collegerb'; database exi...	0.000 sec
✓ 88	12:42:50	USE CollegeRB	0 row(s) affected	0.000 sec
✓ 89	12:42:50	DROP TABLE IF EXISTS STUDENTS	0 row(s) affected	0.015 sec
✓ 90	12:42:50	CREATE TABLE STUDENTS (student_id INT PRIMARY KEY, student_name...	0 row(s) affected	0.031 sec
✓ 91	12:42:50	INSERT INTO STUDENTS (student_id, student_name, course_id, marks) VALUES...	6 row(s) affected Records: 6 Duplicates: 0 Warnings: 0	0.016 sec