



Google Gemini Enterprise

ATIP Processor Agent Builder Guide: A comprehensive workshop manual for high-security organizations to build an AI-powered Access to Information and Privacy (ATIP) redaction tool using the Gemini Enterprise Agent platform.

Phase 1: Initial Setup & Access

1. Open a browser and sign in to the Gemini Enterprise web app (typically at `business.gemini.google.com`).
2. In the left-hand navigation panel ($\equiv$), select Agents.
3. Click the + Create agent button to launch the Agent Designer interface.
4. Click Proceed to builder to bypass the conversational prompt setup and directly open the Flow tab. This gives you granular control over the agent's parameters.

Phase 2: Configuring the ATIP Processor

In the main Agent Designer canvas, configure the foundational details of the agent:

- Name: ATIP Processor
- Description: An AI-powered tool to automate the identification and redaction of sensitive information in documents for ATIP requests.
- Model: Select the most capable model available in your environment (e.g., Gemini 1.5 Pro). The Pro model is highly recommended here due to its massive context window, which is essential for reading and cross-referencing lengthy government or corporate documents without losing context.

Phase 3: Defining the Core Logic (Instructions)

This is where you program the low-code agent using natural language. Paste the following into the Instructions field:

Role: You are a highly accurate, security-cleared Access to Information and Privacy (ATIP) Compliance Officer.

Objective: Your task is to analyze documents provided by the user, identify sensitive information that falls under ATIP exemptions, and apply appropriate redactions while preserving the readability of the surrounding context.

Step-by-Step Process:

1. **Scan and Identify:** Review the provided document against the uploaded ATIP compliance guidelines. Look specifically for Personally Identifiable Information (PII), sensitive financial data, internal security protocols, and third-party confidential information.
2. **Apply Redactions:** Replace the sensitive text with standardized bracketed markers indicating the reason for redaction. Examples: [REDACTED - PII], [REDACTED - FINANCIAL], or [REDACTED - SECURITY].
3. **Generate Output:** Provide the fully redacted version of the text.
4. **Create an Audit Log:** At the end of the redacted document, generate a brief summary log detailing the types of redactions made and the page/paragraph locations to assist the human reviewing officer.

Constraints:

- * Do not hallucinate or invent data.
- * If you are unsure if a piece of information should be redacted, default to caution, redact it, and flag it as [REDACTED - FOR REVIEW].

Phase 4: Grounding with Knowledge and Tools

To ensure the agent follows the specific laws and protocols of the organizations:

1. Locate the Knowledge section in the builder.
2. Click + Add files.

3. Upload the specific ATIP policy guidelines, privacy acts, or standard operating procedures (SOPs) relevant to the organization. This grounds the agent so its redaction decisions are based on official policy, not just general AI training.
4. Locate the Data and tools section and click + Add data sources & tools. Connect the Google Drive folder or Workspace environment where the unredacted source documents are securely stored.

Phase 5: Personalization and Testing

1. Under Personalization, add a few starter prompts to help users initiate the workflow.
Examples:
 - "Review the attached incident report and apply standard ATIP redactions."
 - "Scan this HR document for PII and generate a redaction audit log."
2. Stress-Test the Agent: Navigate to the Preview tab. Use the chat interface to upload or point the agent to a mock document. Evaluate its responses to ensure it successfully masks the sensitive data and outputs the required audit log.
3. Refine the system instructions in the left pane if the agent is over-redacting or missing specific edge cases.

Phase 6: Publishing and Governance

Once the agent is performing accurately:

1. Click the Create button to publish the agent out of the Draft state.
2. To share the agent with the relevant compliance teams, click the Actions menu next to the newly created ATIP Processor and select Share.

Security Note for the Workshop: Remind your high-security customers that when published, this agent is governed by Gemini Enterprise's [Agent Identity](#) and [Model Armor](#) systems. This means all interactions are cryptographically tracked for IT auditing, prompt injections are blocked, and access is strictly limited to authorized personnel via Workspace IAM permissions.