










# i1Profiler

# Verification Display

General Results		
Report summary	Passed.	3/18/2024 --- 04:13 PM
Model	TL140VDP04_0_____	
Profile	20240318.icm	
Target	X-Rite ColorChecker® Classic	
Reference	ColorChecker® 24 Patch	

Test	Tolerance	Measured	Status
Average $\Delta E$ , all patches	2.0	0.5	Pass
Average $\Delta E$ of the lowest 90%	—	0.4	—
Average $\Delta E$ of the highest 10%	—	1.0	—
Maximum $\Delta E$ , all patches	4.0	1.4	Pass
Maximum $\Delta E$ of the lowest 90%	—	0.8	—

Patch		Target		Measured			
	Index	R G B	L* a* b*	L* a* b*	XYZ	u'v'	DeltaE(2000)
	1	114.60 82.88 68.62	38.26 14.01 14.80	38.05 14.26 14.69	11.659 10.117 4.991	0.261 0.510	0.30
	2	211.87 123.31 44.29	61.47 34.23 57.07	61.22 34.25 57.19	38.164 29.504 4.520	0.309 0.537	0.22
	3	56.90 59.21 151.92	28.84 19.33 -53.57	28.59 18.75 -52.72	7.240 5.680 22.454	0.181 0.320	0.28
	4	245.99 243.33 237.13	96.14 0.33 3.17	95.17 0.35 2.90	85.053 88.018 69.386	0.211 0.491	0.63
	5	193.91 150.23 130.19	66.57 16.34 17.44	66.02 16.61 17.05	39.119 35.352 19.844	0.249 0.506	0.60
	6	77.37 90.77 165.69	40.27 8.74 -43.42	39.87 8.61 -42.92	11.970 11.173 27.851	0.182 0.382	0.39
	7	71.86 147.30 69.85	54.67 -38.61 33.61	54.06 -38.22 33.14	14.156 22.034 6.948	0.155 0.543	0.61
	8	200.11 200.33 199.39	81.09 -0.19 0.39	80.48 -0.31 0.79	55.350 57.534 46.809	0.209 0.489	0.60
	9	96.69 120.80 156.14	50.04 -4.14 -22.50	49.69 -4.37 -21.95	16.709 18.158 25.495	0.183 0.447	0.47

	10	194.08 87.46 99.72	52.16 47.09 15.87	51.69 47.21 15.30	30.052 19.874 10.760	0.333 0.496	0.57
	11	172.87 47.90 58.94	41.17 55.03 26.92	41.05 54.96 26.95	21.008 11.895 3.756	0.399 0.508	0.11
	12	158.79 158.86 159.11	65.89 0.00 -0.17	65.40 0.05 -0.03	33.326 34.549 28.530	0.209 0.488	0.44
	13	91.32 108.60 67.09	43.36 -12.73 21.77	43.26 -13.14 22.18	10.969 13.329 5.278	0.193 0.529	0.31
	14	90.80 61.15 104.98	30.25 20.57 -21.25	30.11 20.54 -21.11	8.133 6.280 10.505	0.243 0.422	0.13
	15	229.80 196.82 25.32	80.81 3.99 77.69	80.54 3.66 77.68	57.059 57.642 7.214	0.242 0.550	0.27
	16	120.26 121.57 121.01	51.12 -0.63 0.09	50.83 -1.12 0.26	18.224 19.123 15.674	0.207 0.489	0.77
	17	132.54 126.52 174.11	55.37 9.08 -24.46	55.12 8.98 -24.00	24.231 23.044 32.511	0.207 0.444	0.35
	18	155.12 185.14 63.27	71.28 -22.27 56.11	70.75 -22.07 55.95	33.600 41.824 8.463	0.196 0.548	0.41
	19	186.67 82.63 147.09	51.38 49.64 -14.10	51.09 49.46 -14.00	29.960 19.349 22.493	0.309 0.449	0.29
	20	84.01 85.17 85.15	35.65 -0.55 -0.20	35.29 -0.14 -0.33	8.317 8.642 7.212	0.208 0.487	0.69
	21	100.49 186.43 166.99	69.90 -33.17 0.72	69.19 -33.15 0.76	28.754 39.610 32.181	0.160 0.496	0.55
	22	222.34 160.15 44.31	71.22 19.54 65.63	70.75 19.22 65.48	46.876 41.828 6.134	0.271 0.543	0.40
	23	0.00 130.33 163.35	49.56 -28.23 -27.75	49.28 -25.24 -27.22	12.964 17.823 28.164	0.142 0.440	1.36
	24	54.36 54.52 55.32	21.30 0.04 -0.60	21.29 -0.39 -0.08	3.178 3.321 2.750	0.208 0.488	0.82