

FastAPI

0.1.0

OAS 3.1

/openapi.json

default



POST /**vehicle-info** Register User



GET /**california_housing** Search Housing



GET /**pokemon_search** Search Pokemon



GET /**get-sentiment** Sentiment



GET /**translate** Translator



POST /vehicle-info Register User

Parameters

Cancel

Reset

No parameters

Request body required

application/json

Edit Value | Schema

```
{
  "number_plate": "1111-LLL",
  "model": "Ford Fiesta"
}
```

Execute

Clear

Responses

Curl

```
curl -X 'POST' \
  'http://127.0.0.1:8000/vehicle-info' \
  -H 'accept: application/json' \
  -H 'Content-Type: application/json' \
  -d '{
    "number_plate": "1111-LLL",
    "model": "Ford Fiesta"
  }'
```

Request URL

http://127.0.0.1:8000/vehicle-info

Server response

Code Details

200

Response body

```
{
  "message": "1111-LLL: Ford Fiesta"
}
```



Download

GET

/california_housing

Search Housing

^

Parameters

Cancel

Name	Description
population * required number (query)	<input type="text" value="400"/>
occup * required number (query)	<input type="text" value="2.5"/>

Execute

Clear

Responses

Curl

```
curl -X 'GET' \  
  'http://127.0.0.1:8000/california_housing?population=400&occup=2.5' \  
  -H 'accept: application/json'
```

Request URL

```
http://127.0.0.1:8000/california_housing?population=400&occup=2.5
```

Server response

Code	Details
200	<div><div>Response body</div><div><pre>{ "message": 0.6713662790697674 }</pre></div><div><div>Download</div></div></div>

GET

/pokemon_search Search Pokemon

^

Parameters

Cancel

Name	Description
type_pokemon <small>★ required</small> string <small>(query)</small>	<input type="text" value="Water"/>
total <small>★ required</small> integer <small>(query)</small>	<input type="text" value="600"/>

Execute

Clear

Responses

Curl

```
curl -X 'GET' \  
  'http://127.0.0.1:8000/pokemon_search?type_pokemon=Water&total=600' \  
  -H 'accept: application/json'
```

Request URL

```
http://127.0.0.1:8000/pokemon_search?type_pokemon=Water&total=600
```

Server response

Code	Details
200	<div><div>Response body</div><div><pre>{ "message": { "12": "BlastoiseMega Blastoise", "141": "GyaradosMega Gyarados", "283": "SwampertMega Swampert", "421": "Kyogre", "422": "KyogrePrimal Kyogre", "541": "Palkia" } }</pre></div><div><div>Download</div></div></div>

Response headers

GET

/get-sentiment Sentiment

^

Parameters

Cancel

Name	Description
<div>text * required</div> <div>string</div> <div>(query)</div>	<div>Repito seguro</div>

Execute

Clear

Responses

Curl

curl -X 'GET' \ 'http://127.0.0.1:8000/get-sentiment?text=Repito%20seguro' \ -H 'accept: application/json'

Request URL

http://127.0.0.1:8000/get-sentiment?text=Repito%20seguro

Server response

Code	Details
200	<div><div>Response body</div><div><pre>{ "sentiment": { "sentence": "Repito seguro", "probas": { "NEG": 0.2785522937774658, "NEU": 0.576908639806603, "POS": 0.14454694092273712 }, "context": null, "is_multilabel": false, "output": "NEU" }}</pre></div><div><div>Download</div></div></div>

GET

/translate

Translator

⌵

Parameters

Cancel

Name	Description
<div>text * required</div> <div>string</div> <div>(query)</div>	<div>Voy a probar otra vez</div>

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
  'http://127.0.0.1:8000/translate?text=Voy%20a%20probar%20otra%20vez' \
  -H 'accept: application/json'
```

Request URL

```
http://127.0.0.1:8000/translate?text=Voy%20a%20probar%20otra%20vez
```

Server response

Code	Details
200	<div><div>Response body</div><div><pre>{ "translation": ["I will try again."] }</pre></div><div><div>⌵</div><div>Download</div></div></div> <div><div>Response headers</div><div><pre>content-length: 37 content-type: application/json date: Wed, 02 Jul 2025 17:07:11 GMT server: uvicorn</pre></div></div>

Responses