


|                                                                                             |  |                                                                                  |  |
|---------------------------------------------------------------------------------------------|--|----------------------------------------------------------------------------------|--|
| <b>GOVERNMENT OF THE PEOPLE'S REPUBLIC OF BURUNDI</b><br><b>LOCAL GOVERNMENT DEPARTMENT</b> |  | <b>MINISTRY OF AGRICULTURE</b><br>DIVISION OF AGRICULTURE, ANIMALS AND FISHERIES |  |
| <b>PROJECT TITLE:</b><br>RANGONJ BAZAR IMPROVEMENT PROJECT                                  |  | <b>DATE OF REPORT:</b><br>2017                                                   |  |
| <b>PROJECT LOCATION:</b><br>RANGONJ BAZAR, KIRURU DISTRICT, BURUNDI                         |  | <b>SCALE:</b><br>1:1000                                                          |  |
| <b>DESIGNED BY:</b><br>[Signature]                                                          |  | <b>CHECKED BY:</b><br>[Signature]                                                |  |
| <b>APPROVED BY:</b><br>[Signature]                                                          |  | <b>DATE:</b><br>2017                                                             |  |



[Signature]  
 [Signature]  
 [Signature]

CONSTRUCTION OF DOI JOCK LONG POST OFFICE AT NAWAHLAN CHAI OVER THE NW 1/4 KATAKI AT  
CEL # 508 KM ON CHATHA RD. CULTURE CENTER VIA N-20 NATIONAL PRIMARY SCHOOL ROAD


CONSTRUCTION OF IMPROVED  
DISTRICTS ON RURAL ROADS  
ICIBAT (IN REVENUE)  
LEADS (LEADS-9)  
ACQUISITION  
SHELL-BUILDING MATERIAL  
(MAY 1997)  
E-mail: p.d.b@p.d.b.gov

DESIGN BY:

CHECKED BY: 

APPROVED BY :

REF ID: A-01











| SPUR FOR RIVER TRAINING WORK OF 301M BRIDGE , PIRGANJ, RANGPUR. |             |                 |                        |                       |                  |                             |                        |                        |                        |                         |                       |                 |     |     |     |     |
|-----------------------------------------------------------------|-------------|-----------------|------------------------|-----------------------|------------------|-----------------------------|------------------------|------------------------|------------------------|-------------------------|-----------------------|-----------------|-----|-----|-----|-----|
| COMPO-<br>NENT                                                  | BAR<br>MARK | SPE<br>CIN<br>G | BAR<br>DIA<br>(mm<br>) | BAR<br>LENGTH<br>(mm) | NO<br>MEMB<br>ER | NO OF<br>BARS<br>IN<br>EACH | TOTAL<br>NO OF<br>BARS | TOTAL<br>LENGTH<br>(m) | UNIT<br>WEIGHT<br>(kg) | TOTAL<br>WEIGHT<br>(kg) | SHA<br>PE<br>COD<br>E | DIMENSIONS (mm) |     |     |     |     |
|                                                                 |             |                 |                        |                       |                  |                             |                        |                        |                        |                         |                       | a               | b   | c   | d   | e   |
| 600 MM DIA<br>PILE                                              | P1          |                 | 20                     | 12000                 | 1                | 10                          | 10                     | 120.00                 | 2.466                  | 295.94                  | 1                     | 12000           |     |     |     |     |
|                                                                 | P2          |                 | 20                     | 6175                  | 1                | 10                          | 10                     | 61.75                  | 2.466                  | 152.28                  | 1                     | 6175            |     |     |     |     |
|                                                                 | S2          | 150             | 10                     | 1532                  | 1                | 81                          | 81                     | 124.09                 | 0.617                  | 76.51                   | 27                    | 1382            | 150 |     |     |     |
|                                                                 | S1          | 200             | 10                     | 1582                  | 1                | 26                          | 26                     | 41.13                  | 0.617                  | 25.36                   | 27                    | 1382            | 200 |     |     |     |
| SUB TOTAL                                                       |             |                 |                        |                       |                  |                             |                        |                        |                        | 550.09                  | kg                    |                 |     |     |     |     |
| TOTAL=(S.T.X120)                                                |             |                 |                        |                       |                  |                             |                        |                        |                        | 66010.76                | kg                    |                 |     |     |     |     |
| BRACING<br>BEAM                                                 | ST.         |                 | 20                     | 590000                | 1                | 6                           | 6                      | 3540.00                | 2.466                  | 8730.17                 | 4                     | 590000          |     |     |     |     |
|                                                                 | LAP         |                 | 20                     | 800                   | 50               | 6                           | 300                    | 240.00                 | 2.466                  | 591.88                  | 1                     | 800             |     |     |     |     |
|                                                                 | MID         |                 | 16                     | 590000                | 1                | 4                           | 4                      | 2360.00                | 1.578                  | 3724.87                 | 5                     | 590000          |     |     |     |     |
|                                                                 | LAP         |                 | 16                     | 640                   | 50               | 4                           | 200                    | 128.00                 | 1.578                  | 202.03                  | 1                     | 640             |     |     |     |     |
|                                                                 | TIE         | 150             | 12                     | 2150                  | 1                | 3934                        | 3934                   | 8458.10                | 0.888                  | 7509.22                 | 8                     | 600             | 400 | 600 | 400 | 150 |
| SUB TOTAL                                                       |             |                 |                        |                       |                  |                             |                        |                        |                        | 20758.17                | kg                    |                 |     |     |     |     |
| TOTAL=(S.T.X1)                                                  |             |                 |                        |                       |                  |                             |                        |                        |                        | 20758.17                | kg                    |                 |     |     |     |     |
| COPPING<br>BEAM                                                 | ST.         |                 | 20                     | 590000                | 1                | 6                           | 6                      | 3540.00                | 2.466                  | 8730.17                 | 4                     | 590000          |     |     |     |     |
|                                                                 | LAP         |                 | 20                     | 800                   | 50               | 6                           | 300                    | 240.00                 | 2.466                  | 591.88                  | 1                     | 800             |     |     |     |     |
|                                                                 | MID         |                 | 16                     | 590000                | 1                | 4                           | 4                      | 2360.00                | 1.578                  | 3724.87                 | 5                     | 590000          |     |     |     |     |
|                                                                 | LAP         |                 | 16                     | 640                   | 50               | 4                           | 200                    | 128.00                 | 1.578                  | 202.03                  | 1                     | 640             |     |     |     |     |
|                                                                 | TIE         | 150             | 12                     | 2150                  | 1                | 3934                        | 3934                   | 8458.10                | 0.888                  | 7509.22                 | 8                     | 600             | 400 | 600 | 400 | 150 |
| SUB TOTAL                                                       |             |                 |                        |                       |                  |                             |                        |                        |                        | 20758.17                | kg                    |                 |     |     |     |     |
| TOTAL=(S.T.X1)                                                  |             |                 |                        |                       |                  |                             |                        |                        |                        | 20758.17                | kg                    |                 |     |     |     |     |
| PRECAST<br>PILE                                                 | VERTICAL    |                 | 20                     | 10000                 | 1                | 4                           | 4                      | 40.00                  | 2.466                  | 98.65                   | 1                     | 10000           |     |     |     |     |
|                                                                 | VERTICAL    |                 | 16                     | 3975                  | 1                | 4                           | 4                      | 15.90                  | 1.578                  | 25.10                   | 1                     | 3975            |     |     |     |     |
|                                                                 | VERTICAL    |                 | 16                     | 1975                  | 1                | 4                           | 4                      | 7.90                   | 1.578                  | 12.47                   | 1                     | 1975            |     |     |     |     |
|                                                                 | VERTICAL    |                 | 12                     | 5700                  | 1                | 4                           | 4                      | 22.80                  | 0.888                  | 20.24                   | 1                     | 5700            |     |     |     |     |

|                   |     |    |      |   |    |    |       |       |       |               |     |     |     |     |     |
|-------------------|-----|----|------|---|----|----|-------|-------|-------|---------------|-----|-----|-----|-----|-----|
| STIRUP            | AV. | 10 | 1150 | 1 | 85 | 85 | 97.75 | 0.617 | 60.27 | 8             | 250 | 250 | 250 | 250 | 150 |
| SUB TOTAL         |     |    |      |   |    |    |       |       |       | 216.72 kg     |     |     |     |     |     |
| TOTAL=(S.T.X590 ) |     |    |      |   |    |    |       |       |       | 127864.29 kg  |     |     |     |     |     |
| GRAND TOTAL       |     |    |      |   |    |    |       |       |       | 235391.38 kg, |     |     |     |     |     |

