

Step 1: Collect

Overview

Tool: Project Location Model (PLM) (v4 as of 01.07.2026)

Performed by: external consultants

Maintained by: KfW Geodata-Desk

Next step: 2 Validate

Purpose

Updating an existing collection?

If your team already started collecting Project Locations with an **older version of the PLM template**, please read Updating existing data first. The version number is indicated in the filename. Then return here for **Points-based** or **Geometry-based** instructions under Procedure.

Requirements

-

-

Procedure

Points-based

Geometry-based

New Temporary Scratch Layer

Layer name:

Geometry type:

☐ Include Z dimension ☐ Include M values

Coordinate System:

New Field

Name:

Type:

Length: Precision:

Fields List


Name	Type	Length	Precision
id	string	10	

Warning: Temporary scratch layers are not saved and will be discarded when QGIS is closed.


Join field requirements

Values in both attribute fields to be joined must be exact matches:

- Same data type (e.g. both text/string or both integer)
- Same case and no extra spaces
- Ideally, values should be unique or have a 1:1 correspondence




-
-
-
-
-
-



-
-
-

-
-
-
-



-
-
-
-

Save Vector Layer as...

Format

GeoJSON

File name

...

Layer name

CRS

EPSG:4326 - WGS 84

Encoding

UTF-8

☐ Save only selected features

▼ Select fields to export and their export options

Name	Export name	Type
------	-------------	------

Select All

Deselect All

☐ Use aliases for exported name

☒ Persist layer metadata

▼ Geometry

Geometry type


Automatic


Help

☒ Add saved file to map


Cancel

OK






-
-
-
-



-
-
-



Outputs

Item	Format	Notes
File for validation	Excel or GeoJSON	Multi-geometry Project Locations with metadata