Quarto Presentations

Create beautiful interactive slide decks with Reveal.js

1775889234

Hello, There

This presentation will show you examples of what you can do with Quarto and Reveal.js, including:

- Presenting code and LaTeX equations
- Including computations in slide output
- Image, video, and iframe backgrounds
- Fancy transitions and animations
- Activating scroll view

…and much more

Pretty Code

- Over 20 syntax highlighting themes available
- Default theme optimized for accessibility

```
# Define a server for the Shiny app
function(input, output) {

  # Fill in the spot we created for a plot
  output$phonePlot <- renderPlot({
    # Render a barplot
  })
}
```

Learn more: Syntax Highlighting

Code Animations

- Over 20 syntax highlighting themes available
- Default theme optimized for accessibility

```
# Define a server for the Shiny app
function(input, output) {
```

```
  # Fill in the spot we created for a plot
  output$phonePlot <- renderPlot({
    # Render a barplot
    barplot(WorldPhones[,input$region]*1000,
            main=input$region,
            ylab="Number of Telephones",
            xlab="Year")
  })
}
```

Learn more: [Code Animations]

Line Highlighting

- Highlight specific lines for emphasis
- Incrementally highlight additional lines

```
import numpy as np
import matplotlib.pyplot as plt

r = np.arange(0, 2, 0.01)
theta = 2 * np.pi * r
fig, ax = plt.subplots(subplot_kw={'projection':
 'polar'})
ax.plot(theta, r)
ax.set_rticks([0.5, 1, 1.5, 2])
ax.grid(True)
plt.show()
```

Learn more: [Line Highlighting]

Executable Code

```
library(ggplot2)
ggplot(mtcars, aes(hp, mpg, color = am)) +
  geom_point() +
  geom_smooth(formula = y ~ x, method = "loess")
```

```
Warning: The following aesthetics were dropped during statistical
transformation:
colour.
i This can happen when ggplot fails to infer the correct grouping
structure in
  the data.
i Did you forget to specify a `group` aesthetic or to convert a
numerical
  variable into a factor?
```

Learn more: [Executable Code]

LaTeX Equations

MathJax rendering of equations to HTML

```
\begin{gather*}
a_1=b_1+c_1\\
a_2=b_2+c_2-d_2+e_2
\end{gather*}

\begin{align}
a_{11}& =b_{11}&
  a_{12}& =b_{12}\\
a_{21}& =b_{21}&
  a_{22}& =b_{22}+c_{22}
\end{align}
```

Learn more: LaTeX Equations

Column Layout

Arrange content into columns of varying widths:

Motor Trend Car Road Tests

The data was extracted from the 1974 Motor Trend US magazine, and comprises fuel consumption and 10 aspects of automobile design and performance for 32 automobiles.

```
knitr::kable(head(mtcars)[,c("mpg", "cyl",
        "disp", "hp", "wt")])
```

	mpg	cyl	disp	hp	wt
Mazda RX4	21.0	6	160	110	2.620
Mazda RX4 Wag	21.0	6	160	110	2.875
Datsun 710	22.8	4	108	93	2.320
Hornet 4 Drive	21.4	6	258	110	3.215
Hornet Sportabout	18.7	8	360	175	3.440
Valiant	18.1	6	225	105	3.460

Learn more: Multiple Columns

Incremental Lists

Lists can optionally be displayed incrementally:

- First item
- Second item
- Third item

. . .

Insert pauses to make other types of content display incrementally.

Learn more: Incremental Lists

Fragments

Incremental text display and animation with fragments:

Fade in

Slide up while fading in

Slide left while fading in

Fade in then semi out

. . .

Strike

Highlight red

Learn more: Fragments

Slide Backgrounds

Set the `background` attribute on a slide to change the background color (all CSS color formats are supported).

Different background transitions are available via the `background-transition` option.

Learn more: Slide Backgrounds

Media Backgrounds

You can also use the following as a slide background:

- An image: `background-image`
- A video: `background-video`
- An iframe: `background-iframe`

Learn more: Media Backgrounds

Absolute Position

Position images or other elements at precise locations

Learn more: [Absolute Position]

Auto-Animate

Automatically animate matching elements across slides with Auto-Animate.



Learn more: Auto-Animate

Auto-Animate

Automatically animate matching elements across slides with Auto-Animate.



Learn more: Auto-Animate

Slide Transitions

The next few slides will transition using the `slide` transition

Transition	Description
`none`	No transition (default, switch instantly)

Transition	Description
`fade`	Cross fade
`slide`	Slide horizontally
`convex`	Slide at a convex angle
`concave`	Slide at a concave angle
`zoom`	Scale the incoming slide so it grows in from the center of the screen.

Learn more: [Slide Transitions]

Tabsets

- [Plot]
- [Data]

```
library(ggplot2)
ggplot(mtcars, aes(hp, mpg, color = am)) +
  geom_point() +
  geom_smooth(formula = y ~ x, method = "loess")
```

```
Warning: The following aesthetics were dropped during statistical
transformation:
colour.
i This can happen when ggplot fails to infer the correct grouping
structure in
  the data.
i Did you forget to specify a `group` aesthetic or to convert a
numerical
  variable into a factor?
```

```
knitr::kable(mtcars)
```

	mpg	cyl	disp	hp	drat	wt	qsec	vs	am	gear	carb
Mazda RX4	21.0	6	160.0	110	3.90	2.620	16.46	0	1	4	4
Mazda RX4 Wag	21.0	6	160.0	110	3.90	2.875	17.02	0	1	4	4
Datsun 710	22.8	4	108.0	93	3.85	2.320	18.61	1	1	4	1
Hornet 4 Drive	21.4	6	258.0	110	3.08	3.215	19.44	1	0	3	1
Hornet Sportabout	18.7	8	360.0	175	3.15	3.440	17.02	0	0	3	2
Valiant	18.1	6	225.0	105	2.76	3.460	20.22	1	0	3	1
Duster 360	14.3	8	360.0	245	3.21	3.570	15.84	0	0	3	4
Merc 240D	24.4	4	146.7	62	3.69	3.190	20.00	1	0	4	2
Merc 230	22.8	4	140.8	95	3.92	3.150	22.90	1	0	4	2
Merc 280	19.2	6	167.6	123	3.92	3.440	18.30	1	0	4	4

	mpg	cyl	disp	hp	drat	wt	qsec	vs	am	gear	carb
Merc 280C	17.8	6	167.6	123	3.92	3.440	18.90	1	0	4	4
Merc 450SE	16.4	8	275.8	180	3.07	4.070	17.40	0	0	3	3
Merc 450SL	17.3	8	275.8	180	3.07	3.730	17.60	0	0	3	3
Merc 450SLC	15.2	8	275.8	180	3.07	3.780	18.00	0	0	3	3
Cadillac Fleetwood	10.4	8	472.0	205	2.93	5.250	17.98	0	0	3	4
Lincoln Continental	10.4	8	460.0	215	3.00	5.424	17.82	0	0	3	4
Chrysler Imperial	14.7	8	440.0	230	3.23	5.345	17.42	0	0	3	4
Fiat 128	32.4	4	78.7	66	4.08	2.200	19.47	1	1	4	1
Honda Civic	30.4	4	75.7	52	4.93	1.615	18.52	1	1	4	2
Toyota Corolla	33.9	4	71.1	65	4.22	1.835	19.90	1	1	4	1
Toyota Corona	21.5	4	120.1	97	3.70	2.465	20.01	1	0	3	1
Dodge Challenger	15.5	8	318.0	150	2.76	3.520	16.87	0	0	3	2
AMC Javelin	15.2	8	304.0	150	3.15	3.435	17.30	0	0	3	2
Camaro Z28	13.3	8	350.0	245	3.73	3.840	15.41	0	0	3	4
Pontiac Firebird	19.2	8	400.0	175	3.08	3.845	17.05	0	0	3	2
Fiat X1-9	27.3	4	79.0	66	4.08	1.935	18.90	1	1	4	1
Porsche 914-2	26.0	4	120.3	91	4.43	2.140	16.70	0	1	5	2
Lotus Europa	30.4	4	95.1	113	3.77	1.513	16.90	1	1	5	2
Ford Pantera L	15.8	8	351.0	264	4.22	3.170	14.50	0	1	5	4
Ferrari Dino	19.7	6	145.0	175	3.62	2.770	15.50	0	1	5	6
Maserati Bora	15.0	8	301.0	335	3.54	3.570	14.60	0	1	5	8
Volvo 142E	21.4	4	121.0	109	4.11	2.780	18.60	1	1	4	2

Learn more: Tabsets

Interactive Slides

Include Jupyter widgets and htmlwidgets in your presentations

```
file:////private/var/folders/mn/wpqfzxsn0z10p73_8jr0v2180000gn/T/
Rtmp2y3153/file10dfa2b96237d/widget10dfadf3f9e6.html screenshot
completed
```

Learn more: Jupyter widgets, htmlwidgets

Interactive Slides

Turn presentations into applications with Observable and Shiny. Use component layout to position inputs and outputs.

```r
ojs_define(actors = data.frame(
  x = rnorm(100),
  y = rnorm(100)
))
```

```
//| panel: sidebar
viewof talentWeight = Inputs.range([-2, 2], { value: 0.7, step:
0.01, label: "talent weight" })
viewof looksWeight = Inputs.range([-2, 2], { value: 0.7, step:
0.01, label: "looks weight" })
viewof minimum = Inputs.range([-2, 2], { value: 1, step: 0.01,
label: "min fame" })

//| panel: fill
import { plotActors } from './actors.js';
plotActors(actors, talentWeight, looksWeight, minimum)
```

Learn more: Observable, Shiny, Component Layout

Preview Links

Navigate to hyperlinks without disrupting the flow of your presentation.

Use the `preview-links` option to open links in an iframe on top of your slides. Try clicking the link below for a demonstration:

Matplotlib: Visualization with Python

Learn more: Preview Links

Themes

10 Built-in Themes (or create your own)





Learn more: [Themes]

Easy Navigation

Quickly jump to other parts of your presentation

Toggle the slide menu with the menu button (bottom left of slide) to go to other slides and access presentation tools.

You can also press `mm` to toggle the menu open and closed.

You can also press `gg` to toggle ‘Jump To Slide’ modal box to quickly go to one of your slide using its number or id.

Learn more: [Navigation](#) / [Jump To Slide](#)

Jump To Slide

Quickly jump to other parts of your presentation

Chalkboard

Free form drawing and slide annotations

Use the chalkboard button at the bottom left of the slide to toggle the chalkboard.

Use the notes canvas button at the bottom left of the slide to toggle drawing on top of the current slide.

You can also press `bb` to toggle the chalkboard or `cc` to toggle the notes canvas.

Learn more: [Chalkboard](#)

Point of View

press `oo` to toggle overview mode:



Hold down the `Alt`Alt and click on any element to zoom towards it—try it now on this slide.

Learn more: Overview Mode, Slide Zoom

Speaker View

press `ss` (or use the tools in presentation menu) to open speaker view



Learn more: Speaker View

Scroll View

Press `rr` (or use the tools in presentation menu) to open scroll view

Try it now on this slide — You'll see a scroll bar on the right and you can scroll down the presentation using your mouse.

Scroll view behavior can be configured using `scroll-view` configuration.

Learn more: Scroll View

Authoring Tools

Live side-by-side preview for any notebook or text editor including Jupyter and VS Code



Learn more: Jupyter, VS Code, Text Editors

Authoring Tools

RStudio includes an integrated presentation preview pane



Learn more: RStudio

And More…

- Touch optimized (presentations look great on mobile, swipe to navigate slides)
- Footer & Logo (optionally specify custom footer per-slide or hide global footer)
- Auto-Slide (step through slides automatically, without any user input)
- Multiplex (allows your audience to follow the slides of the presentation you are controlling on their own phone, tablet or laptop).

Learn more: Quarto Presentations