Disclosure ceilings are compiled, not improvised.

22 live surfaces now resolve to explicit preview, detail, artifact, telemetry, log, and replay ceilings. Allowlisted materialization, wrong-patient cache suppression, and investigation-scope pivots are part of the compiled model.

No UI-collapse-as-privacy | No post-hydration widening | Preview/detail/artifact split | Break-glass purpose row | Wrong-patient cache demotion

73
Classified rows

6
PHI-bearing classes

12
Redaction policies

0
Unresolved gaps

Audience × Surface Matrix

Rows are compiled from the audience inventory and one surface policy per live surface.

Surface	Audience	Purpose	Preview
Patient intake entry surf_patient_intake_web	patient_public	public_status	masked_summary
Telephony / IVR intake capture surf_patient_intake_phone	patient_public	public_status	masked_summary
Secure-link recovery and claim resume surf_patient_secure_link_recovery	patient_grant_scoped	secure_link_recovery	masked_summary
Patient home and spotlight surf_patient_home	patient_authenticated	authenticated_self_service	governed_preview
Request list and detail surf_patient_requests	patient_authenticated	authenticated_self_service	governed_preview
Appointments and manage surf_patient_appointments	patient_authenticated	authenticated_self_service	governed_preview
Patient health record and documents surf_patient_health_record	patient_authenticated	authenticated_self_service	governed_preview

Surface	Audience	Purpose	Preview
Messages and callback thread surf_patient_messages	patient_authenticated	authenticated_self_service	governed_preview
Embedded patient shell reuse surf_patient_embedded_shell	patient_embedded_authenticated	embedded_authenticated	governed_preview
Clinical Workspace queue and task canvas surf_clinician_workspace	origin_practice_clinical	operational_execution	governed_preview
Clinical Workspace child review states surf_clinician_workspace_child	origin_practice_clinical	operational_execution	governed_preview
Practice operations workspace surf_practice_ops_workspace	origin_practice_operations	operational_execution	governed_preview
Hub queue surf_hub_queue	hub_desk	coordination	governed_preview
Hub case, alternatives, exception, and audit work surf_hub_case_management	hub_desk	coordination	governed_preview
Pharmacy Console case workbench surf_pharmacy_console	servicing_site	servicing_delivery	governed_preview
Support ticket workspace surf_support_ticket_workspace	support	support_recovery	governed_preview
Support replay and observe surf_support_replay_observe	support	support_recovery	governed_preview
Support-assisted capture and recovery surf_support_assisted_capture	support	support_recovery	governed_preview
Operations board surf_operations_board	operations_control	operational_control	governed_preview
Operations investigation and intervention drill-down surf_operations_drilldown	operations_control	operational_control	governed_preview
Governance and Admin shell surf_governance_shell	governance_review	governance_review	governed_preview

Surface	Audience	Purpose	Preview
Assistive companion sidecar inside the owning task surf_assistive_sidecar	assistive_adjunct	assistive_companion	governed_preview

Field Inspector

3 linked fields for Patient intake entry.

SubmissionEnvelope draft fragments and free text

clinical_sensitive | Preview: masked_summary | Detail: summary_only | Telemetry: none

Incomplete or unauthenticated content keeps narrower projection and retention rules than submitted work.

SubmissionEnvelope attachment refs

clinical_sensitive | Preview: awareness_only | Detail: summary_only | Telemetry: none

Pre-submit attachment presence may be acknowledged without exposing body or filename detail.

RecoveryRedactionFence maxVisibleFields and disclosure class

operational_internal_non_phi | Preview: governed_preview | Detail: summary_only | Telemetry: descriptor_and_hash_only

This is the explicit no-PHI recovery contract rather than a UI convention.

Artifact Panel

2 artifact families apply to Patient intake entry.

Uploads and attachments

clinical_sensitive | Surface cap: summary_only | Family contract: summary_only | Transfer: structured_summary, governed_inline, support_recovery | Retention: RET_PRE_SUBMIT_TRANSIENT

Attachments acknowledge presence without implying byte availability or safe preview.

Evidence snapshots

clinical_sensitive | Surface cap: summary_only | Family contract: summary_only | Transfer: structured_summary, governed_inline_masked, governed_handoff

Retention: RET_SUPPORT_INVESTIGATION_EVIDENCE

Snapshots are immutable evidence anchors and not generic downloadable content.

Audit And Replay

2 event families and disclosure fences apply to Patient intake entry.

Patient and public UI telemetry

Telemetry: descriptor_and_hash_only | Logs: diagnostic_refs_only | Replay: bounded_detail_with_scope

Patient telemetry keeps enough determinism for replay without leaking subject detail.

Structured application and worker logs

Telemetry: not_applicable | Logs: diagnostic_refs_only | Replay: bounded_detail_with_scope

Logs are diagnostic only; they do not replace audit or evidence exports.

Disclosure Ladder

The selected surface shows how disclosure changes across each surface type.

Preview	Detail	Artifact
masked_summary	summary_only	summary_only

Telemetry	Logs	Replay
descriptor_and_hash_only	diagnostic_refs_only	bounded_detail_with_scope

Synthetic Preview Examples

Examples use synthetic placeholders only. No live patient data is embedded in this atlas.

Public-safe summary preview

```
[message preview withheld pending sign-in]
```

Policy: POL_PUBLIC_SAFE_PLACEHOLDER

Wrong-patient hold placeholder

```
[identity check required before this request can reopen]
```

Policy: POL_PATIENT_AUTH_SUMMARY

Embedded artifact fallback

```
[summary available here; full document requires approved handoff]
```

Policy: POL_EMBEDDED_ARTIFACT_CHANNEL

Masked replay breadcrumb

```
[masked reply thread shown under current replay scope]
```

Policy: POL_SUPPORT_MASKED_REPLAY