MICROMAX SUGAR MILLS ERP · INDENTING GUIDE

Indenting — quota, rules, ranges and batches


An **indent** is the mill's permission for one grower to bring **one vehicle load** of cane on a given day. This guide explains where indents come from — the survey, the circle quota and the quota rules — how they are numbered, and how a week of indents is generated, authorized, printed, used at the gate or left to expire.

1 · Setup	2 · Quota rules	3 · Ranges	4 · Generate	5 · Track
Season standards, circle quotas.	% of survey and supply window.	Indent numbers per circle.	Preview, batches, authorize, print.	Look up, used, expired, reports.

Who: **Cane Admin / Cane Manager** (season, quotas, rules, ranges), **Indent Clerk** (generate, print), **Cane Manager** (authorize or reject batches), **Token Clerk** (look up at the gate), **Circle Officer / MIS** (insights, reports).

THE BIG PICTURE

From surveyed cane to an indent in the grower's hand



Setup once a season: standards on the season, circle quotas, quota rules, indent ranges.
Every week: Generate › Authorize › Print. The gate scans the indent when the vehicle arrives.

Video: *15-Indenting-quota-rules-ranges-batches.mp4* (Help › Guides & videos). Screens from the MicroMax test system (light theme), season 2026-27, 3 November 2026.

Key terms

Term	Meaning
Indent	A numbered, barcoded slip: one grower, one load (200 maund), one supply date, valid 3 days. The gate needs it to issue a cane token.
Surveyed (expected) cane	Maunds the E-Survey expects from a grower's fields this season (area × yield). Only submitted company surveys count.
Circle quota	The most cane (maund) the mill will take from a circle this season. It caps the circle's indents.
Quota rule	Says what **%** of a field's surveyed cane becomes indents and in which **supply window** — for all fields, or only a circle, grower type, plant/ratoon or variety maturity.
Entitled cane	Surveyed cane × the rule's %, scaled down if the circle goes over its quota.
Load	Entitled cane ÷ load size (200 md). The last part load counts if it is at least 50 % of a load.
Supply window	The dates the rule allows (e.g. ratoon 1 Nov – 15 Jan). The grower's loads are spread evenly through it.
Daily intake	Maunds the mill can take a day. Indents per day ≤ intake ÷ load (2026-27: 18M md ÷ 151 days = 119,205 md → 596 indents a day).
Indent range	A block of numbers allotted to a circle for the season, e.g. 26-003-100001 – 102000. Numbers are used in order, never twice.
Indent batch	The indents of one circle from one Generate run. Draft until the Cane Manager authorizes it.
Held back	A field whose survey overlaps another and is still under review gets no indents until the review is accepted.
Expired	An authorized or printed indent not used by its last valid day.


Where to find it

Menu	What is there
Indenting › Insights	Entitled cane, issued, valid today, waiting batches, next three weeks, circles.
Indenting › Generate indents	Preview and generate for chosen supply dates.
Indenting › Look up an indent	Scan or type an indent number.
Indenting › Expired indents	The Expired Indents report.
Indenting › Records	Indent Batches, Cane Indents.
Indenting › Rules & Ranges	Quota Rules, Indent Ranges.
E-Survey › Season Quotas · Approvals inbox	Circle quotas; batches waiting for authorization.
Setup › Mill › Crushing Seasons	Indenting standards and the Circle Quotas table.

1 Setup — season standards

Open **Setup › Mill › Crushing Seasons › 2026-27** and scroll to **Indenting**. Set these once before the season; they apply to every indent.

Field	2026-27	What it does
Load per Indent (maund)	**200**	Size of one vehicle load. Entitled cane ÷ this = number of indents.
Indent Valid For (days)	**3**	Valid from the supply date for this many days (8 Nov → valid 8–10 Nov). Unused after that = Expired.
Count a Part Load From (%)	**50**	A last part load of 100 md or more gets its own indent; less is dropped.
Daily Cane Intake (maund)	**empty**	Caps indents per day. Empty = Crushing Target ÷ season days.
Indenting Starts On	**empty**	First supply date. Empty = season start (1 Nov).
Crushing Target (maund)	**18,000,000**	Used for the daily intake when that is empty.



Crushing Season 2026-27 — the Indenting section and the Circle Quotas table (empty: each circle keeps its own quota).

Also check **Sugar Settings › Active Season** = 2026-27: Generate, Insights and Look up work on the active season.

> The **Circle Quotas** table just below is where a season's quota per circle can be typed — see step 2.

2 What is the quota?


The **quota** is how much cane the mill plans to take from each **circle** in the season, in maund. Added up, the circle quotas should cover the **crushing target**. It comes from the circle (*Cane Circle › Quota*) unless the season has its own row in **Circle Quotas**.

When indents are generated, every grower's entitled cane in a circle is added up. If the total is **more than the circle's quota**, every grower of that circle is scaled down by the same factor:

Circle	Entitled (all growers)	Quota	Factor	Effect
Kot Momin (2026-27)	135,227 md	1,200,000 md	1.00	Under quota — no change
Example over quota	1,500,000 md	1,200,000 md	0.80	Each grower gets 80 % of his entitlement

How to allocate the quota

1. Open **E-Survey › Season Quotas** and choose the season. The cards show the crushing target, the total quota, the cane the survey expects and how much of the quota the survey covers.
2. In **Circles**, type a **New quota** for a circle (with a reason in Remarks), or use **Adjust several circles**: *Scale by %* (e.g. +10 %), *Match survey* (quota = expected cane) or *Spread target* (the crushing target shared by survey share). Tick rows to change only some circles.
3. Press **Save**. The quotas are written to the season's Circle Quotas table; the next Generate uses them.



Season Quotas: each circle's quota against the cane its survey expects.

2 What are quota rules?

A **quota rule** (Indenting › Rules & Ranges › Quota Rules) decides, for each surveyed field, **what share** of its cane gets indents and **when** it may be supplied. Rules let the mill crush early-maturing and ratoon cane first, cut non-passbook growers, or treat an affiliated circle differently.

WHICH RULE WINS?

Quota rules of season 2026-27

RULE	QUOTA	MATCHES	SUPPLY WINDOW	PRIORITY
Non-passbook growers (80 %)	80 %	Grower type	whole season	20
Ratoon cane first	100 %	Ratoon	1 Nov – 15 Jan	10
Early varieties	100 %	Maturity Early	1 Nov – 31 Jan	0
Mid-season varieties	100 %	Maturity Mid	1 Dec – 28 Feb	0
Late varieties	100 %	Maturity Late	1 Jan – 31 Mar	0
Kot Momin — affiliated (90 %)	90 %	Circle Kot Momin	whole season	0


For each surveyed field the most specific matching rule is used:

- A circle counts 4 points; grower type, plant/ratoon and maturity 1 point each — the highest score wins.
- Equal score › the higher Priority wins; then the rule name.
- No rule matches › 100 % of the surveyed cane over the whole season.
- Example: a Kot Momin field of a mid variety matches 'Mid-season' (1) and 'Kot Momin' (4) › Kot Momin 90 %.

Field	Example	Meaning
Season · Rule · Enabled	**2026-27**	Name it by its purpose. Untick Enabled to stop using it without deleting.
Quota %	**90**	Share of the surveyed cane that becomes indents (0–200 %).
Supply From / To	**1 Nov – 15 Jan**	The window the loads are spread over. Empty = the whole season. Must be inside the season.
Circle	**Kot Momin**	Only this circle (the strongest condition).
Grower Type	**All**	Passbook or Non-Passbook growers.
Plant / Ratoon · Variety Maturity	**All**	Crop type of the field; Early, Mid or Late variety.
Priority	**0**	Breaks a tie between rules that are equally specific — higher wins.

2 How to add a quota rule

1. Quota Rules › **New**. Choose the **Season** and type a **Rule** name, e.g. *Sillanwali plant cane (95 %)*.
2. Enter **Quota %** (95) and, if needed, **Priority** and the **Supply From / To** dates.
3. Under **Applies To** choose the **Circle**, **Grower Type**, **Plant / Ratoon** and **Variety Maturity** — leave *All* for any.
4. **Save**. Nothing changes for indents already issued; the rule is used from the next **Generate** (check its Preview).



A new rule: Sillanwali, plant cane, 95 %, priority 5.

Common rules

Purpose	Settings
Crush ratoon first	Plant/Ratoon = Ratoon, 100 %, 1 Nov – 15 Jan, priority 10
Varieties by maturity	Early 1 Nov – 31 Jan · Mid 1 Dec – 28 Feb · Late 1 Jan – 31 Mar
Cut non-passbook growers	Grower Type = Non-Passbook, 80 %, priority 20
Affiliated or far circle	Circle = Kot Momin, 90 %
Short crop this year	No conditions, 85 % (applies to every field no other rule matches)

A field matching no rule gets **100 %** over the whole season — the Generate page warns if a season has no rules at all.

2 Worked example — quota to indents

WORKED EXAMPLE · KOT MOMIN

How much cane, and how many indents?

Ghulam Bashir (003-003-0003) · plant cane, mid-maturing variety · 2 surveyed fields

1	Surveyed (expected) cane	8,736 md	from the two submitted surveys
2	Rule that matches	Kot Momin 90 %	circle rule beats the 'Mid-season varieties' rule
3	Entitled cane	7,862 md	8,736 × 90 %
4	Circle quota check	× 1.00	Kot Momin entitled 135,227 md ≤ quota 1,200,000 md
5	Loads of 200 md	39 indents	7,862 ÷ 200 = 39.3 › 39 full; 62 md left < 50 % of a load
6	Supply window	1 Nov – 31 Mar	rule has no dates › the whole season
7	Spread	≈ 1 every 3.9 days	151 days ÷ 39 loads, each on the middle day of its share

The rules of the calculation

1. **Entitled** = surveyed maund × quota % of the matching rule (each field separately; fields in the same window are added up per grower).
2. **Circle cap**: if the circle's total entitled cane is over its quota, all its growers are scaled by quota ÷ total.
3. **Loads** = whole 200 md loads, plus one for the remainder if it is ≥ 50 % of a load (7,862 md → 39; 7,950 md → 40).
4. **Days**: the loads are spread evenly through the window, each on the middle day of its share; a day that is full (596 indents) pushes the load to the nearest free day in the window. Higher-priority rules are placed first.
5. Every run plans the **whole season** again, so loads that already have an indent keep their day and are never repeated.

3 Indent ranges

INDENT RANGES

Where an indent number comes from


26-003-100034

season 2026-27 · circle 003 · Kot Momin · running number · 6 digits

- Each circle has its own range for the season: Kot Momin 26-003-100001 to 26-003-102000 (2,000 numbers).
- A circle without its own range draws from the mill-wide range (no circle): 26-000-900001 – 909999.
- Numbers are taken in order and never reused — a rejected draft leaves a gap, like a pre-printed permit book.
- Next No. and Remaining update by themselves; a used-up range turns Exhausted.
- Generate stops with “needs N more indent numbers” when a range is short — add a new range, then generate again.
- Ranges can't overlap, and once numbers are used the prefix and start can't change.

How to add a range

1. Indenting › Rules & Ranges › **Indent Ranges › New**.
2. **Season**; **Circle** (empty = mill-wide); **Prefix** such as *26-003-*; **Digits** 6; **From No.** 100001 and **To No.** 102000.
3. **Save**. Next No. starts at From No.; Remaining = To – Next + 1. Status Active.
4. When a circle runs short, add a second range (e.g. 102001 – 104000) — it is used once the first is exhausted.




Kot Momin 2026-27: next number 100,034, 1,967 left.

4 Generate a week of indents

1. Indenting › **Generate indents**. It opens on the next 7 days.
2. Choose **Supply from / to** (at most 62 days; buttons for 7 or 14 days) and a **Circle**, or all. Click **Preview** — nothing is saved yet.
3. Read the preview: **Would be created**, the season's entitlement, how much is **issued** so far, and fields **held back** for an overlap review. **By supply day** shows each day against the capacity; **By circle** the indents, growers, maund and **numbers left** in the circle's range.
4. Fix any warning (no range numbers, intake 0, closed season), then click **Generate N indents**. One **draft batch per circle** is created.




Preview for 8 – 14 November: 231 indents, by day and by circle.



Generated: 12 draft batches, with a link to authorize them in the inbox.

4 Indent batches — authorize, reject, cancel




1. Open the batch (Indenting › Records › Indent Batches, or from the Generate result). It lists a row per supply day and every indent with grower, village, delivery point and load.
2. The **Cane Manager** checks it and clicks **Authorize N indents** — or **Reject** to delete the draft. The same buttons are in **E-Survey › Approvals inbox** under *Indent batches*.
3. After authorizing, the clerk clicks **Print N indents (PDF)**. Later prints are reprints: a reason is asked and the slip says DUPLICATE.

Indents in this batch Authorized 23 — Print 23 indents (PDF)

INDENT	GROWER	VILLAGE	DELIVER TO	LOAD	STATUS
Sun, Nov 8 · 1 indents					
26-001-100024	Allah Ashraf 001-008-0003	Chak 8 SB	Depot Kot Momin	200	Authorized
Mon, Nov 9 · 3 indents					
26-001-100025	Syed Rafiq 001-007-0002	Chak 7 NB	Depot Kot Momin	200	Authorized
26-001-100026	Rana Shahid Awan 001-008-0001	Chak 8 SB	Depot Kot Momin	200	Authorized
26-001-100027	Allah Iqbal 001-011-0002	Chak 11 NB	Depot Kot Momin	200	Authorized
Tue, Nov 10 · 4 indents					
26-001-100028	Chaudhry Sarwar 001-002-0004	Chak 2 MB	Depot Kot Momin	200	Authorized
26-001-100029	Chaudhry Qadir 001-008-0002	Chak 8 SB	Depot Kot Momin	200	Authorized
26-001-100030	Syed Sadiq 001-009-0001	Chak 9 JB	Check Post Bhalwal	200	Authorized
26-001-100031	Mian Rafiq 001-012-0004	Chak 12 SB	Check Post Bhalwal	200	Authorized
Wed, Nov 11 · 4 indents					
26-001-100032	Emulator Non Passbook 001-001-0005	Chak 1 JB	Depot Kot Momin	200	Authorized


Bhalwal batch authorized — Print 23 indents.

4 The indent slip and the inbox



Indent slips (A4, four a page): number and barcode, grower, CNIC, passbook, village, variety, load, delivery point, supply date and validity.

The grower brings the slip with the vehicle. The **delivery point** is the nearest active gate, check post or depot to his village.



E-Survey › Approvals inbox: draft indent batches with Authorize / Reject, beside overlap reviews and other approvals.


5 Using and tracking indents

AN INDENT'S LIFE


Statuses of a cane indent



- Valid from the supply date for 3 days (season setting "Indent Valid For").
- Every night unused Authorized / Printed indents past their last day turn Expired.
- Report Centre › Indenting › Expired Indents: who, mobile, days ago, and any later indent.



Look up: scan or type the number — valid from 9 Nov.



Expired Indents (season 2025-26): 971 indents, 194,200 md, 301 growers.

Expired Indents (Indenting › Expired indents, or Report Centre › Indenting) lists every indent that ran out unused: supply date, last valid day, days ago, grower and **mobile**, circle, village, delivery point, batch, prints, and **Later Indents** — how many newer indents that grower has. Growers with none may need a call or a fresh indent. Filter by season, dates, circle, village or grower; Excel or PDF.

Weekly routine

When	Who	Do
Before the season	Cane Admin	Season standards; circle quotas; quota rules; an indent range per circle (plus a mill-wide one).
Every week (e.g. Thursday)	Indent Clerk	Generate the next 7 days for all circles; check the preview warnings and held fields.
Same day	Cane Manager	Approvals inbox › Indent batches › Authorize (or Reject).
Next day	Indent Clerk / Circle Officer	Print the batches; hand the slips to the growers.
Daily	Token Clerk	Look up / scan the indent at the gate before issuing a token.
Weekly	Cane Manager	Expired Indents, Grower Indent Balance and Insights — follow up growers falling behind.

If something goes wrong

You see	Do this
“X needs N more indent numbers — add an Indent Range”	Add a new range for that circle (or a mill-wide one), then Preview again.
“Daily intake is 0”	Set the crushing target or Daily Cane Intake on the season.
“No quota rules … 100 % of the surveyed cane”	A warning only. Add rules if the mill does not take all surveyed cane.
Nothing new for these dates	Every load in the window already has an indent — choose later dates.
A grower gets no indents	His survey is not submitted, is a competitor survey, under overlap review (held back) or rejected; or he is disabled.
“Generate at most 62 days at a time”	Choose a shorter period.
“Supply date is outside season”	Rule or indent dates must fall inside the season.
“Only a draft batch can be rejected”	Cancel the authorized batch instead — used indents stay.
“Indent … was already used by token …”	Used indents can't be cancelled.
Look up says “Not valid today”	The vehicle is early or late; the indent is valid only from its supply date for 3 days.

Screens from the MicroMax test system with demo data (3 November 2026).