

Matrices: Cramer's Rule

Cramer's Rule is a method of solving systems of equations using determinants.

The following is **Cramer's Rule with two variables**:

Consider the system of equations $\begin{cases} a_1x + b_1y = c_1 \\ a_2x + b_2y = c_2 \end{cases}$.

$$\text{Let } D = \begin{vmatrix} a_1 & b_1 \\ a_2 & b_2 \end{vmatrix},$$

determinant of the
coefficient matrix

$$D_x = \begin{vmatrix} c_1 & b_1 \\ c_2 & b_2 \end{vmatrix},$$

determinant of the matrix
formed by **replacing the x-**
column with the constants

$$D_y = \begin{vmatrix} a_1 & c_1 \\ a_2 & c_2 \end{vmatrix}$$

determinant of the matrix
formed by **replacing the y-**
column with the constants

If $D \neq 0$, then $x = \frac{D_x}{D}$ and $y = \frac{D_y}{D}$; the solution to the system of equations is the ordered pair $\left(\frac{D_x}{D}, \frac{D_y}{D}\right)$.

(Note: If $D = 0$, Cramer's Rule does not apply—use a different method to solve the system of equations).

(Ex.) Solve the system of equations using Cramer's Rule, if applicable. $\begin{cases} 2x + 5y = 11 \\ -3x + y = -4 \end{cases}$

Find the value of each determinant D , D_x , and D_y .

$$D = \begin{vmatrix} 2 & 5 \\ -3 & 1 \end{vmatrix} = (2)(1) - (5)(-3) = 2 + 15 = 17$$

$$D_x = \begin{vmatrix} 11 & 5 \\ -4 & 1 \end{vmatrix} = (11)(1) - (5)(-4) = 11 + 20 = 31$$

$$D_y = \begin{vmatrix} 2 & 11 \\ -3 & -4 \end{vmatrix} = (2)(-4) - (11)(-3) = -8 + 33 = 25$$

Thus, $x = \frac{D_x}{D} = \frac{31}{17}$ and $y = \frac{D_y}{D} = \frac{25}{17}$. The solution to the system of equations is the ordered pair $\left(\frac{31}{17}, \frac{25}{17}\right)$.

Cramer's Rule can also be extended to solve systems of linear equations in three variables:

Consider the system of equations
$$\begin{cases} a_1x + b_1y + c_1z = d_1 \\ a_2x + b_2y + c_2z = d_2 \\ a_3x + b_3y + c_3z = d_3 \end{cases}$$

$$\text{Let } D = \begin{vmatrix} a_1 & b_1 & c_1 \\ a_2 & b_2 & c_2 \\ a_3 & b_3 & c_3 \end{vmatrix},$$

determinant of the
coefficient matrix

$$D_x = \begin{vmatrix} d_1 & b_1 & c_1 \\ d_2 & b_2 & c_2 \\ d_3 & b_3 & c_3 \end{vmatrix},$$

determinant of the
matrix formed by
**replacing the x- column
with the constants**

$$D_y = \begin{vmatrix} a_1 & d_1 & c_1 \\ a_2 & d_2 & c_2 \\ a_3 & d_3 & c_3 \end{vmatrix},$$

determinant of the
matrix formed by
**replacing the y-column
with the constants**

$$D_z = \begin{vmatrix} a_1 & b_1 & d_1 \\ a_2 & b_2 & d_2 \\ a_3 & b_3 & d_3 \end{vmatrix}$$

determinant of the
matrix formed by
**replacing the z-column
with the constants**

If $D \neq 0$, then $x = \frac{D_x}{D}$, $y = \frac{D_y}{D}$, $z = \frac{D_z}{D}$; the solution to the system of equations is the ordered triple $(\frac{D_x}{D}, \frac{D_y}{D}, \frac{D_z}{D})$.

(Note: If $D = 0$, Cramer's Rule does not apply—use a different method to solve the system of equations).

Ex. Solve the system of equations using Cramer's Rule, if applicable.
$$\begin{cases} 2x + 3y - z = -12 \\ x - y - z = -4 \\ -4x + 3y + z = 14 \end{cases}$$

Find the value of each determinant D , D_x , D_y and D_z .

$$\begin{aligned} D &= \begin{vmatrix} 2 & 3 & -1 \\ 1 & -1 & -1 \\ -4 & 3 & 1 \end{vmatrix} = 2 \begin{vmatrix} -1 & -1 \\ 3 & 1 \end{vmatrix} - 1 \begin{vmatrix} 3 & -1 \\ 3 & 1 \end{vmatrix} - 4 \begin{vmatrix} 3 & -1 \\ -1 & -1 \end{vmatrix} \\ &= 2(-1 + 3) - 1(3 + 3) - 4(-3 - 1) \\ &= 2(2) - 1(6) - 4(-4) \\ &= 14 \end{aligned}$$

$$\begin{aligned} D_x &= \begin{vmatrix} -12 & 3 & -1 \\ -4 & -1 & -1 \\ 14 & 3 & 1 \end{vmatrix} = -12 \begin{vmatrix} -1 & -1 \\ 3 & 1 \end{vmatrix} + 4 \begin{vmatrix} 3 & -1 \\ 3 & 1 \end{vmatrix} + 14 \begin{vmatrix} 3 & -1 \\ -1 & -1 \end{vmatrix} \\ &= -12(-1 + 3) + 4(3 + 3) + 14(-3 - 1) \\ &= -12(2) + 4(6) + 14(-4) \\ &= -56 \end{aligned}$$

$$\begin{aligned} D_y &= \begin{vmatrix} 2 & -12 & -1 \\ 1 & -4 & -1 \\ -4 & 14 & 1 \end{vmatrix} = 2 \begin{vmatrix} -4 & -1 \\ 14 & 1 \end{vmatrix} - 1 \begin{vmatrix} -12 & -1 \\ 14 & 1 \end{vmatrix} - 4 \begin{vmatrix} -12 & -1 \\ -4 & 1 \end{vmatrix} \\ &= 2(-4 + 14) - 1(-12 + 14) - 4(12 - 4) \\ &= 2(10) - 1(2) - 4(8) \\ &= -14 \end{aligned}$$

$$\begin{aligned} D_z &= \begin{vmatrix} 2 & 3 & -12 \\ 1 & -1 & -4 \\ -4 & 3 & 14 \end{vmatrix} = 2 \begin{vmatrix} -1 & -4 \\ 3 & 14 \end{vmatrix} - 1 \begin{vmatrix} 3 & -12 \\ 3 & 14 \end{vmatrix} - 4 \begin{vmatrix} 3 & -12 \\ -1 & -4 \end{vmatrix} \\ &= 2(-14 + 12) - 1(42 + 36) - 4(-12 - 12) \\ &= 2(-2) - 1(78) - 4(-24) \\ &= 14 \end{aligned}$$

Thus, $x = \frac{D_x}{D} = \frac{-56}{14} = -4$, $y = \frac{D_y}{D} = \frac{-14}{14} = -1$, and $z = \frac{D_z}{D} = \frac{14}{14} = 1$.

The solution to the system of equations is the ordered triple $(-4, -1, 1)$.