| D | FORM | |
|---------------------------------|--|-----------|
| Process Owner: IT Operations | Create Secondary Groups for Postmates Shared Drive | F-CMG-3.1 |

| Request Information | | | | |
|-----------------------------------|---------------|----------------------|-----------|-------|
| Requestor | Rov | Rovie G. Salvatierra | | |
| Implementing Team | Syst | tems and Server O | perations | |
| Ticket Number/s | 201 | 915152 | | |
| Change Classification | Х | Major | | Minor |
| After the fact | | Yes | Х | No |
| Emergency | | Yes | Х | No |
| Proposed Change Date | Ma | y 3, 2019 | | |
| Proposed Change Start/End Time | 18:00 – 20:00 | | | |
| Proposed Change Verification Time | 20: | 15 | | |

Objective of the change

- To create a sub-group for each team in Postmates.
- To moderate the access of each team from accessing other Postmates folders.
 - QAs, gcanson, and mflorendo will have read/write access to all folders and subfolders in the SHARE_postmates.
 - TLs will have read/write access ONLY to their respective team folders.

| Technical/Operational Impact of the change | | | | |
|--|-------------------------------|-------------------------------|--|--|
| Negative: | Beneficial: | Neutral: | | |
| No downtime during the | The Postmates shared folder | Each team will be named after | | |
| implementation, and no | will be strictly moderated to | the TL's name for easier | | |
| production will be affected. | disallow inappropriate access | identification. | | |
| | to other team's files. | | | |
| | | | | |

| | Affected IT Infrastructure components | | | | |
|---|---------------------------------------|----------------|--------------|--------------------------------|--|
| ſ | Site | Hostname | IP Address | Function | |
| Ī | JAKA | JKA-VLIN-FNP01 | 172.17.0.124 | Linux-based Samba shared drive | |

| Affected Departments and Corresponding Contact Persons | | | | | |
|--|-------------------|-----------------------------|--|--|--|
| Department | Contact Name | Contact Info | | | |
| Server Operations | Rovie Salvatierra | 0917-627-4325 | | | |
| Destmates | Myka Florendo | mflorendo@openaccessbpo.com | | | |
| Postmates | Gary Canson | gcanson@openaccessbpo.com | | | |

Test Environment implementation and Verification Summary

This process has been implemented previously when DWARFS folder need to have restrictions. The ticket number is 201706871.

- 1. We tested the same procedure on the test CentOS virtual machine in the test Hyper-V with IP Address 172.18.133.10.
- 2. Created two test accounts named hamdan and fazza.
- 3. Created a primary folder named Formula 1, and two sub-folders named McLaren and Ferrari.
- 4. Created two groups named pm_aagravante and pm_aprincipe with the following membership:
 - McLaren pm_aagravante hamdan

| | Proprietary and Confidential | Effectivity: | Page 1 |
|------------------------------------|------------------------------|---------------|------------------------------|
| OPEN ACCESS WE SPEAK YOUR LANGUAGE | Troprietary and confidential | April 1, 2019 | Template Version : 02 |

Create Secondary Groups for Postmates Shared Drive

F-CMG-3.1

Ferrari - pm_aprincipe - fazza

5. Configured the folder permissions in the samba configuration file as shown below:

```
[Formula 1]

comment = Test
path = /home/SHARE_formula1
create mask = 0660
force create mode = 0110
directory mask = 0770
valid user = @f1
writable = yes
veto files = /*.avi/*.flac/*.mp4/*.mkv/*.aa3/*.wma/*.flv/*.mpg/*.mpeg/*.zip/*.exe/*.wmv/
vfs objects = full_audit
full_audit:failure = none
full_audit:perfix = %u[x] [%m]xS
full_audit:perfix = %u[x] [%m]xS
full_audit:prefix = NOTICE

[McLaren]

Comment = Team AAgravante
path = /home/SHARE_formula1/SHARE_mclaren
valid user = @pm_aagravante
browsable = no
veto files = /*.avi/*.flac/*.mp4/*.mkv/*.aa3/*.wma/*.flv/*.mpg/*.mpeg/*.zip/*.exe/*.wmv/
vfs objects = full_audit
full_audit:failure = none
full_audit:prefix = %u[x] [%m]xS
full_audit:facility = locals
full_audit:failure = none
veto files = /*.avi/*.flac/*.mp4/*.mkv/*.aa3/*.wma/*.flv/*.mpg/*.mpeg/*.zip/*.exe/*.wmv/
vfs objects = full_audit
full_audit:prefix = %u[x] [%m]xS
full_audit:facility = locals
full_audit:failure = none
full_audit:grafix = %u[x] [%m]xS
full_audit:failure = none
full_audit:grafix = %u[x] [%m]xS
full_audit:frailure = none
full_audit:grafix = %u[x] [%m]xS
full_audit:prefix = %u[x] [%m]
```

Figure 1

6. Saved the settings and tried accessing the test server as shared drive, using the two test accounts.





Figure 2: Hamdan's access has no permission to the Ferrari folder

Create Secondary Groups for Postmates Shared Drive

F-CMG-3.1



Test Environment Results Summary

Only members of the primary group can access the corresponding sub-folder, adhering to the PCI-DSS requirement.

Manager has access to all folders.



| D | FORM | |
|---------------------------------|--|-----------|
| Process Owner: IT Operations | Create Secondary Groups for Postmates Shared Drive | F-CMG-3.1 |

Configuration Change Template

| Baseline File | 3.1.146 JKA-VLIN-FNP01 |
|------------------|------------------------|
| Baseline Version | 5 |

Baseline File Changes:

| Existing Configuration | Proposed Change | Impact | Section |
|--|---|--|----------------------------|
| No existing sub-group for Postmates campaign; just the universal groups for all Postmates personnel. | Create 12 sub-groups for the 12 Postmates Team. | There will be 12 secondary groups under the Postmates group, indicating the respective TL and member agents. | Share Permission tab |

Physical Implementation Procedures / Advisory

No physical implementation required for this.

After the implementation, send an email confirmation to Postmates TLs, QAs, and Managers.

To: postmatesopmanagement@openaccessbpo.com;

postmatessupport@openaccessbpo.com

Cc: mflorendo@openaccessbpo.com; nmartinez@openaccessbpo.com;

gcanson@openaccessbpo.com; itgroup@openaccessbpo.com; ryanes@openaccessbpo.com

Subject: Internal Shared Drive Access Permission

Hi,

We have completed implementing the changes to the Postmates shared drive with file path \\172.17.0.124\Postmates\.

We created a folders for each team and only the TL and their team members can access it. The names of the folders are as follow:

 $\172.17.0.124\Postmates\Team_Keshia\$

 $\172.17.0.124\Postmates\Team_Byron\$

\\172.17.0.124\Postmates**Team_Jazz**\

\\172.17.0.124\Postmates**Team Macy**\

 $\172.17.0.124\Postmates\Team_Alyssa\$

\\172.17.0.124\Postmates**Team_Vincent**\

\\172.17.0.124\Postmates**Team Jaycee**\

\\172.17.0.124\Postmates**Team_Benjamin**\

\\172.17.0.124\Postmates**Team Leanderson**\

 $\172.17.0.124$ Postmates\Team_Racel

 $\172.17.0.124$ Postmates \Team_Mark



| Proprietary and Confidential | Effect |
|------------------------------|---------|
| | Anril 1 |

| Dan O | FORM | |
|-------------------------------|--|-----------|
| Process Owner: IT Operations | Create Secondary Groups for Postmates Shared Drive | F-CMG-3.1 |

\\172.17.0.124\Postmates**Team Alvin**\

For us to properly employ the permissions, kindly transfer right away all your files from your previous folders, because we'll be deleting the old directory to avoid confusion.

The QAs, as well as Myka and Gary have full access to each folders and sub-folders as requested.


Let us know if you're having issues with your access to your respective teams so we can check it.

Backup Procedures

- 1. Log on to 172.17.0.124 via SSH using your own elevated credentials.
- 2. Switch to the root environment by sending the command sudo su -.
- 3. Copy the samba configuration file to your home folder by sending the command below:
 - cp /etc/samba/smb.conf /home/fnp01_smb_mmddyyy.conf
- 4. Next, log on to 172.17.0.1 via SSH using your own elevated credentials, then switch to the root environment.
- 5. Copy the back-up samba configuration by sending the command below:
 - scp -P3489 rovie@172.17.0.124:/home/ fnp01_smb_mmddyyy.conf .
- 6. Once back-up is complete, exit the connection by entering exit.

Technical Configuration Procedures

- 1. Log on to 172.17.0.124 via SSH using your own elevated credentials.
- 2. Switch to the root environment by sending the command sudo su -.
- 3. Create the team groups one by one by sending the commands below:
 - groupadd pm kmeneses
 - groupadd pm_bsicat
 - groupadd pm jmiranda
 - groupadd pm_mgarcia
 - groupadd pm_aprincipe
 - groupadd pm_vhernandez
 - groupadd pm jsundiam
 - groupadd pm_bubongen
 - groupadd pm_lalon
 - groupadd pm rparedes
 - groupadd pm_mrigor
 - groupadd pm aagravante
- 4. Send the command below to switch the agent's primary group to their respective **team group**. You may refer to the <u>Postmates Team Distro</u> for the list of users per team:



| D | FORM | |
|---------------------------------|--|-----------|
| Process Owner: IT Operations | Create Secondary Groups for Postmates Shared Drive | F-CMG-3.1 |

- usermod -g <team group> <username> | usermod -G postmates <username>
 - > make sure to this for all users listed, including the team leader
 - > this will set the user's primary group to their team group, and then the campaign group as the secondary group
- 5. Next, create a directory for each Team Lead by sending commands below:
 - mkdir Team_Keshia
 - mkdir Team_Byron
 - mkdir Team Jazz
 - mkdir Team_Macy
 - mkdir Team Alyssa
 - mkdir Team Vincent
 - mkdir Team Jaycee
 - mkdir Team_Benjamin
 - mkdir Team Leanderson
 - mkdir Team Racel
 - mkdir Team_Mark
 - mkdir Team Alvin
- 6. Edit the samba configuration file as shown below so that each team's folder is moderated accordingly.
 - > send the command vi /etc/samba/smb.conf
 - > press shift + A simultaneously to edit the file
 - > insert the lines below

```
[Team Keshia]
```

comment = PM - Keshia Team

path = /home/SHARE postmates/Team Keshia

valid users = @pm_kmeneses mflorendo gcanson edeguia kvigidor rlicup vmangao rdeniega

browsable = no

/*.avi/*.flac/*.mp4/*.mkv/*.aa3/*.wma/*.flv/*.mpg/*.mpeg/*.zip/*.exe/*.vmv vfs object = full audit

full audit:failure = none

full audit:success = mkdir rename unlink rmdir open pwrite

full_audit:prefix = %u|%I|%m|%S

full_audit:facility = local5

full audit:priority = NOTICE

NOTES:

- > create a section for each team folder
- > change those highlighted in yellow accordingly, by referring to steps 3 and 5 for the group name and share name
- > refer to the Postmates Team Distro for the TL's first name
- 7. Once done, press esc, then enter: wq! to save the changes.



| Process Owner: IT Operations | FORM | F-CMG-3.1 |
|---------------------------------|--|-----------|
| | Create Secondary Groups for Postmates Shared Drive | |

8. Next, add the following users to all secondary groups in **Step 3**:

mflorendo

gcanson

edeguia

kvigidor

rlicup

vmangao

rdeniega

> to do this, send the command usermod -G group1,group2,group3 <username>

9. Restart the samba service by sending the command service smb restart.

Verification Procedures

- 1. Advise one agent from each team to test their access to the file path \\172.17.0.124\Postmates\.
 - they should have read/write ONLY to their team's folder
- 2. Advise Gary, Myka, and one QA to check their access to each Team's folder.
 - they should have read/write access to all Postmates Team folders

Back-out Procedures

- 1. Log back in via SSH to 172.17.0.124 using your own elevated credentials.
- 2. Navigate to the configuration file by entering the command cd /etc/samba.
- 3. In the samba directory, rename the existing smb.conf by entering **mv smb.conf** smb_old.conf.
- 4. Next, copy the back-up file from the /home/ folder to the /etc/samba/ folder.
 - cp /home/fnp01_smb_mmddyyy.conf /etc/samba/smb.conf
- 5. Restart the samba service by sending the command service smb restart.

