KB Category:	**Bright Sign Device Setup**		
Author:	Kenneth G. Mayo	Date:	**March 26, 2019**

Problem Description:	N/A
Symptoms and Cause of the issue:	N/A

Note: *Get the Application Installer in the shared drive located at* ***"Run"*** *Type* ***"172.17.0.124", "IT", "DSE",*** *and the file name is* ***"setup_BrightAuthor_4.7.2.8"***

Procedures:

Step 1: Select **the "setup_BrightAuthor_4.7.2.8"** for Windows and if you are using mac select **"_MACOSX"**.



Figure 1. Shows what type of OS that you are using.

Step 2: In my case I am using a Windows open the folder and click **"Setup"** and click **"Install"**.
Note: *If your windows defender prompt please select* ***"run it anyways".***

Figure 2. Shows the option to install Bright Sign

Figure 3. Shows the Bright Sign Installing.

Step 3: When your installing is done. Click **"Exit"** and Run the application.



Figure 4. Shows the Interface of Bright Sign Application.

Step 4: Make sure that you inserted your SD card in your laptop/PC.

Figure 5. Shows that where you insert a SD Card.

Step 5: After you inserted and verify if the SD Card is working return to the Bright Sign Application.



Figure 6. Shows to verify if the SD Card is working..

Step 6: Drag a sample image file to the Playlist Interface.



Figure 7. Shows how to drag image to the playlist of Bright Sign.

Step 7: Go to the **"File"** and select **"Export Project 2"**.



Figure 8. Shows where to export the playlist.

Step 8: Click **"Yes"** to save.



Figure 9. Shows that you need to save the presentation.

Step 9: Choose the path of your SD Card and Click **"Ok".**



Figure 10. Shows the path of your SD card and export it.



Figure 11. Shows that the exporting of presentation is complete.

Step 10: If the presentation is successfully exported, open your SD Card and the image that you exported is inside of the SD Card.



Figure 12. Shows that the image is already exported in the SD Card.

Step 11: "Eject" your SD Card in your laptop/PC.



Figure 12. Shows how will you "Eject" the SD Card.

Step 12: Insert the SD Card to the Bright Sign Device. And it will automatically read the image that you exported in the device.

Figure 13. Shows the device of Bright Sign and where to insert the SD Card.

Figure 14. Shows a device that is installed in the Screen Monitor.

Verification:

You can now see the image that you exported in the SD Card. It will automatically read the presentation inside of your SD Card.

Figure 15. Shows the Image or presentation that you exported in the SD Card can now see.