


E-flow: Intelligent Document Tracking and workflow management system for universities



**A Documentation Submitted to the department of Computer Science and Engineering
College of Electrical Engineering and Computing**

**Presented in Partial Fulfillment of the Requirement for Bachelor's Degree in Computer
Science and Engineering**

No	Student Name	ID. No.
1	Maraki Teferi	UGR/25729/14
2	Leul Negesse	UGR/25673/14
3	Beamlak Tesema	UGR/25545/14
4	Kidus Asnake	UGR/25665/14
5	Selamu Feleke	UGR/25478/14

December 2025
Adama, Ethiopia

DECLARATION

We are students of Adama Science and Technology University in the School of Electrical Engineering and Computing in the Department of Computer Science and Engineering. The information found in this project is our original work. And all sources of materials that will be used for the project work will be fully acknowledged.

NO	Name	ID	Signature
1.	Beamlak Tesema	UGR/25545/14	
2.	Kidus Asnake	UGR/25665/14	
3.	Leul Negesse	UGR/25673/14	
4.	Maraki Teferi	UGR/25729/14	
5.	Selamu Feleke	UGR/25478/14	

Date of Submission: Dec 24, 2025,

This project has been submitted for examination with our approval as a university advisor.

Advisor Name

Signature

Contents

DECLARATION	1
LIST OF FIGURES.....	6
Acronomy.....	8
Chapter 1	12
1. Introduction.....	12
1.2 Background of the project.....	13
1.3 Statement of the problem	13
1.4. Objectives.....	15
1.4.1 General Objectives.....	15
1.4.2 Specific Objectives.....	15
1.5 Scope and Limitation	16
1.5.1 Scope of the project	16
1.5.2 Limitations.....	17
1.6 Deliverables.....	18
1.7 Feasibility Study	19
1.7.1 Technical Feasibility.....	19
1.7.2 Operational Feasibility.....	19
1.7.3 Economic Feasibility	21
1.8 Significance of the project.....	22
1.9 Beneficiaries of the project	23
1.10 Methodology.....	24
1.11 Development Tools.....	25
1.12 Required resources with cost.....	27
1.13 Task and Schedule	28
1.14 Team Composition	31
Chapter 2: Description of Existing System and Literature Review	32
2.1. Major Function of the Existing System.....	32
2.2 Users of the Current System.....	32
2.3 Drawbacks of the Current System	33
2.4 Literature Review.....	34
2.4.1 Introduction	34
2.4.2 Electronic Document Management Systems (EDMS) in Higher Education.....	35

2.4.3 Workflow Management Systems (WfMS) and Process Automation	38
2.4.4 Optical Character Recognition (OCR): The Bridge Technology	39
2.4.5 Information Security Architecture: Trust and Compliance	40
2.4.6 Contextual Analysis: Digital Transformation in Ethiopian Higher Education	42
2.4.7 Gap Analysis: The Need for E-flow	43
2.4.8 Theoretical Framework: The Integrated Process Automation Model.....	43
2.4.9 Conclusion	43
CHAPTER 3.....	44
3.1 Overview	44
3.2 Functional Requirements	44
3.3. Non-Functional Requirements	46
3.4. System model.....	47
3.4.1. Scenario.....	47
Extensions:	49
3.4.2. Use case model	54
3.5. Object Model	64
3.5.1. Data Dictionary	65
3.5.2. Class diagram	69
3.5.3 Dynamic model.....	70
3.5.4 Sequence diagram	70
3.5.5. Activity diagram.....	75
3.5.6. State chart diagram	81
Chapter 4: System design	82
4.1 Overview	82
4.2 Purpose of the System Design	83
4.3 Design Goals	84
4.4. Proposed System Architecture	84
4.5. Subsystem Decomposition	85
4.6. Subsystem Description	88
4.7. Persistent Data Management	91
4.8 Component Diagram	92
4.9 Database Diagram.....	93
4.10 Access Control	94

Chapter 5: Implementation	96
5.1 Overview	96
5.2 Coding Standards.....	97
5.3 Development Tools.....	99
Database and Storage Tools.....	99
Version Control	100
5.4 Prototype	100
5.5 Implementation Detail	113
5.5.1 Client-Side Implementation	114
5.5.2 Server-Side Implementation	114
5.5.3 Database	115
Chapter 6: System Testing	
6.1 Introduction	
6.2 Scope	
6.3 Features to be Tested and Not to be Tested	
6.4 Pass/Fail Criteria	
6.5 Key Test Cases	
6.6 Test Execution	
6.7 Defect Management	
6.8 Resources	
6.9 Schedule	
6.10 Estimated Risk and Contingency Plan	
6.11 Conclusion	
Chapter 7: Conclusion and Recommendation	
7.1 Conclusion	
7.2 Recommendation	
References	

List of Tables

Table 1: Cost Break Down Table.....	28
Table 2: Team composition	32
Table 3: Operational Efficiency and cost benefit Analysis.....	37
Table 4: UC-01 User Authentication	56
Table 5: UC-01 User Authentication	57
Table 6: UC-03 Submit Document (with OCR)	58
Table 7: UC-04 Approve Document (with 2FA)	59
Table 8: UC-05 Reject / Request Revision	60
Table 9: UC-06 Track Document Status.....	61
Table 10: UC-07 Send Automated Notifications	62
Table 11: UC-08 View Audit Trail.....	63
Table 12: Data Dictionary.....	68
Table 13: Subsystem Description	90
Table 14: Users Access Control.....	95

LIST OF FIGURES

Figure 3.1: Use case Model	54
Figure 3.2: Class diagram	69
Figure 3.3: User Authentication Sequence diagram	70
Figure 3.4: Document submission (OCR) Sequence diagram	71
Figure 3.5: Approve Document Sequence diagram	72
Figure 3.6: Document rejection sequence diagram.....	73
Figure 3.7: Track Status Sequence Diagram.....	73
Figure 3.8: Automated Notifications Sequence diagram	74
Figure 3.9: View Audit Trail sequence diagram.....	74
Figure 3.10: User Login and Two-Factor authentication(2FA) Activity Diagram	75
Figure 3.11: Document Submission and Approval Process Activity diagram.....	76
Figure 3.12: Workflow Configuration Activity Diagram	77
Figure 3.13: Document Status Tracking and History access Activity Diagram	78
Figure 3.14: Notification Handling Activity diagram.....	79
Figure 3.15: Audit log Recording Activity Diagram	80
Figure 3.16: Document Lifecycle State chart diagram	81
Figure 4.1: Proposed System Architecture	84
Figure 4.2: Proposed System Architecture	88
Figure 4.3: Persistent Data Management Diagram	92
Figure 4.4: Component Diagram	93
Figure 4.5: Database ER Diagram	94
Figure 5.1: User Registration	105
Figure 5.2: User login page.....	106
Figure 5.3: password reset page.....	101
Figure 5.4: Password reset identity verification(2fa).....	102
Figure 5.5: Set new password page.....	102
Figure 5.6: Student Dashboard.....	103
Figure 5.7: Student's my documents page	103
Figure 5.8: Student's my document page.....	104
Figure 5.1: Student's Service Page.....	111
Figure 5.2: students request service page.....	111
Figure 5.11: Student's Notification page.....	110
Figure 5.12: Students setting page.....	111
Figure 5.13: Stuff Dashboard.....	112
Figure 5.14: Stuff's Tasks page	108
Figure 5.15: Stuff's specific tasks view page	108
Figure 5.16: Digital signature page.....	108
Figure 5.17: Admin Dashboard.....	109
Figure 5.18: Admin Workflow Management page	109
Figure 5.19: Admin workflow Builder	110
Figure 5.20: Admin User management page	110
Figure 5.21: Document management hub.....	111

Figure 5.22: Admin Role Management page.....	111
Figure 5.23: System logs page	112
Figure 5.24: Audit and compliance page	112
Figure 5.25: Admin Analytics and report page.....	113
Figure 5.26: Document version history.....	113

Acronomy

- **E-flow** – Electronic Flow
- **OCR** – Optical Character Recognition
- **DMS** – Document Management System
- **EDMS** – Electronic Document Management System
- **BPM** – Business Process Management
- **WfMS** – Workflow Management System
- **RBAC** – Role-Based Access Control
- **2FA** – Two-Factor Authentication
- **OTP** – One-Time Password
- **PKI** – Public Key Infrastructure
- **API** – Application Programming Interface
- **REST** – Representational State Transfer
- **SSL** – Secure Sockets Layer
- **TLS** – Transport Layer Security
- **AES** – Advanced Encryption Standard
- **ISO** – International Organization for Standardization
- **UI** – User Interface
- **UX** – User Experience
- **ERD** – Entity Relationship Diagram
- **UML** – Unified Modeling Language
- **JSON** – JavaScript Object Notation

- **JWT** – JSON Web Token
- **SLA** – Service Level Agreement
- **DPI** – Dots Per Inch
- **LCNC** – Low-Code / No-Code
- **EUD** – End-User Development
- **HEI** – Higher Education Institution
- **PII** – Personally Identifiable Information
- **CIA** – Confidentiality, Integrity, and Availability
- **TAM** – Technology Acceptance Model
- **ROI** – Return on Investment
- **ICT** – Information and Communication Technology

ACKNOWLEDGEMENT

We would like to express our heartfelt gratitude to our advisor, **Miss Lomi Deresa**, for her invaluable guidance, unwavering support, and continuous encouragement throughout the course of this project. Her expertise, constructive feedback, and dedication have been instrumental in deepening our understanding of the subject and significantly enhancing the quality of our work.

We also extend our sincere appreciation to **Adama Science and Technology University (ASTU)** for providing a supportive academic environment and the necessary resources to carry out this project. The university's support has played an important role in our academic development.

Finally, we would like to thank all individuals who contributed to this project, directly or indirectly, for their encouragement, cooperation, and assistance throughout the project work.

Abstract

This project presents **E-flow**, an intelligent document tracking and workflow management system designed to digitize and automate administrative processes within universities.

Addressing the inefficiencies of manual paper-based handling, E-flow introduces a visual drag-and-drop workflow builder, allowing administrators to customize approval chains dynamically.

The system integrates Optical Character Recognition (OCR) to bridge the gap between physical and digital records, alongside a secure two-factor authentication (2FA) module for digital signatures. By providing real-time tracking, role-based access control, and comprehensive audit trails, E-flow enhances transparency, reduces processing delays, and supports the digital transformation goals of modern higher education institutions.

Chapter 1

1. Introduction

Universities and higher education institutions have made significant progress in digitalizing their academic and administrative operations. Yet, despite these advancements there are many opportunities remain to enhance efficiency, transparency, and interdepartmental coordination through smarter automation tools. This Project introduces “E-flow: Intelligent Document Tracking and workflow management system for universities” a web- based platform designed to complement and enhance existing digital ecosystems. This system will serve as an intelligent automation layer, providing a unified platform for document routing, secure approval, and transparent monitoring. A key feature is the inclusion of Optical Character Recognition (OCR), allowing the system to scan and digitalize workflow. This capability helps institutions transition away from paper-based systems without disrupting established procedures.

Unlike conventional digital tools they rely on rigid, preconfigured workflows, E-Flow’s primary innovation is the Visual workflow builder . This drag and drop interface enables administrators to design, adjust , and manage complex approval chains with ease. Departments can create workflows tailored to their unique needs without writing a single line of code making the system accessible to both technical and non-technical users .

By introducing a flexible and secure approach to workflow automation, E-Flow aims to enhance accountability,minimize processing delays, and strengthen coordination across the university’s digital ecosystem. Ultimately, the system supports institutions in becoming more responsive, organized, and transparent in their day to day operations.

1.2 Background of the project

Organizations in recent years increasingly rely on Document management systems (DMS) to keep information structured, secure and easily accessible. These systems strengthen collaboration across departments by automating repetitive processes and minimizing manual workloads. As a result, institutions can focus more on decision-making and less on administrative overhead.

Within higher education institutions, digital transformation initiatives have already created a strong foundation for technology-driven administration. The proposed project builds upon this progress by introducing an intelligent visual workflow automation layer. Through this addition, universities will be able to design, visualize, and manage approval flows in real time. The combination of a secure DMS, OCR capabilities for digitizing paper documents, and an interactive workflow builder enables administrators and staff to define sequences such as Dean → Registrar → President for document approvals, while maintaining version control, verified digital signatures, and comprehensive audit trails.

Rather than disrupting existing platforms, this solution extends their functionality by introducing higher levels of automation, consistency, and transparency in document lifecycle management. From the initial submission of a document to its final approval, every step becomes traceable, efficient, and less prone to human error. The system will be developed using [React.js](#) with React Flow for the front-end, [Node.js/Express](#) for the back-end, PostgreSQL for the database, and an OCR library (like Tesseract.js), all of which are open-source and scalable technologies suited for institutional use.

1.3 Statement of the problem

Despite the growing need for streamlined administrative processes, many higher education institutions still rely on manual or partial methods for handling documents. These approaches are often inefficient. Without a centralized intelligent workflow system it will be difficult to monitor documents and maintain consistent service quality across departments.

The primary problems addressed by the project include:

1. Lack of Document Traceability:

- Once a document is submitted (whether paper or digital), there is often no clear or standardized system to monitor its movement between offices.
- Students and staff are required to make frequent follow-ups in person or via email to determine their request's status. This leads to uncertainty, wasted time, and operational inefficiency.

➤ **Data Inaccessibility and Processing Delays:**

- Physical documents are vulnerable to being misplaced, filed incorrectly, or left unattended.
- Furthermore, existing digital documents (such as scanned PDFs) are often stored as static, non-searchable images. This "dead data" makes it impossible to find documents by searching for their content, creating digital "black holes" and forcing manual data re-entry.
- Without digital timestamps or action history, it is difficult to identify where or why a document is delayed, resulting in missed deadlines and dissatisfaction.

➤ **Limited Accountability and Security Risks:**

- When actions are not logged in a secure, centralized system, it is difficult to hold individuals responsible for workflow disruptions.
- More importantly, this creates a significant security risk. Without a verifiable audit trail or a system for verifying a signer's identity (beyond just clicking "approve"), there is no true non-repudiation. Sensitive documents are routed without proof of who approved them and when, posing a high risk to institutional integrity.

➤ **Static and Inflexible Digital Systems:**

- Even when digital systems are in place, they are often "hard-coded" with rigid, static workflows.

- When an administrative process changes (e.g., a new approval step is added), these systems cannot adapt without complex and costly reprogramming.
- This lack of flexibility forces administrators and staff to create "workarounds" (like reverting to email or paper), breaking the digital workflow and re-introducing all the problems of manual processing.

To overcome these persistent issues, universities must adopt a secure and flexible workflow management system. Such a solution enhances transparency, minimizes risk, and ensures more efficient experience for both staff and students.

1.4. Objectives

1.4.1 General Objectives

The general objective of this project is to develop E-flow, an intelligent document tracking and workflow management system designed to streamline document handling and enhance institutional transparency through automated approval processes and real-time status monitoring.

1.4.2 Specific Objectives

- **To design a centralized, role-based architecture** that facilitates secure document submission and management while ensuring data integrity through robust access control mechanisms.
- **To develop a dynamic workflow engine** utilizing a visual drag-and-drop interface to allow administrators to define and modify departmental approval sequences.
- **To implement an automated routing and notification system** that ensures seamless document progression and real-time stakeholder engagement.
- **To integrate Optical Character Recognition (OCR) technology** for the transformation of physical and image-based documents into searchable digital formats.
- **To establish a comprehensive tracking and audit framework** that provides real-time status updates, version control, and time-stamped processing histories.
- **To incorporate a secure approval verification system** employing multi-factor authentication to ensure the authenticity and accountability of digital signatures.
- **To evaluate the system's performance and usability** through rigorous testing to ensure it meets the administrative needs of the university environment.

1.5 Scope and Limitation

1.5.1 Scope of the project

The scope of this project is to design and implement a web-based systems that digitizes document management processes and introduces a visual workflow builder for defining, automating, and tracking approval sequences across university departments. The system's primary goal is to complement a university's existing digital infrastructure by introducing a layer of intelligent process automation rather than replacing any of its current platforms.

Target Users:

- **Administrators and Department Heads:** Can design and customize workflows for various document types (e.g., student requests, memos, purchase approvals).
- **Administrative Staff:** Handle assigned tasks, review documents, and track approval progress.
- **Students and Faculty:** Submit forms and monitor status updates through the portal.

Functional Scope:

- **OCR-based Document Ingestion:** Ability to scan, digitize, and process paper documents or image-based PDFs, extracting text to make them searchable within the system.
- Document upload, retrieval, and version control with metadata tagging.
- Workflow creation and automation using a drag-and-drop interface (powered by React Flow).
- **Verified Digital Signature Module:** A secure signature function where approvals are confirmed using a Two-Factor Authentication (2FA/OTP) process, ensuring signer identity and non-repudiation.
- Role-based access control (RBAC) and notification mechanisms for each workflow stage.
- Real-time progress tracking with comprehensive audit trails.
- Reporting dashboard for performance and activity summaries.

Non-Functional Scope:

- **Performance:** The system will be optimized for reliability, supporting concurrent users without significant latency.
- **Security:** The system will be designed to be "very secure." All data in transit (SSL/TLS) and at rest (e.g., AES-256) will be encrypted. It will enforce granular RBAC and secure authentication protocols to maintain confidentiality and integrity.
- **Scalability:** Built with modular architecture to allow future integration with other institutional systems such as the eStudent or staff portal.
- **Usability:** The system will feature an intuitive interface, designed to require minimal training.

System Architecture: The project employs a three-tier architecture comprising a React.js front-end, a back-end (Node.js) which includes an OCR processing engine (e.g., Tesseract.js), and a PostgreSQL database. RESTful APIs will facilitate data exchange, and the visual workflow engine will operate on top of this infrastructure to manage dynamic process flows.

Development Methodology: The system will be developed following an Agile approach, with iterative cycles of design, development, and user feedback. Regular reviews with key stakeholders will ensure continuous alignment with institutional needs. The system's design will be guided by principles from ISO 15489 (Records Management) for document lifecycles and ISO 27001 (Information Security) for the security framework.

Evaluation Criteria: The system's success will be measured based on usability, system responsiveness, workflow accuracy, OCR accuracy, error rates, and user satisfaction obtained through testing and feedback sessions.

1.5.2 Limitations

- **Integration with Institutional Systems:** The "E-flow" system will operate as a standalone platform. Future integration with existing institutional systems (e.g., student finance, grading databases) is possible but outside this project's initial scope.
- **No Native Mobile Application:** (Only a responsive web interface will be provided).

- **OCR Accuracy:** The Optical Character Recognition (OCR) module's accuracy is dependent on the quality of the scanned document (e.g., clarity of text, handwriting, document layout). 100% accuracy on all document types is not guaranteed.
- **Signature Verification Scope:** The system implements strong identity verification using Two-Factor Authentication (email OTP). It does not implement a full PublicKey Infrastructure (PKI) for cryptographic certificates, which is considered beyond the scope of this project.

1.6 Deliverables

Upon completion, the project will deliver the following key component

- A fully functional web application titled "E-flow: Intelligent Document Tracking and workflow management system for universities."
- A Visual Workflow Builder module that allows administrators to create and modify document approval routes.
- An Optical Character Recognition (OCR) module integrated into the back-end for digitizing, indexing, and extracting text from scanned paper documents and PDFs.
- A Secure Signature Verification module that, before applying any approval, confirms the user's identity via a Two-Factor Authentication (2FA/OTP) challenge sent to their official email.
- An administrative dashboard for real-time monitoring and reporting.
- Comprehensive project documentation, including user manuals, system architecture diagrams, and testing results.
- The complete source code and deployment scripts for the application.

1.7 Feasibility Study

1.7.1 Technical Feasibility

The project is technically feasible as it relies on open-source, widely-used, and well-documented technologies. The development team has foundational knowledge of the core stack (React.js, Node.js, and PostgreSQL) from their academic coursework.

The project's advanced components are also feasible due to the availability of established libraries:

1. **Visual Workflow Builder:** React Flow, the component for the workflow builder, is a well-documented open-source library, making this complex feature achievable.
2. **Optical Character Recognition (OCR):** The OCR requirement will be met using an established open-source engine like Tesseract.js. This library integrates with Node.js, allowing the system to perform text extraction from scanned documents without requiring the team to build a complex AI model from scratch.
3. **Secure Signature Verification:** This "very secure" requirement will be implemented via a Two-Factor Authentication (2FA/OTP) mechanism. This involves generating a secure token and sending it to a user's registered email. This is a standard and achievable feature using common back-end libraries (e.g., Nodemailer, crypto) and is far more feasible than implementing a full Public Key Infrastructure (PKI).

The university's existing IT infrastructure (servers, network) is sufficient for deployment, although the OCR module will require adequate server-side processing resources. No specialized or proprietary hardware is required, making the technical barriers manageable.

1.7.2 Operational Feasibility

Operationally, the system assesses whether the system will effectively function within the university's environment and whether stakeholders will adopt and benefit from it. Based on current workflows and stakeholder needs, the "E-flow" system is highly practical and aligns with an institution's operational goals.

1. **Usability and Accessibility:** The system will feature an intuitive and responsive web interface accessible through any modern browser. The Visual Workflow Builder allows administrators to define processes without technical expertise, promoting ease of use. End users, including staff, students, and management, can interact with the platform using simple dashboard controls and receive real-time notifications about document progress.
2. **User Acceptance and Training:** The system's introduction will be accompanied by a brief training and demonstration phase for administrators and staff. This training will specifically cover how to use the new OCR scanning feature for paper documents and how to use the 2FA/OTP process for signature verification. Because the interface mimics familiar digital patterns, users are expected to adapt quickly. The solution complements existing digital systems rather than replacing them, ensuring minimal disruption.
3. **Maintenance and Support:** The system will be designed for long-term maintainability. Clear documentation will accompany the project, enabling future developers or IT staff to manage updates and enhancements easily. Using open-source tools eliminates dependency on external vendors, and modular design simplifies troubleshooting.
4. **Security and Privacy:** Given the sensitivity of academic and administrative documents, a "very secure" design is a core operational requirement.
 - o **Encryption:** The system will implement encryption for data at-rest (e.g., AES-256) and in-transit (SSL/TLS).
 - o **Signature Verification:** A secure signature verification module (2FA/OTP) will be implemented to ensure the identity of all approvers.
 - o **Access Control:** Access will be strictly role-based, ensuring each user can only view or act on documents relevant to their position.
 - o **Standards:** The entire security framework will be guided by principles from the **ISO 27001** standard for information security management.
5. **Organizational Alignment:** The "E-flow" system aligns directly with a university's vision of becoming a technologically advanced and digitally efficient institution. It integrates

seamlessly into existing workflows, including new digital (OCR) processes for paper-based tasks, enhancing collaboration and transparency. The system's flexibility allows departments to tailor workflows to their unique processes, and its design will be guided by ISO 15489 (Records Management) principles to ensure proper document handling, fostering ownership and long-term engagement.

1.7.3 Economic Feasibility

The economic feasibility of the proposed "E-flow" system is highly favorable. The project utilizes open-source tools, existing institutional infrastructure (like labs and internet), and the technical expertise of the student development teams. This approach significantly reduces financial barriers while still demonstrating a project with high institutional benefit.

1. **Cost Analysis:** The estimated project budget is approximately 3,000 ETB, covering internet access for research, printing of documentation, and miscellaneous contingency costs. The primary cost-saving is the use of open-source technologies: there are no licensing fees for React.js, Node.js, PostgreSQL, the Tesseract.js OCR engine, or the React Flow library. Development and demonstration will be handled on the developers' personal laptops, eliminating the need for any cloud hosting or new hardware costs for this prototype phase.
2. **Benefit Analysis:** The system's potential benefits extend well beyond its modest development costs.
 - o **Direct Cost Savings:** The OCR module directly addresses the high cost of paper-based processes. A deployed version of this system would lead to measurable reductions in institutional spending on paper, toner, printers, and physical file storage.
 - o **Operational Efficiency:** By automating workflows, the institution would save thousands of administrative hours. The OCR feature eliminates time-consuming, error-prone manual data-entry from paper forms, freeing staff for higher-value tasks.
3. **Return on Investment (ROI):** Although this is an academic project focused on a prototype, its potential institutional ROI is significant. If implemented, an institution could see a direct, measurable ROI from drastic reductions in printing, paper, and physical

storage costs. This is in addition to the "soft ROI" from improved process turnaround times, enhanced data security, and full accountability. These outcomes easily justify the modest investment.

4. **Resource Allocation and Utilization:** The development team efficiently utilizes human and technological resources, dividing tasks according to specialization (frontend, backend, database, security/2FA implementation, OCR integration, and UI/UX). Furthermore, relying on personal laptops and existing university facilities ensures that the project timeline estimated at six months is achievable without additional financial burden.

1.8 Significance of the project

The proposed E-flow system carries important academic, institutional, and social value. It strengthens a university's digital ecosystem and demonstrates how technology can enhance efficiency, security, transparency, and collaboration in higher education administration.

Institutional Significance: E-flow supports digital transformation by integrating intelligent workflow automation and OCR, closing the gap between digital systems and traditional paper processes. It ensures all document stages are traceable and auditable, while aligning with standards such as ISO 15489 and ISO 27001 to reinforce trust, accountability, and service quality. Its paperless approach also contributes to sustainability efforts.

Academic and Research Value: The system serves as a practical case study in modern software engineering, combining database management, web development, UX design, and information security with applied AI through OCR. It provides a foundation for future research in workflow optimization, secure digital governance, and data-driven analysis of digitized records.

Social and Environmental Impact: By digitizing documents and reducing printing, the system lowers paper waste and promotes environmentally responsible practices. Secure verification mechanisms, such as 2FA/OTP signatures, foster accountability and strengthen institutional communication.

Broader Contribution: With its modular, open-source design, E-flow can serve as a model for other Ethiopian universities and public organizations seeking to modernize their document workflows in an efficient, secure, and eco-friendly manner.

1.9 Beneficiaries of the project

The implementation of the E-flow system will benefit a wide range of stakeholders within a university and can also be adopted by other institutions seeking improved transparency, security, and administrative efficiency.

University Administration: Leaders and decision-makers gain real-time visibility into document movement, approval delays, and workflow performance. This supports data-driven decision-making and strengthens institutional oversight. The inclusion of 2FA/OTP verification and ISO 27001-aligned security ensures every approval is authenticated, auditable, and compliant, reducing organizational risk.

Departmental Staff: Administrative staff—who handle most document processing—will see a significant reduction in manual workload.

Automated routing and notifications: remove the need for constant follow-ups. OCR integration eliminates manual data entry from paper documents, enabling staff to search, manage, and process legacy paper records as easily as digital ones.

Students and Faculty: End users benefit from faster request processing and greater transparency. They can submit forms online, check approval status in real time, and receive automated updates, reducing the need for physical visits or repeated inquiries.

IT and System Administrators: Technical teams benefit from E-flow’s modular architecture, maintainable codebase, and thorough documentation. Its adherence to ISO 15489 and ISO 27001 principles makes oversight, security management, and future system expansion more efficient and standardized.

The Institution as a Whole: The university gains improved operational efficiency, cost reductions, and environmental benefits. Digitizing paper archives and limiting new paper use

contributes to sustainability goals, frees storage space, and advances the institution's broader digital transformation strategy.

1.10 Methodology

The methodology of this project follows a systematic and iterative approach based on the principles of Agile software development. This approach allows for continuous collaboration with stakeholders, adaptability to evolving requirements, and consistent delivery of functional modules. The project progresses through several well-defined phases, ensuring clarity, quality, and alignment with institutional goals.

1. **Planning and Requirement Analysis:** The project begins with gathering and analyzing requirements from administrative staff, faculty, and university management. Interviews and workflow observations are conducted to understand existing digital and paper-based document processes and identify automation opportunities. The team then defines functional and non-functional requirements, such as usability, performance, and "very secure" design. This phase includes a risk assessment and defining compliance requirements, guided by principles from ISO 15489 (Records Management) and ISO 27001 (Information Security).
2. **System Design:** In this phase, the system's architecture, database schema, and user interface are designed. UML diagrams, Entity-Relationship Diagrams (ERD), and wireframes are developed to visualize the data flow and user interaction. The architecture adopts a three-tier model (frontend, backend, database) and includes the design for:
 - o The secure 2FA/OTP signature verification module.
 - o The processing pipeline for the OCR engine.
 - o The Role-Based Access Control (RBAC) model.
 - o The design will adhere to the ISO 27001/15489 principles defined in the planning phase.
3. **Implementation and Development:** The development process follows an incremental model. Each module (Visual Workflow Builder, OCR engine integration, 2FA/Signature module, document tracker, user management, etc.) is developed and integrated

progressively. The frontend is built using React.js and React Flow for a dynamic interface. The backend is powered by Node.js with Express for robust API and server-side logic, integrating an OCR library (e.g., Tesseract.js). PostgreSQL manages all document metadata, workflow configurations, and user data.

4. **Testing and Quality Assurance:** Testing is performed at multiple stages, including unit testing, integration testing, and system testing.
 - o Functional tests verify that features meet specifications.
 - o Usability tests ensure intuitive navigation.
 - o OCR accuracy testing will be conducted using scanned documents of varying quality.
 - o Security testing is critical and will focus on data encryption, access control vulnerabilities, and verifying the integrity of the 2FA signature module.
 - o Feedback from stakeholders will guide iterative improvements.
5. **Deployment and Evaluation:** Upon successful testing, the system is deployed on a secure cloud or on-premise server. Training sessions are provided for users, emphasizing how to use the OCR scanning feature, how to create workflows, and how to use the 2FA signature process. Post-deployment evaluations are conducted to measure performance, user satisfaction, and overall system reliability.

This methodological framework ensures that the project remains goal-oriented, user-centered, and adaptable while maintaining a strong focus on technical precision and academic rigor.

1.11 Development Tools

The development tools and technologies selected for this project are chosen for their reliability, open-source nature, and compatibility with modern web development standards. Each tool contributes to a specific layer of the system, ensuring efficient design, implementation, and maintenance.

1. Frontend Development:

- o **React.js:** Provides a component-based framework for building dynamic, responsive, and interactive interfaces.
- o **React Flow:** Enables the drag-and-drop workflow builder functionality for designing visual approval flows.
- o **Tailwind CSS / Material UI:** Used for styling the application to ensure a professional and user-friendly appearance.

2. Backend Development:

- o **Node.js with Express.js :** Handles server-side logic, API development, user authentication, and workflow automation logic.
- o **Tesseract.js :** The core Optical Character Recognition (OCR) engine for extracting text from scanned documents and PDFs.
- o **Nodemailer :** For sending the One-Time Password (OTP) emails required for 2FA signature verification.
- o **Crypto (Node.js) :** For generating secure cryptographic tokens for the 2FA/OTP process.
- o **JWT (JSON Web Token):** Ensures secure authentication and role-based access control.

3. Database Management:

- o **PostgreSQL:** Used for storing user accounts, document metadata, workflow structures, audit logs, and approval history. It supports JSON fields, making it ideal for dynamic workflow storage.

4. Development and Collaboration Tools:

- o **Git & GitHub:** Version control and team collaboration.

- o **VS Code / PyCharm:** Integrated Development Environments for coding and debugging.
- o **ClickUp / Trello:** Project management tools for tracking progress and assigning tasks.

5. Testing and Deployment Tools:

- o **Jest / PyTest:** For automated and manual testing of modules, including security and OCR accuracy tests.
- o **Yegara Host or Cloud Deployment Platform:** For hosting the system securely with SSL encryption, a critical component of the "very secure" requirement.

These tools collectively support an efficient, scalable, and maintainable system, ensuring the project's success from development to deployment.

1.12 Required resources with cost

The "E-flow: Intelligent Document Tracking and workflow management system for universities" will be developed using open-source technologies on the developer's existing laptop, with all required software already installed. The project relies on university facilities for internet access and presentation purposes.

Since no new hardware or paid software will be required, the project cost is limited to minimal operational expenses. The estimated total cost is 3,000 ETB.

Resource	Estimated Cost (ETB)	Description
Internet and Research Access	500	Occasional use of university lab or library internet for research, updates, and collaboration.
Printing and Documentation	1,000	Printing hard copies of reports, mockups, and project documentation for defense and submission.

Miscellaneous Expenses	1,500	Contingency for small, unforeseen needs such as USB drives, cables, or data backup devices.
Total Estimated Cost	3,000 ETB	

Table 1: Cost Break Down Table

Resource Utilization:

- **Human Resources:** The student team will complete all project tasks, including analysis, design, coding, and testing, as part of academic coursework. No external personnel or financial compensation is required.
- **Material Resources:** The project will be developed and hosted on the developer’s personal laptop, eliminating the need for new hardware or cloud hosting services for this prototype phase. University laboratories and facilities may be used for collaborative testing and evaluation.
- **Software Resources:** All technologies are open-source and freely available. No licensing fees or subscriptions are necessary. This includes:
 - Core Stack: React.js, Node.js, PostgreSQL, and Git.
 - Workflow Engine: React Flow.
 - OCR Engine: Tesseract.js.
 - Security Libraries: JWT, Node.js Crypto, and Nodemailer (for 2FA/OTP).

This lean cost reflects the project’s academic purpose and reliance on existing personal and institutional resources, ensuring cost-effectiveness while maintaining full technical feasibility for local demonstration and evaluation.

1.13 Task and Schedule

The development of **E-flow** follows an **Agile Scrum methodology** spanning six months. The project is divided into monthly sprints, prioritizing the delivery of a Minimum Viable Product (MVP) by the end of Month 2, followed by iterative feature additions and refinements based on continuous feedback.

Sprint 1: Inception & Foundation (Month 1)

- **Focus:** Core Requirements & Architecture Setup.
- **Tasks:**
 - Conduct initial requirement gathering with administrative staff to map core workflows.
 - Set up the development environment (Node.js/Express, PostgreSQL).
 - Design the initial database schema (ERD) and basic UI wireframes.
 - Implement User Authentication and basic Role-Based Access Control (RBAC).
- **Deliverable:** Validated Requirements & System Skeleton.

Sprint 2: MVP Development & Release (Month 2)

- **Focus:** Core Document Management (The MVP).
- **Tasks:**
 - Develop the basic Document Management System (DMS) allowing file upload and retrieval.
 - Implement basic workflow tracking (status updates).
 - Conduct unit testing on core functions.
- **Deliverable: Minimum Viable Product (MVP)** – A functional system allowing users to log in, upload documents, and track basic status.

Sprint 3: Intelligent Features Integration (Month 3)

- **Focus:** OCR & Workflow Builder.
- **Tasks:**

- Integrate Tesseract.js for the OCR pipeline to automate data extraction.
- Develop the visual Workflow Builder using React Flow.
- Refine the MVP UI based on initial user feedback.
- **Deliverable:** Beta Version 1.0 (with OCR and Visual Workflow capabilities).

Sprint 4: Security & Compliance Hardening (Month 4)

- **Focus:** Security (ISO 27001) & Advanced Logic.
- **Tasks:**
 - Implement the 2FA/OTP verification module for sensitive actions.
 - Audit system against ISO 15489 (Records Management) and ISO 27001 (Security) standards.
 - Optimize database queries for performance.
- **Deliverable:** Beta Version 2.0 (Secure & Compliant).

Sprint 5: System Integration & Testing (Month 5)

- **Focus:** Quality Assurance & User Acceptance.
- **Tasks:**
 - Conduct full Integration Testing and Security Penetration Testing.
 - Perform User Acceptance Testing (UAT) with administrative staff.
 - Fix bugs and finalize UI/UX polish.
- **Deliverable:** Production-Ready Candidate.

Sprint 6: Deployment & Closure (Month 6)

- **Focus:** Final Presentation & Handoff.
- **Tasks:**
 - Deploy the system locally for final demonstration (within 3,000 ETB budget).
 - Finalize user manuals, technical documentation, and the final project report.
 - Final presentation and project evaluation.
- **Deliverable:** Final Submission & Live Demonstration.

1.14 Team Composition

No	Student Name	ID. No.	Role
1	Maraki Teferi	UGR/25729/14	Backend Developer
2	Leul Negesse	UGR/25673/14	Frontend Developer
3	Beamlak Tesema	UGR/25545/14	System Analyst & Document Management Lead
4	Kidus Asnake	UGR/25665/14	Database Administrator

5	Selamu Feleke:	UGR/25478/14	UI/UX Designer and Tester

Table 2: Team composition

Chapter 2: Description of Existing System and Literature Review

2.1. Major Function of the Existing System

Currently, manual or semi-digital document processing technologies are used by the majority of universities. These systems incorporate informal communication channels, simple computing tools, and tangible documentation. The following are the main purposes of the current system:

Submission and Gathering of Documents: Staff members and students can email or physically submit scanned PDFs or paper-based forms. These records are manually entered and sent to the appropriate offices.

Approval and Routing: Documents are physically delivered or forwarded via email between offices (e.g., Department → Registrar → Dean → President). Usually, handwritten signatures or casual email confirmations are used for approval.

Document Filing and Storage: Documents are stored in physical file cabinets or scattered digital folders. Some documents are scanned, but many remain as static image-based PDFs with no searchable text.

Monitoring and Tracking: Because there is no centralized monitoring mechanism, students and staff must regularly follow up in person, over the phone, or via email to track document status.

2.2 Users of the Current System

Students: Among the main users are students. They often submit academic and administrative requests such as clearance forms, grade reports, and approval letters. They rely on the system to

provide timely responses, transparency, and a reduced need for physical follow-ups, which are currently common due to the manual nature of the system.

Academic staff: Academic staff also depend heavily on the system. They review, approve, or provide comments on documents related to students. Their work needs fast access to documents, and delays or misplacements can reduce their effectiveness, so smooth processes are important.

Administrative staff: Administrative staff handle the bulk of document intake, filing, forwarding, and communication between departments. They rely on organized workflows to handle large numbers of documents and require systems that reduce their manual workload while maintaining accuracy and efficiency.

Department Heads, Deans, and other higher officials: Higher officials serve as the key decision-makers in the approval hierarchy. They are responsible for authorizing various documents and therefore require secure, verifiable, and reliable approval mechanisms. They also expect clear oversight of workflow bottlenecks to maintain accountability across administrative processes.

University management and ICT offices: University management and ICT offices are responsible for the broader performance of the institutional system. They oversee security, data integrity, and operational functionality. They also rely on accurate reporting and analytics to support decision-making and long-term institutional improvement.

2.3 Drawbacks of the Current System

The current document processing system used by universities has many limitations. It lacks efficiency, transparency, and the ability to meet the speeding demands of modern institutions. These issues cause delays, increase workloads, and hinder students and staff from completing routine processes smoothly. Our analysis highlights the main drawbacks of the existing system:

- The lack of real-time tracking and centralized monitoring makes it impossible to know where a document is or who currently has it.
- Moving documents physically slows down processing times, especially when the location of the offices are far apart and when offices are busy or staff members are not available.

- Documents can be easily misplaced, damaged, or lost because of a reliance on paper filing systems without a proper digital backup.
- Scanned documents are often stored as non-searchable images, which slows down retrieval and forces staff to re-enter information manually.
- The absence of standardized workflows across departments leads to inconsistencies, delays, and communication gaps during document processing.
- Approval processes depend on handwritten signatures or informal emails, providing no secure verification or complete record of actions taken.
- Sensitive information is shared through physical delivery or unprotected emails, putting documents at risk of unauthorized access and security threats.

2.4 Literature Review

2.4.1 Introduction

The global landscape of higher education is undergoing a seismic shift, characterized by a transition from traditional, analog administrative models to dynamic, digital-first ecosystems. This literature review provides an exhaustive analysis of the research, theoretical frameworks, and technological paradigms underpinning the proposed "E-flow: Intelligent Document Tracking and Workflow Management System for Universities." As Higher Education Institutions (HEIs) grapple with increasing enrollment numbers, regulatory complexities, and the demand for operational transparency, the reliance on manual, paper-based document processing has emerged as a critical vulnerability. The persistence of physical archives and disjointed workflows not only impedes efficiency but also obscures accountability and exposes institutions to significant security risks.

This review synthesizes knowledge across four primary domains relevant to the E-flow project: (1) Electronic Document Management Systems (EDMS) and the challenge of hybrid record-keeping.

(2) Business Process Management (BPM) with a focus on visual, low-code workflow automation and End-User Development (EUD).

(3) Optical Character Recognition (OCR) technologies for bridging the physical-digital divide.

(4) Information Security frameworks, specifically centering on Role-Based Access Control (RBAC) and Two-Factor Authentication (2FA) within the context of Ethiopian legal standards. By critically examining these areas, this review establishes the academic and practical necessity

for a unified, intelligent system that empowers administrative staff while ensuring data integrity and legal compliance.

Furthermore, this analysis situates the technological discussion within the specific socio-technical context of developing nations, with a particular focus on Ethiopia. It moves beyond a generic discussion of technology to address the unique constraints of infrastructure, digital literacy, and the specific legal requirements of the Ethiopian Electronic Signature Proclamation No. 1072/2018. The review demonstrates that while disparate tools for storage, OCR, and workflow management exist, there is a distinct gap in the availability of integrated, cost-effective, and user-centric platforms designed specifically for the resource-constrained and legally specific environments of African universities.

2.4.2 Electronic Document Management Systems (EDMS) in Higher Education

2.4.2.1 The Evolution of Academic Record Keeping

Historically, universities have acted as stewards of vast quantities of physical information. From the moment a student applies for admission to decades after their graduation, the institution generates a continuous stream of records: application forms, transcripts, disciplinary records, financial aid applications, and faculty tenure reviews. For much of the 20th century, the management of these records was synonymous with physical custody—warehousing paper in filing cabinets and basements. This model, while tangible, suffers from inherent inefficiencies: physical records can only be in one place at a time, they are vulnerable to environmental degradation (fire, flood, pests), and their retrieval is labor-intensive and slow.

The advent of Electronic Document Management Systems (EDMS) in the late 1990s promised a revolution. Early EDMS implementations focused primarily on digitization for preservation—scanning documents to create static digital archives. However, the literature indicates that modern EDMS has evolved from simple "scan-and-store" repositories into sophisticated platforms that manage the entire lifecycle of information. Contemporary EDMS solutions integrate metadata indexing, version control, and access auditing, transforming documents from static artifacts into active data points that drive institutional decision-making.

Despite this technological maturation, the transition in the higher education sector has been uneven. While universities in the Global North have largely migrated to fully digital Student Information Systems (SIS), institutions in the Global South often operate in a "hybrid" reality. Research highlights that in many African universities, digital systems are often superimposed onto existing paper workflows rather than replacing them, leading to a duplication of effort where staff must manage both the physical file and its digital shadow. This phenomenon creates "information silos" where critical data is trapped in unlinked systems or, worse, exists only on paper in a locked

office, inaccessible to the broader administrative ecosystem.

2.4.2.2 The Persistence and Perils of Hybrid Records Management

A recurring theme in the library and information science literature is the resilience of paper in administrative cultures. Even with the availability of digital tools, many institutions maintain "hybrid records management systems" where paper and electronic records coexist. This hybridity is often driven by legal uncertainties regarding digital signatures, a lack of trust in digital storage reliability, or simply organizational inertia.

However, the literature warns that hybrid systems are fraught with operational risks. The "duality of existence" for a single record—living as both a physical paper and a digital file—creates synchronization challenges. If a grade change is noted on the physical file but not updated in the digital system (or vice versa), the integrity of the student's academic history is compromised. Furthermore, hybrid systems are notoriously inefficient regarding retrieval times. Staff must search across two distinct domains (physical and digital) to locate information, leading to what researchers describe as "search friction," which significantly hampers administrative responsiveness.

The E-flow project addresses this specific vulnerability by proposing an active digitization strategy. By integrating OCR at the point of ingestion, the system aims to minimize the lifespan of the "paper" version of a document. Rather than letting paper accumulate in a hybrid limbo, the proposed workflow forces the conversion of physical artifacts into searchable digital assets immediately upon entry into the system. This aligns with best practices identified in archival research, which suggests that the only way to escape the inefficiencies of hybridity is to treat the digital record as the "master" and the paper as merely a backup or temporary input source.

2.4.2.3 Operational Efficiency and Cost-Benefit Analysis

The economic and operational arguments for EDMS adoption in universities are robustly supported by empirical studies. A primary driver is cost reduction. The direct costs associated with paper—purchasing paper, toner, printers, and filing cabinets—are substantial. However, the *indirect* costs are often higher. Research indicates that knowledge workers can spend up to 40-50% of their time looking for information rather than acting on it. By indexing documents and making them searchable via keywords (a core feature of E-flow enabled by OCR), universities can reclaim thousands of man-hours annually.

Metric	Traditional Paper System	Hybrid System (Paper + Digital)	Integrated EDMS (E-flow Model)
Searchability	Physical search required; time-consuming (hours/days).	Partial searchability; disjointed across silos.	Instant keyword search via OCR metadata (seconds).
Storage Cost	High (physical space, cabinets).	Medium (physical + server costs).	Low (cloud/server only); physical space reclaimed.
Access	Single-user access (one file, one person).	Limited multi-user access.	Concurrent multi-user access with RBAC.
Security	Low (physical theft, loss, damage).	Medium (digital security + physical vulnerability).	High (Encryption, 2FA, Audit Trails).
Traceability	Low (manual logbooks).	Medium (some digital logs).	High (Automated, immutable audit trails).

Table 3: Operational Efficiency and cost benefit Analysis

Beyond efficiency, the literature emphasizes "Disaster Recovery" as a critical benefit. Physical archives are uniquely vulnerable to catastrophic loss from fire, flood, or civil unrest—risks that are particularly pertinent in some developing regions. Digital systems, when properly backed up and encrypted, offer a resilience that paper cannot match. The E-flow system's reliance on standard database technologies (PostgreSQL) facilitates automated backup strategies, ensuring institutional memory is preserved against physical calamities.

2.4.3 Workflow Management Systems (WfMS) and Process Automation

2.4.3.1 Business Process Management (BPM) in Academia

While EDMS addresses the *storage* of information, Workflow Management Systems (WfMS) address the *process*. The theoretical underpinning of WfMS is Business Process Management (BPM), a discipline that views an organization not as a hierarchy of people, but as a collection of processes that can be modeled, analyzed, and optimized. In the context of a university, a "workflow" is any sequence of tasks required to achieve an administrative goal—approving a curriculum change, processing a leave request, or finalizing a procurement order.

Traditional university administration is often characterized by ad-hoc, informal workflows. A document might be walked from one office to another, or emailed to a personal inbox, with no central visibility into its status. This lack of structure leads to "process opacity," where stakeholders cannot determine where a request is stuck or who is responsible for the delay. WfMS introduces formal logic to these interactions, enforcing rules that dictate exactly who must act on a document and in what order. Research confirms that implementing WfMS in educational settings leads to measurable reductions in "lead time" (the total time from initiation to completion) and "wait time" (the time a task sits idle).

2.4.3.2 The Rigidity Trap: Hard Coded vs. Flexible Workflows

A critical insight from the literature is the failure of rigid, "hard-coded" software in dynamic university environments. Many commercial ERP systems come with pre-defined workflows that are embedded in the application code. To change the process for example, adding a new vice-dean to an approval chain requires software developers to rewrite code, recompile the application, and redeploy it. This high technical barrier leads to "process stagnation," where the software dictates how the university operates, rather than the university adapting its tools to its needs.

In contrast, the "Flexible Workflow" paradigm, which E-flow adopts, decouples the process logic from the application code. By storing workflow definitions as data (e.g., JSON objects in a database) rather than code, the system allows for runtime modifications. This means that if a university policy changes, an administrator can update the workflow model immediately without needing IT intervention. The literature cites this flexibility as a key determinant of long-term system success and user adoption.

2.4.3.3 Democratizing Development: Low-Code and Visual Modeling

The E-flow project's inclusion of a **Visual Workflow Builder** aligns with the burgeoning

movement of **End-User Development (EUD)** and **Low-Code/No-Code (LCNC)** platforms. EUD aims to empower non-programmers (domain experts like Registrars or Deans) to act as "citizen developers," creating or modifying software behaviors to suit their specific needs.

Research into cognitive dimensions of notations suggests that visual programming languages (VPLs)—which use nodes and edges to represent logic—are significantly more accessible to non-technical users than text-based scripts. The use of **React Flow**, a library specifically designed for node-based diagrams, allows E-flow to present complex routing logic (parallel branches, conditional approvals) in a format that mirrors the flowcharts administrators are already familiar with.

Benefits of the Visual/Low-Code Approach:

- **Agility:** Processes can be adapted in minutes rather than months. If a department head goes on leave, the workflow can be visually rerouted to a delegate instantly.
- **Contextual Fidelity:** Administrators, who understand the nuances of university policy, build the workflows themselves, eliminating the "translation error" that often occurs when explaining requirements to IT developers.
- **Reduced IT Backlog:** By offloading the task of workflow creation to the end-users, IT departments are freed to focus on infrastructure and security rather than routine process maintenance.

The literature validates that visual workflow modeling is not just a UI feature but a strategic enabler of institutional agility, particularly in resource-constrained environments where developer time is scarce.

2.4.4 Optical Character Recognition (OCR): The Bridge Technology

2.4.4.1 Digitizing the Legacy Archive

For universities in developing nations, the "paperless office" remains an aspiration rather than a reality. A vast amount of historical data student records from the pre-digital era, government correspondence, and legal contracts exists solely on paper. **Optical Character Recognition (OCR)** is the technological bridge that allows this "dark data" to be illuminated and integrated into the digital ecosystem.¹⁸

OCR is not merely about creating a picture of a document (which a simple scanner does); it is about extracting meaning. By converting pixel data into machine-encoded text, OCR allows documents to be indexed, searched, and analyzed. This transformation is critical for "accessibility" and "preservation," ensuring that legacy records are not just stored but are retrievable and usable within the same workflow as digital-born documents.

2.4.4.2 Tesseract.js: Capabilities and Implementation Strategies

The E-flow project leverages **Tesseract.js**, a WebAssembly port of the renowned Tesseract OCR engine. Tesseract is widely cited in computer vision literature as the gold standard for open-source OCR, offering support for over 100 languages and respectable accuracy rates. The choice of Tesseract.js is particularly strategic for a web-based system, as it allows for client-side processing (in the browser), reducing the computational load on the server and enhancing privacy by keeping data on the user's machine during the initial processing phase.

However, the literature also highlights significant challenges in applying OCR to real-world administrative documents, often referred to as "dirty data."

- **Accuracy vs. Image Quality:** Tesseract's accuracy is highly sensitive to image resolution (DPI) and noise. Scans of old, yellowed, or stained paper can result in high error rates.
- **Handwriting Recognition:** While Tesseract excels at printed text, it struggles with handwritten notes or signatures, which are common on older administrative forms. Research indicates that preprocessing techniques—such as binarization (converting to black and white), deskewing (straightening), and noise reduction—are essential to achieving acceptable recognition rates.

Operational Implication: The literature suggests that OCR cannot be a fully automated "black box" for archival data. It requires a "human-in-the-loop" workflow where the user verifies and corrects the extracted text before it is committed to the database. E-flow's design must accommodate this verification step to ensure data integrity.

2.4.5 Information Security Architecture: Trust and Compliance

2.4.5.1 The Security Imperative in Academic Systems

HEIs are repositories of high-value data, including Personally Identifiable Information (PII), financial records, and intellectual property. Consequently, they are prime targets for cybercrime. The literature emphasizes that security in an academic EDMS cannot be an afterthought; it must be architected into the core of the system following the principles of **Confidentiality, Integrity, and Availability (CIA)**.

Role-Based Access Control (RBAC):

RBAC is the industry standard for managing authorization in complex organizations. It decouples access rights from individual users, assigning them instead to "roles" (e.g., Dean, Registrar, Student). This approach is highly scalable; when a staff member changes positions, their access

rights are automatically updated based on their new role, reducing the risk of "permission creep" where users accumulate unnecessary access over time. For E-flow, RBAC is critical for enforcing privacy—ensuring, for instance, that a student worker in the admissions office cannot access faculty disciplinary records.

2.4.5.2. Two-Factor Authentication (2FA) and Non-repudiation

A central feature of the E-flow proposal is the use of **Two-Factor Authentication (2FA)** via One-Time Passwords (OTP) for document approval. This mechanism addresses the critical security concept of **non-repudiation** the ability to prove that a specific user performed a specific action and cannot later deny it.

Standard password authentication is increasingly viewed as insufficient due to the prevalence of phishing attacks. By requiring a second factor—something the user *has* (a phone or email account receiving the OTP) in addition to something they *know* (password)—the system significantly raises the bar for attackers.

- **The Trust Layer:** In a digital workflow where face-to-face verification is absent, the 2FA signature acts as the digital equivalent of a notary seal. Research indicates that while 2FA adds a layer of friction to the user experience, in high-stakes contexts (like grade approval or degree signing), users perceive this friction as a necessary indicator of security and institutional integrity.

2.4.5.3 Legal Validity in the Ethiopian Context

The viability of E-flow in its target environment (Ethiopia) depends on its alignment with local legal frameworks. The **Electronic Signature Proclamation No. 1072/2018** is the governing legislation. This proclamation explicitly grants legal recognition to electronic signatures, stating that they cannot be denied admissibility solely on the grounds of their digital nature.

Crucially, the law defines a "reliable" electronic signature as one where the means of signature creation is "linked to the signatory and not any other person" and is "under the control of the signatory" at the time of signing. The E-flow system's use of OTPs sent to a personal device directly satisfies this "control" requirement. By tying the digital signature to a temporal code accessible only via the user's personal device, the system creates a legally defensible audit trail that aligns with the specific requirements of Ethiopian law. This legal alignment is a critical differentiator for E-flow compared to generic open-source tools that may not support such specific compliance workflows.

2.4.6 Contextual Analysis: Digital Transformation in Ethiopian Higher Education

2.4.6.1 Infrastructure Constraints and Resilience

Implementing advanced digital systems in the developing world requires a sober assessment of infrastructure realities. The literature on digital transformation in Ethiopia highlights significant barriers, including intermittent power supply, unstable internet connectivity, and a scarcity of high-end server hardware.

- **Architectural Implications:** These constraints dictate that E-flow must be lightweight and efficient. A web-based architecture (React/Node.js) is advantageous as it centralizes maintenance on the server while allowing access via low-powered client devices (standard laptops or smartphones (By using responsive website)).
- **The Connectivity Challenge:** While the current scope of E-flow relies on connectivity, the literature suggests that future iterations of such systems in Africa often need "offline-first" capabilities—allowing users to queue actions during outages that synchronize when connectivity is restored.

2.4.6.2 The Human Factor: Digital Literacy and Adoption

Technology adoption is as much a social process as a technical one. The **Technology Acceptance Model (TAM)** offers a theoretical lens for predicting user behavior. TAM posits that **Perceived Usefulness (PU)** and **Perceived Ease of Use (PEOU)** are the primary drivers of adoption.

- **Perceived Usefulness:** For E-flow to succeed, administrative staff must perceive it as a solution to their pain points (lost files, slow approvals) rather than an additional burden. The "real-time tracking" feature is a strong driver of PU, offering visibility that paper lacks.
- **Perceived Ease of Use:** The "Visual Workflow Builder" is critical here. By presenting workflows as intuitive diagrams rather than code, the system lowers the cognitive load for non-technical staff, directly enhancing PEOU.
- **Cultural Resistance:** Literature on Ethiopian public sector digitization often cites "resistance to change" as a major hurdle. Staff accustomed to the authority and tangibility of paper may view digital systems with suspicion. Successful implementation requires not just software, but "change management"—training, support, and demonstrating value to the end-users

2.4.7 Gap Analysis: The Need for E-flow

The review of existing solutions reveals a distinct gap in the market, particularly for African universities:

1. **High Cost of Commercial Solutions:** Enterprise tools like SAP or Oracle are prohibitively expensive for many institutions in developing economies
2. **Complexity of Open Source:** While open-source tools exist, they often require significant developer resources to customize and maintain resources that are scarce in many universities.
3. **Fragmentation:** Most tools are either storage systems (DMS) or process engines (WfMS). Few integrate both with OCR in a single, cohesive platform
4. **Lack of Contextual Fit:** Generic tools rarely account for the specific "hybrid" reality or legal compliance needs (like Proclamation 1072/2018) of the Ethiopian context.

E-flow is strategically positioned to fill this void. By offering a unified, low-cost, open-source solution that prioritizes **usability (Visual Builder)**, **legacy integration (OCR)**, and **security (2FA)**, it addresses the specific triad of challenges—efficiency, trust, and context—that define the current landscape of higher education administration in developing nations.

2.4.8 Theoretical Framework: The Integrated Process Automation Model

Based on the synthesized literature, this project is grounded in an **Integrated Process Automation Model**. This framework suggests that successful digital transformation in administration requires the convergence of three pillars:

1. **Digitization (OCR):** The conversion of physical atoms to digital bits to ensure accessibility.
2. **Orchestration (Workflow):** The intelligent routing of those bits through business logic to ensure efficiency.
3. **Verification (Security):** The cryptographic assurance of identity and integrity to ensure trust.

The literature indicates that removing any one of these pillars compromises the system: digitization without workflow leads to "data dumping"; workflow without digitization leaves paper behind; and both without verification create a system that no one trusts. E-flow's comprehensive approach aims to unify these elements into a resilient, legally compliant, and operationally efficient platform.

2.4.9 Conclusion

The review of the literature confirms that the "E-flow" project is not merely a software development exercise but a strategic intervention aligned with global trends in BPM, EDMS, and Information Security. By addressing the specific friction points of hybrid record-keeping and the

need for user-centric agility via visual modeling, the project offers a viable path toward the modernization of higher education administration. The integration of robust security measures like 2FA ensures that this efficiency does not come at the cost of integrity, making E-flow a potentially transformative tool for the Ethiopian higher education sector.

CHAPTER 3: Proposed System

3.1 Overview

The proposed system, E-flow: Intelligent Document Tracking and Workflow Management System for Universities, is a web-based platform designed to digitalize, automate, and streamline document-related processes within higher education institutions. The system acts as an intelligent layer that integrates with existing administrative workflows and transforms traditional paper-based or semi-digital processes into a unified digital ecosystem.

E-flow provides a centralized platform where students, academic staff, administrative personnel, and institutional leaders can submit, process, track, verify, and approve documents securely and efficiently. A key innovation of the system is the Visual Workflow Builder, a drag-and-drop interface that allows administrators to design and modify approval chains dynamically without writing code. This flexibility enables departments to adapt workflows to their unique processes while maintaining consistency and transparency across the institution.

Additionally, the system integrates Optical Character Recognition (OCR) to convert scanned or image-based documents into searchable digital text. This feature bridges the gap between paper and digital records, reducing manual data entry, enabling full-text search, and ensuring that legacy paper documents can participate in automated workflows.

To ensure institutional integrity and accountability, E-flow implements a secure Two-Factor Authentication (2FA/OTP) signature verification mechanism, ensuring that every digital approval is authentic, traceable.

Overall, the system provides a scalable, secure, and user-friendly solution that enhances efficiency, reduces delays, strengthens auditability, and modernizes administrative operations across universities.

3.2 Functional Requirements

The functional requirements describe the essential actions, behaviors, and capabilities that the E-flow system must support to achieve its intended purpose.

1. User Authentication and Role Management

- The system must allow users to log in securely using unique credentials.
- The system shall implement Role-Based Access Control (RBAC) to restrict access to features and documents based on user roles (e.g., Student, Staff).
- The system must allow administrators to manage user accounts and assign roles dynamically.

2. Visual Workflow Management

- The system must provide a Visual Workflow Builder utilizing a drag-and-drop interface (React Flow).
- Administrators must be able to create, edit, and save approval chains by connecting "nodes" (approvers) and "paths" (sequences) without writing code.
- The system shall allow workflows to be customized for different document types (e.g., Clearance Forms, Grade Reports).

3. Document Ingestion and OCR Processing

- The system must allow users to upload digital files (PDF, DOCX, JPG) directly.
- The system must include an OCR Module (Tesseract.js) to scan and process images of paper documents.
- The system shall extract text from scanned images to make the content searchable and editable within the database.
- The system must allow users to verify and correct OCR-extracted text before final submission (Human-in-the-loop).

4. Document Routing and Approval

- The system must automatically route submitted documents to the next approver defined in the workflow sequence.
- Approvers must be able to perform actions such as Approve, Reject (with comments), or Request Revision.
- The system must support Version Control, maintaining a history of document revisions.

5. Secure Signature Verification (2FA)

- The system must enforce a Two-Factor Authentication (2FA) challenge when a user attempts to approve a sensitive document.
- The system shall generate and send a One-Time Password (OTP) to the approver's registered email.
- The system must only register the approval as valid once the correct OTP is entered, ensuring ver.

6. Tracking, Notifications, and Auditing

- The system must provide a Real-Time Tracking Dashboard where students and staff can view the current status (e.g., "Pending at Dean's Office") of their requests.
- The system shall send automated Notifications (email or in-app) to users when a document requires their attention.
- The system must maintain a comprehensive Audit Trail, logging every action (submission, approval, rejection) with a timestamp and user ID.

3.3. Non-Functional Requirements

This section specifies the quality attributes, performance standards, and security constraints the system must adhere to.

1. Security and Privacy

- Data Encryption: All sensitive data must be encrypted at rest (using AES-256 standards) and in transit (using SSL/TLS protocols).
- Compliance: The system's security framework shall be guided by ISO 27001 principles for information security management.
- Identity Verification: The system must ensure "very secure" approval processes through mandatory 2FA/OTP for signatures, satisfying the requirement for non-repudiation.

2. Performance and Responsiveness

- The system must be optimized to support concurrent users (students and staff) without significant latency.
- The OCR processing engine must process scanned documents efficiently, balancing recognition accuracy with server processing time.

3. Usability and Accessibility

- The user interface must be intuitive and responsive, accessible via standard web browsers on both desktops and laptops.
- The Visual Workflow Builder must be designed to be usable by non-technical administrators with minimal training.
- The system must provide clear feedback to users (e.g., success messages, error alerts) during interactions.

4. Reliability and Availability

- The system must ensure high availability during university working hours.
- The system must maintain data integrity, ensuring that no document metadata is lost during routing or approval processes.
- The system relies on the email server reliability for the delivery of OTPs.

5. Maintainability and Scalability

- The system shall use a modular architecture, allowing future developers to update individual components (like the OCR engine or 2FA module) without affecting the entire system.

- The system must be scalable to accommodate future integrations with other institutional systems (e.g., Student Finance or Grading databases).
- The codebase must follow standard documentation practices to facilitate easy handover and maintenance.

6. Records Management Standards

- The system's document lifecycle management (creation, maintenance, and use) shall be guided by ISO 15489 (Records Management) principles.

3.4. System model

3.4.1. Scenario

Scenario 1: Authenticate User

Actor: Department Head

Precondition:

- User is registered.
- User has valid login credentials.

Normal Flow:

1. The Department Head opens the E-Flow web portal. He enters his university email and password.
2. He clicks “**Login.**”
3. The system validates the credentials using secure authentication.
4. The system verifies the user’s role (Department Head).
5. The system creates a secure session and redirects the user to the Department Head Dashboard displaying pending approvals.

User Experience: Fast, secure login with direct access to relevant tasks.

Extensions (What Can Go Wrong):

1. **Incorrect password (three attempts):** System temporarily suspends login attempts.

2. **Inactive/disabled account:** System notifies user to contact the Administrator.

Postcondition:

- Successful: User is authenticated and active session is established.
- Failure: User remains on login page with an appropriate error message.

Scenario 2: Create Workflow

Actor: System Administrator

Precondition: Admin is authenticated.

Normal Flow:

1. Admin opens the **Workflow Builder**.
2. Admin drags workflow nodes (Library, Proctor, Department, Registrar) onto the canvas.
3. Admin connects nodes to define the approval sequence.
4. Admin assigns the name “**Standard Clearance.**”
5. Admin saves the workflow.
6. System validates workflow logic (no loops, no disconnected nodes).
7. Workflow becomes available for document routing.

User Experience: Simple drag-and-drop builder that requires no technical skills.

Extensions:

1. **Circular or invalid logic detected:** System prevents saving and highlights the error.
2. **Workflow name missing:** System prompts user to enter a name.

Postcondition:

- A valid approval workflow is stored and ready for use.

Scenario 3: Submit Document Request (with OCR)

Actor: Student

Precondition:

- Student is authenticated.

Normal Flow:

1. Student selects “**Submit Request.**”
2. Student chooses “**Medical Justification.**”
3. Student uploads a scanned copy of the medical certificate.
4. Student clicks “**Extract Text.**”
5. System uses an OCR engine to extract text from the image.
6. Student reviews extracted text, edits mistakes (e.g., date), and submits the request.
7. System stores the document and assigns it to the configured workflow.

User Experience: Smooth conversion of a physical document into a digital, searchable record.

Extensions:

1. **Blurry or unreadable image:** System requests re-upload with clearer quality.
2. **File size too large:** System displays size-limit warning.

Postcondition:

- Document is submitted and marked *Pending Review*.
- (Direct continuation to Scenario 4.)

Scenario 4: Approve Document (with 2FA)

Actor: Department Head

Precondition:

- Document submitted in Scenario 3.
- Department Head is authenticated.

Normal Flow:

1. Department Head receives notification of a new document to review.

2. He opens the request and views the scanned image and extracted text side-by-side.
3. He clicks **“Approve.”**
4. System prompts for a One-Time Password (2FA).
5. Department Head enters the OTP received via email.
6. System validates the OTP, logs the approval in the audit trail, and forwards the document to the Registrar.

User Experience: Secure approval with clear visibility of document details.

Extensions:

1. **OTP expired:** System requests a new OTP.
2. **Incorrect OTP:** System prompts user to retry.

Postcondition:

- Document status updates to *Approved by Department Head*.
- Workflow progresses to the Registrar.

Scenario 5: Reject or Request Revision

Actor: Registrar

Precondition:

- Document approved in Scenario 4.
- Registrar is authenticated.

Normal Flow:

1. Registrar opens the forwarded document.
2. Registrar notices incorrect or invalid information (e.g., wrong date).
3. Registrar selects **“Reject / Request Revision.”**
4. Registrar enters a mandatory comment explaining the issue.
5. System halts the workflow and sends the student a revision notification.

User Experience: Clear feedback with precise instructions for correction.

Extensions:

1. **Comment field empty:** System prevents submission until feedback is entered.

Postcondition:

- Document moves back to the student's *Draft* stage for correction.

Scenario 6: Track Document Status

Actor: Student

Precondition: Student has submitted a request.

Normal Flow:

1. Student navigates to “**My Requests.**”
2. System displays a visual progress tracker (e.g., Dept Head ✓ → Registrar Pending).
3. Student views timestamps and workflow steps.

User Experience: High transparency; no need to visit offices physically.

Extensions:

1. **No submitted requests:** System displays: “*You have no active requests.*”

Postcondition:

- Student understands exact workflow status.

Scenario 7: Notifications & System Automated SLA Monitoring & Escalation

Actor: System (Automated Background Process)

Preconditions:

1. Workflow steps have defined time limits (SLA).

2. Hierarchy is defined in the system (e.g., The system knows the "President" is the superior of the "Dean").

Normal Flow (The Logic):

1. **System** identifies a document in the "Pending" state that has exceeded its SLA time limit.
2. **System** calculates the duration of the delay.
3. **System executes Decision Logic:**
 - **IF delay is within Grace Period (e.g., < 24 hours):**
 - **Action:** Sends a **Warning Notification** to the **Current Assignee** (e.g., The Dean) reminding them to take action.
 - **IF delay exceeds Grace Period (e.g., > 24 hours):**
 - **Action:** Triggers an **Escalation Event**.
 - **Recipient:** Sends an **Escalation Alert** to the **Assignee's Supervisor** (e.g., The President) or System Admin, notifying them of the bottleneck.
4. **System** logs the specific type of notification (Warning vs. Escalation) in the audit history.

User Experience:

- **Current Actor:** Receives a helpful nudge before getting in trouble.
- **Management:** Gains visibility into bottlenecks without manually checking every queue.

Postcondition:

- Relevant parties are notified.
- Workflow status is updated to "At Risk" or "Escalated."

Scenario 8: View Audit Trail

Actor: Auditor (Read-Only Role)

Precondition: Auditor is authenticated and has authorization.

Normal Flow:

1. Auditor searches for a document using its ID.
2. Auditor selects **“View Audit Trail.”**
3. System displays an immutable, time-stamped list of all actions (submission, approvals, rejections) with roles, timestamps, and action descriptions.
4. Auditor reviews the full chain of custody.

User Experience: Complete transparency and accountability.

Extensions:

1. **Unauthorized user attempts access:** System denies permission.

Postcondition:

- Audit trail is securely displayed.
- non-repudiation is maintained.

3.4.2. Use case model




Figure 3.1: use case Model

3.4.2.1. Use case description

Field	Description
Use Case ID	UC-01
Use Case Name	User Authentication
Actors	Student, Approver, Administrator, Auditor
Description	Allows registered users to log in securely to access their role-specific dashboard.
Preconditions	User is registered in the system database.
Postconditions	User is authenticated, and a secure session is established.
Main Flow	1. User enters email and password. 2. System validates credentials. 3. System identifies user role. 4. System redirects user to the appropriate dashboard.

Alternative Flows	<i>Invalid Credentials:</i> System displays error and prompts retry. <i>Account Locked:</i> After 3 failed attempts, account is locked for 15 minutes.
--------------------------	--

Table 4: UC-01 User Authentication

Field	Description
Use Case ID	UC-02
Use Case Name	Create Workflow
Actors	System Administrator
Description	Allows the admin to visually design and save a new approval routing path.
Preconditions	Admin is logged in with management privileges.
Postconditions	A new workflow template is saved and active.

Main Flow	1. Admin opens Visual Workflow Builder. 2. Admin adds approver nodes and connects them. 3. Admin sets conditional logic for routing. 4. Admin saves the workflow configuration. 5. System validates logic and stores the template.
Alternative Flows	<i>Circular Logic Error:</i> System detects an infinite loop and prevents saving.

Table 5: UC-01 User Authentication

Field	Description
Use Case ID	UC-03
Use Case Name	Submit Document
Actors	Student
Description	Allows a student to upload a physical document scan, digitize it via OCR, and submit it for approval.
Preconditions	Student is logged in; Document scan is ready.

Postconditions	Document is stored, indexed, and routed to the first approver.
Main Flow	1. Student uploads document image. 2. System performs OCR extraction. 3. Student verifies and corrects extracted text. 4. Student submits the document. 5. System creates a new workflow instance.
Alternative Flows	<i>Upload Failed:</i> File format not supported or file too large. System alerts user.

Table 6: UC-03 Submit Document (with OCR)

Field	Description
Use Case ID	UC-04
Use Case Name	Approve Document
Actors	Approver (Dept Head, Registrar, etc.)

Description	Allows an approver to review a document and authorize it using Two-Factor Authentication.
Preconditions	Document is pending in the Approver's queue.
Postconditions	Document status updates to "Approved" and moves to the next node.
Main Flow	1. Approver reviews document content. 2. Approver clicks "Approve." 3. System sends OTP to approver's email. 4. Approver enters OTP. 5. System verifies OTP and signs the approval.
Alternative Flows	<i>Invalid OTP:</i> System denies approval and requests re-entry. <i>Expired OTP:</i> System generates a new token.

Table 7: UC-04 Approve Document (with 2FA)

Field	Description
Use Case ID	UC-05

Use Case Name	Reject or Request Revision
Actors	Approver
Description	Allows an approver to return a document to the student for corrections.
Preconditions	Document is pending in the Approver's queue.
Postconditions	Document status updates to "Returned"; Workflow resets to draft.
Main Flow	1. Approver identifies an issue with the document. 2. Approver selects "Reject/Revision." 3. Approver enters mandatory feedback comments. 4. System notifies the student and halts the workflow.
Alternative Flows	<i>Missing Comment:</i> System prevents rejection without feedback.

Table 8: UC-05 Reject / Request Revision

Field	Description
-------	-------------

Use Case ID	UC-06
Use Case Name	Track Document Status
Actors	Student, Approver
Description	Allows users to view the real-time progress and location of a document.
Preconditions	User has at least one active document.
Postconditions	User is informed of the current status.
Main Flow	1. User navigates to "My Documents." 2. System retrieves workflow status from database. 3. System displays a visual progress bar indicating current location.
Alternative Flows	<i>No Data:</i> System displays "No active requests."

Table 9: UC-06 Track Document Status

Field	Description
Use Case ID	UC-07
Use Case Name	Send Automated Notifications
Actors	System (Scheduler)
Description	Automatically reminds users of pending actions to prevent workflow bottlenecks.
Preconditions	A document has exceeded the defined wait time (SLA).
Postconditions	Reminder email is sent to the responsible party.
Main Flow	1. System checks for idle documents. 2. System identifies the current owner of the document. 3. System triggers an email reminder. 4. System logs the notification.
Alternative Flows	<i>Email Service Down:</i> System logs error and retries later.

Table 10: UC-07 Send Automated Notifications

Field	Description
Use Case ID	UC-08
Use Case Name	View Audit Trail
Actors	Auditor
Description	Allows inspection of the complete, immutable history of a document for compliance.
Preconditions	Auditor is authenticated with read-only access.
Postconditions	Complete history log is displayed.
Main Flow	1. Auditor searches for a document ID. 2. Auditor selects "View Logs." 3. System displays chronological list of all actions, timestamps, and actors.
Alternative Flows	<i>Unauthorized Access:</i> System denies access if user is not an Auditor.

Table 11: UC-08 View Audit Trail

3.5. Object Model

The Object Model identifies the key entities within the E-flow system and describes their responsibilities, attributes, and relationships. This model serves as the blueprint for the database schema and class structure during implementation.

Key Objects:

- User: Represents all system actors (Students, Staff, Administrators) who interact with the platform. This object handles authentication, including the specific Two-Factor Authentication (2FA) requirement for secure signatures.
- Document: The central entity of the system. It represents both digital-native files and digitized paper documents processed via the OCR module. It tracks the file's lifecycle from submission to final approval.
- Workflow: Represents the dynamic approval paths created by the Visual Workflow Builder. Unlike static systems, this object stores the logic for how a document moves between nodes (e.g., Dean $\rightarrow$ Registrar).
- ApprovalTransaction: Represents the security layer of the system. It records the specific action of a user signing a document, linking the action to a timestamp and an OTP verification status to ensure non-repudiation.
- Notification: Manages communication, ensuring users are alerted via email or in-app updates when a document requires their attention.

3.5.1. Data Dictionary

The following table defines the classes, attributes, and operations for the proposed E-flow system.

Class	Attributes	Operations	Descriptions
User	userId (String) fullName (String) email (String) passwordHash (String) role (Enum: Student, Staff, Admin) twoFASecret (String)	login() register() generateOTP() verifyOTP() updateProfile()	Represents an entity authorized to access the system. It includes methods for the 2FA/OTP verification required for secure document signing.
Document	documentId (String) title (String) filePath (String) ocrContent (Text) status (Enum: Pending, Approved, Rejected)	uploadDocument() scanOCR() extractText() updateStatus() download()	Represents the file being processed. The ocrContent attribute stores text as TSVector extracted by Tesseract.js to make the document searchable.

	uploaderId (String) currentStageId (String)		
Workflow	workflowId (String) name (String) structureDefinition (JSON) creatorId (String) department (String)	createWorkflow() modifyStructure() validatePath() assignToDocument()	Stores the visual layout of approval chains. The structureDefinition stores the node and edge configuration generated by the React Flow builder.

ApprovalLog	logId (String) documentId (String) approverId (String) timestamp (DateTime) action (String) otpVerified (Boolean) comments (String)	recordAction() verifySignature() getHistory()	Serves as the audit trail. It ensures traceability by logging exactly who approved a document and confirming that 2FA was used ¹¹ .
OCRProcessor	engineConfig (String) supportedLanguages (List)	initializeEngine() processImage() cleanupText()	A utility class responsible for interfacing with the OCR library to digitize paper documents and extract text for indexing ¹² .
Notification	notificationId (String) recipientId (String)	sendEmail() sendInApp()	Handles alerting users when a document arrives in their queue or when a request status changes ¹³ .

	message (String)	markAsRead()	
	isRead (Boolean)		
	triggerEvent (String)		

Table 12: Data Dictionary

3.5.2. Class diagram




Figure 3.2: class diagram

3.5.3 Dynamic model

3.5.4 Sequence diagram

User authentication




Figure 3.3: User Authentication Sequence diagram




Figure 3.4: Document submission (OCR) Sequence diagram




Figure 3.5: Approve Document Sequence diagram




Figure 3.6: Document rejection sequence diagram




Figure 3.7: Track Status Sequence Diagram




Figure 3.8: Automated SLA Monitoring & Escalation Logic




Figure 3.9: View Audit Trail sequence diagram

3.5.5. Activity diagram

Activity Diagram for User Login and Two-Factor authentication(2FA)




Figure 3.10: User Login and Two-Factor authentication(2FA) Activity Diagram

Activity Diagram for Document Submission and Approval Process




Figure 3.11: Document Submission and Approval Process Activity diagram

Activity Diagram for Workflow Configuration




Figure 3.12: Workflow Configuration Activity Diagram

Activity Diagram for Document Status Tracking and History access




Figure 3.13: Document Status Tracking and History access Activity Diagram

Activity Diagram for Notification Handling




Figure 3.14: Notification Handling Activity diagram

Activity Diagram for Audit log Recording




Figure 3.15: Audit log Recording Activity Diagram

3.5.6. State chart diagram




Figure 3.16: Document Lifecycle State chart diagram

Chapter 4: System design

4.1 Overview

This section provides a general description of the system design of the system, E-flow: Intelligent Document Tracking and Workflow Management System for Universities with a Visual Workflow Builder focuses on creating a smooth, organized, and transparent way for universities to handle documents. Instead of relying on scattered manual processes, the system brings everything together in one digital platform where documents can be submitted, processed, tracked, and approved with clarity.

At the center of the solution is a web-based interface built with React.js. This interface provides separate dashboards for students, staff, and administrators. Through it, users can upload documents, follow their progress, approve tasks, and receive notifications whenever an action is required. For administrators, the system offers a Visual Workflow Builder powered by React Flow. This tool lets them design approval steps by simply dragging and arranging nodes, making it easy to create or update processes without writing a single line of code.

Behind the scenes, the backend application built using a server-side framework such as Node.js with Express handles the system's main logic. This includes routing documents based on predefined workflows, managing secure approvals using Two-Factor Authentication (2FA/OTP), keeping track of versions, controlling user access, and generating complete audit trails. Communication between the frontend and backend happens through secure RESTful APIs to ensure fast and reliable data exchange.

All system data including workflows, user information, documents, and approval histories is stored safely in a PostgreSQL database, which ensures that information is organized, secure, and easy to retrieve whenever needed.

The system also relies on several supporting features such as secure approval verification using One-Time Passwords (OTP), notification services for reminders, and role-based permissions to maintain security and accountability. By combining these components and their interactions, the E-flow provides a unified and dependable platform that improves efficiency, reduces delays, and makes document handling at universities far more transparent and convenient for everyone involved.

For scanned and image-based documents, the system integrates an OCR module that extracts textual content and allows user verification before workflow processing.

4.2 Purpose of the System Design

The system design of the E-flow: Intelligent Document Tracking and Workflow Management System for Universities with a Visual Workflow Builder is created to ensure that the final solution meets all functional and non-functional requirements while providing a solid foundation for development and testing. The design supports the system's goals of improving transparency, speeding up document processing, and ensuring smooth communication across departments. Its purpose can be summarized as follows:

➤ Supporting System and Object Models

The design is aligned with the system model and object model of E-flow: Intelligent Document Tracking and Workflow Management System for Universities, clearly defining how different components such as users, documents, workflows, and approval steps interact with each other. By organizing entities and their relationships, the design helps developers and stakeholders easily understand how the system behaves and how processes flow from one stage to another.

➤ Facilitating System Implementation

The design provides a clear blueprint for implementation by outlining the responsibilities of each module, the flow of data, and the interaction between the frontend, backend, and database. This structure allows team members to develop different parts of the system concurrently without confusion. It also ensures that key features such as workflow automation, document tracking, digital signatures, and notifications can be developed in a consistent and organized way.

➤ Supporting Testing and Quality Assurance

By defining clear interfaces, API endpoints, and interactions between components, the system design makes both module-level and full-system testing easier. Testers can validate each part such as workflow routing, user authentication, or audit logging, individually before checking how everything works together. This reduces errors, increases reliability, and ensures that the system performs well before deployment.

➤ Ensuring a Better User Experience

A well-structured design allows the system to be intuitive, responsive, and easy to use. By integrating all features in a seamless way, the design helps ensure that students, staff, and administrators can interact with the system without confusion. Users can submit documents, follow progress, and complete approvals smoothly, ultimately improving administrative efficiency and reducing delays.

4.3 Design Goals

The design of the E-flow: Intelligent Document Tracking and Workflow Management System for Universities is based on key principles that ensure the system is organized, easy to maintain, and able to adapt to future needs. It emphasizes modularity by separating the system into clear components such as the workflow builder, document management module, and backend services. This helps group related functions together, increasing cohesion while keeping coupling low so that updates in one module do not negatively affect others.

The design also applies abstraction and encapsulation to simplify user interactions and protect sensitive operations like authentication, digital signatures, and workflow routing. By hiding unnecessary complexity, the system becomes easier for users to operate and for developers to maintain. Reusability is another goal, allowing shared features such as notifications, access control, and document status tracking to be used across different workflows without duplication.

Overall, these design goals guide the system toward being secure, flexible, and user-friendly, ensuring it can support Universities administrative processes effectively.

4.4. Proposed System Architecture




Figure 4.1: 3 Tier System Architecture

4.5. Subsystem Decomposition

The E-flow: Intelligent Document Tracking and Workflow Management System for Universities is decomposed into several subsystems to simplify development, improve maintainability, and support modular implementation. Each subsystem is responsible for a specific set of functions and interacts with others through well-defined interfaces. This decomposition allows the system to be developed, tested, and maintained efficiently.

1. User Interface Subsystem

This subsystem handles all user interactions with the system. It provides role-based dashboards for students, staff, and administrators, allowing users to submit documents, design workflows, approve requests, and track document status. It also displays notifications and system feedback in real time.

Main responsibilities:

- Document submission and viewing
- Workflow design using drag-and-drop tools
- Approval actions and status tracking
- User notifications and alerts

2. Workflow Management Subsystem

The workflow management subsystem controls how documents move through different approval stages. It interprets workflow definitions created by administrators and automatically routes documents based on predefined rules.

Main responsibilities:

- Creating and managing workflow definitions
- Executing approval sequences
- Tracking workflow progress and states
- Handling conditional routing logic

3. OCR Processing Subsystem

This subsystem is responsible for extracting textual content from scanned documents and image-based files submitted to the system. It uses an Optical Character Recognition (OCR) engine to convert non-editable documents into machine-readable text that can be indexed, searched, and processed within workflows.

The OCR Processing Subsystem supports a human-in-the-loop approach, allowing users to review and correct extracted text to improve accuracy before the document proceeds through the workflow.

Main responsibilities:

- Processing scanned PDF and image documents
- Text extraction using OCR technology (e.g., Tesseract.js)
- Allowing user verification and correction of OCR output
- Storing extracted text for search and workflow use

4. Document Management Subsystem

This subsystem is responsible for handling document-related operations. It manages document uploads, storage, version control, and secure approval confirmations using 2FA/OTP while ensuring data integrity and security.

Main responsibilities:

- Document upload and retrieval
- Version control and history management
- Integration with OCR-extracted content
- Secure approval records using 2FA/OTP
- Secure document storage

5. User and Access Control Subsystem

This subsystem ensures that only authorized users can access or modify system resources. It manages authentication, role-based access control, and permission validation across all system components.

Main responsibilities:

- User authentication (login/logout)
- Role and permission management
- Session and token handling
- Access validation for system actions

6. Notification Subsystem

The notification subsystem informs users about important system events. It sends alerts when documents require action, approvals are completed, or workflow statuses change.

Main responsibilities:

- Email notifications
- In-app alerts
- Event-based message triggering

7. Audit and Reporting Subsystem

This subsystem records all system activities to ensure transparency and accountability. It generates logs and reports that can be reviewed by administrators for monitoring and auditing purposes.

Main responsibilities:

- Activity logging and audit trails
- Workflow and document reports
- User action tracking

8. Data Management Subsystem

The data management subsystem stores and manages all persistent system data. It ensures consistency, reliability, and secure access to user data, documents, and workflow information.

Main responsibilities:

- Database operations (CRUD)
- Data integrity and consistency
- Backup and recovery support




Figure 4.2: Proposed System Architecture

4.6. Subsystem Description

Subsystem Name	Function	Interfaces	Interactions	Dependencies
User Management Subsystem	Handles user registration, login, profile management, and role-based access control	Web UI, Authentication API	Interacts with Workflow Management and Notification Subsystems for user actions	Depends on Authentication Service and Database for storing user data

Document Management Subsystem	Manages document upload, storage, version control, and secure approval confirmation using One-Time Password (OTP)	Web UI, Backend API	Works with Workflow Management to provide documents for approvals; interacts with Audit Subsystem for tracking	Depends on Database and File Storage services
OCR Processing Subsystem	Extracts text from scanned documents and images using OCR and supports user verification of extracted content	Document Upload Interface, Backend API	Works with Document Management Subsystem to attach extracted text to documents	OCR Engine (Tesseract.js), Backend Application Services
Workflow Management Subsystem	Defines and executes approval workflows; routes documents through various stages	Backend API, Notification API	Interacts with User, Document, and Notification Subsystems to move documents through workflow steps	Depends on Database for workflow definitions and status tracking
Notification Subsystem	Sends email and in-app notifications for workflow events	Backend API, Web UI	Receives triggers from Workflow and Document Management	Depends on SMTP / email server and Web UI for display

			Subsystems; notifies users	
Audit & Reporting Subsystem	Logs system activity and generates reports for monitoring and auditing	Backend API, Admin Dashboard	Receives data from Workflow, Document, and User Management Subsystems	Depends on Database for storing logs and reporting engine
Administrative Dashboard	Provides administrators with a centralized interface to monitor system operations and workflow status	Web UI	Interacts with all other subsystems to present information and manage workflows	Depends on Workflow, Document, and User Management Subsystems
Data Management Subsystem	Centralized storage and management of persistent data, including users, documents, workflows	Backend API	All subsystems interact with data management to read/write data	Depends on Database server and storage services

Table 13: Subsystem Description

4.7. Persistent Data Management

The E-flow: Intelligent Document Tracking and Workflow Management System for Universities relies on persistent data management to ensure that all system information is securely stored, consistently maintained, and readily accessible throughout the system's operation. Persistent data storage enables the system to retain user records, documents, workflow states, and audit logs even after system shutdowns or failures.

The system uses a PostgreSQL relational database management system (RDBMS) to store structured data. PostgreSQL is selected due to its strong support for relational integrity, transaction management, and JSON-based storage, which is suitable for storing workflow definitions and approval metadata. This includes user accounts, roles and permissions, workflow definitions, document metadata, approval records, and system logs. A relational approach is chosen to maintain data integrity, enforce relationships among entities, and support reliable transaction processing.

In addition to document metadata, the system stores OCR-extracted textual content linked to each document. This enables keyword searching, indexing, and workflow-based processing of scanned documents while preserving the original files.

Actual document files are stored in a secure file storage repository, while only their metadata such as document ID, version number, owner, submission date, and current status is stored in the database. This separation improves performance and simplifies data management while ensuring efficient document retrieval.

The E-flow supports standard CRUD (Create, Read, Update, Delete) operations through the application layer. Data access is handled via well-defined APIs that enforce validation rules, access control, and consistency checks. Role-based access control ensures that users can only view or modify data permitted by their roles.

To support accountability and traceability, the system maintains audit logs that record important actions such as document submissions, approvals, rejections, and user logins. These logs are stored persistently and can be reviewed by administrators for monitoring and reporting purposes.

Regular backup and recovery mechanisms are incorporated to protect against data loss. Periodic backups ensure that the system can be restored in case of hardware failure, accidental deletion, or security incidents.

Overall, the persistent data management design of E-flow ensures data reliability, security, and scalability, supporting efficient document tracking and long-term system operation.




Figure 4.3: Persistent Data Management Diagram

4.8 Component Diagram

The component diagram of the E-flow: Intelligent Document Tracking and Workflow Management System for Universities shows its major software components and the interactions between them. It focuses on how the system is organized into functional modules and how these modules communicate through well-defined interfaces.

The E-flow is composed of a web-based user interface, backend application services, and data management components. The Web Client provides the user-facing functionalities such as document submission, workflow design, approvals, and status tracking. It communicates with the backend through RESTful APIs.

The Backend Application contains the core system logic and is divided into several components, including workflow management, document management, authentication and authorization, notification handling, and audit logging.

Each component performs a specific responsibility and exposes services that can be accessed by other components. This separation improves modularity and allows independent development and testing.

The Data Management Component handles persistent storage using a relational database. All components that require data access interact with the database through the backend services, ensuring controlled and secure data operations.




Figure 4.4: Component Diagram

4.9 Database Diagram

The database diagram represents the logical structure of the E-flow: Intelligent Document Tracking and Workflow Management System for Universities database. It illustrates the main database tables, their key attributes, and the relationships between them. The database is designed to support document tracking, workflow automation, approval management, user access control, and audit logging.

The E-flow uses a relational database to ensure data integrity, consistency, and efficient querying. Each table represents a persistent entity in the system, and relationships are defined using primary and foreign keys. This structure allows the system to reliably store and retrieve information related to users, documents, workflows, approvals, and system activities.




Figure 4.5: Database ER Diagram

4.10 Access Control

The E-flow: Intelligent Document Tracking and Workflow Management System for Universities implements a role-based access control mechanism to ensure that system resources are accessed only by authorized users. Access control is enforced through authentication, authorization, and secure data handling mechanisms. This approach protects sensitive documents, maintains accountability, and ensures proper workflow execution.

Users must be authenticated before accessing the system. Once authenticated, permissions are granted based on assigned roles. Each role defines the actions a user can perform within the system. All access requests are validated by the application layer, and sensitive data is protected using encryption and secure communication protocols.

User Role	User Management	Document Management	Workflow Management	Approval Management	Audit & Feedback	Reporting & Analytics
Student	Update Profile	Submit, View Own Documents	View Workflow Status	N/A	Leave Comments	N/A
Staff	Update Profile	Submit, View Assigned Documents	View Assigned Workflows	Approve / Reject	View Audit Logs	N/A
Department Head	N/A	View Department Documents	Manage Department Workflows	Final Approval	Review Feedback	View Reports
System Administrator	Manage Users	Manage All Documents	Manage Workflows	Override Approvals	View Audit Logs	Generate Reports
System Auditor	N/A	View Documents (Read-only)	View Workflow History	N/A	View Audit Logs	View Reports

Table 14: Users Access Control

Chapter 5: Implementation

5.1 Overview

This chapter describes the implementation phase of the E-flow: Intelligent Document Tracking and Workflow Management System for Universities with a Visual Workflow Builder. The implementation phase focuses on transforming the system design into functional application by integrating frontend interfaces, backend services, database management, and other technologies such as OCR and security mechanisms.

The system is implemented using a web-based architecture consisting of a client-side application, a server-side application and a data storage layer. The frontend is developed by using [React.js](#). One of the key features is implemented at this stage (Visual Workflow Builder), which allows administration to design approval processes through drag and drop components without requiring programming knowledge.

On the server side, we used [Node.js](#) with Express, which handles requests processing, workflow execution, document routing, authentication, authorization, and notification triggering. Communication between the client and server is handled by RESTful APIs, Ensuring secure and efficient data exchange.

The system uses PostgreSQL as the backend database to store user data, workflow definitions, document metadata, approval histories, and audit logs. For scanned and image-based documents, an OCR module was implemented to extract textual content, allowing documents to be indexed and processed within workflows. The extracted text can be reviewed and corrected by users before final submission.

5.2 Coding Standards

In order to ensure code quality and maintainability, established coding standards and best practices were followed throughout the development . These standards will help to reduce errors, improve readability and support collaborative development .

Naming Conventions

- **CamelCase** used for variable and function names in javascript (e.g., getUsersDetails , submitDocument)
- **PascalCase** is applied to react component names (e.g., WorkflowBuilder , DocumentUpload).
- **Snake_case** is used in naming database tables and fields (e.g., user_roles,document_status).

Code structure and modularity

- The application follows modular architecture, where frontend and backend components are separated into logical folders.
- Backend services are divided into controllers, routes, services, and middleware to maintain separation of concerns.
- Reusable components were created for common frontend elements.

Documentation and comments

- Inline comments were added to explain the code base , especially in complex logic.
- Meaningful commit messages were used in version control to track changes effectively .

Frameworks and Libraries

Frontend

- **React.js** – Builds dynamic and responsive user interfaces.
- **React Flow** – Implements the drag-and-drop visual workflow builder.
- **Tailwind CSS / Material UI** – Used for UI styling and responsiveness.

Backend

- **Node.js** – Server-side runtime environment.
- **Express.js** – Framework for building RESTful APIs and handling requests.

Security & Authentication

- **JWT (JSON Web Token)** – User authentication and role-based access control.
- **Crypto (Node.js)** – Secure token and OTP generation.
- **Nodemailer** – Sends OTP emails for Two-Factor Authentication (2FA).

OCR & Document Processing

- **Tesseract.js** – Extracts text from scanned and image-based documents.

Database

- **PostgreSQL** – Stores users, documents, workflows, approvals, and audit logs.

Development & Testing Tools

- **Git & GitHub** – Version control and collaboration.
- **Postman** – API testing and debugging.

Security and best practices

- Input validation and error handling were implemented to prevent invalid data processing.
- Role-based access control (RBAC) was enforced to restrict system actions based on user rules.
- Secure authentication mechanisms and OTP-based approval confirmation were implemented to enhance system security.

5.3 Development Tools

During the development of the system, we used several tools. The selection of these tools was based on reliability, ease of use, and compatibility with the technology stack

Integrated Development Environment (IDE)

- Visual Studio Code (VS Code) was used as the primary IDE due to its lightweight nature, rich extension support, and built-in debugging capabilities.
- Extensions such as ESLint, Prettier, and Git integration improved code quality and productivity.

Frontend Development Tools

- React.js was used for building the user interface and implementing dynamic components such as dashboards and the visual workflow builder.
- React Flow was used to implement the drag-and-drop workflow design feature.
- Browser developer tools were used for UI testing, layout inspection, and performance debugging.

Backend Development Tools

- **Node.js and Express.js** were used for server-side development and API creation.
- **Postman** was used to test and validate RESTful API endpoints during development.
- Middleware tools were used for authentication, authorization, and request validation.

Database and Storage Tools

- PostgreSQL served as the relational database for persistent data storage.
- Database management tools such as pgAdmin were used to manage schemas, queries, and data integrity.
- Secure file storage was used for document handling, with metadata stored in the database.

Version Control


- Git was used for version control to track code changes and manage development progress.
- A structured commit strategy ensured traceability and easy rollback when required.

5.4 Prototype

A working prototype of the system is developed during the implementation phase to demonstrate the feasibility of the proposed system and to validate the selected technologies.


This prototype focuses on the core functionalities of the system, which are user authentication, role-based access control, document submission, workflow configuration, approval processing, and document status tracking.

The prototype is tested using sample document workflows to ensure that documents move correctly between workflow stages and that user roles are enforced properly. Feedback from testing is used to refine navigation, improve workflow clarity, and enhance overall system usability.



The image shows a web form for creating an account, titled "E-Flow" with a logo. The form is titled "Create an Account" and includes the instruction "Enter your details below to get started." It contains four input fields: "Full Name" (placeholder: "Enter your full name"), "Email Address" (placeholder: "name@example.com"), "Password" (placeholder: "Create a password" with a toggle icon), and "Confirm Password" (placeholder: "Confirm your password" with a toggle icon). A blue "Create Account" button is at the bottom of the form. Below the button, there is a link: "Already have an account? Sign In".

Figure 5.1: User registration



The image shows a user login page. On the left, there is a decorative graphic with a dark teal background and a network of light blue lines and dots. On the right, the page has a light gray background. The heading "Welcome Back" is in bold black text, followed by the subtext "Sign in to manage your E-Flow documents." Below this, there are two input fields: "Email Address" with the placeholder "Enter your email address" and "Password" with the placeholder "Enter your password" and an eye icon for toggling visibility. A link "Forgot Password?" is positioned below the password field. A blue "Login" button is at the bottom of the form. The footer contains the "University" logo on the left and the copyright notice "© 2024 University Name. All Rights Reserved." on the right.

Welcome Back
Sign in to manage your E-Flow documents.

Email Address
Enter your email address

Password
Enter your password 


[Forgot Password?](#)

Login

 University

© 2024 University Name. All Rights Reserved.

Figure 5.2: User login page



The image shows a "Reset Your Password" page. It features a white card with rounded corners on a light gray background. At the top of the card is a blue circular icon with a white key symbol. The heading "Reset Your Password" is in bold black text, followed by the instruction "Enter your email address and we'll send you an OTP code to reset your password." Below this, there is an "Email Address" label and an input field with a placeholder "e.g., your.email@university.edu" and an envelope icon. A blue "Send OTP Code" button is positioned below the input field. At the bottom of the card, there is a link "← Back to Login".




Reset Your Password
Enter your email address and we'll send you an OTP code to reset your password.

Email Address
e.g., your.email@university.edu

Send OTP Code

[← Back to Login](#)

Figure 5.3: password reset page



The image shows a 'Verify Your Identity' page. At the top is a blue circular icon with a white padlock. Below it, the title 'Verify Your Identity' is in bold. The instruction 'Enter the 6-digit code sent to your registered email address.' is centered. Below this is a row of six empty square boxes for the code. A timer 'Code expires in: 00:59' is shown. A link 'Didn't receive the code? Resend OTP' is provided. A large blue 'Verify' button is at the bottom, with a 'Having trouble?' link below it.

Verify Your Identity

Enter the 6-digit code sent to your registered email address.


Code expires in: 00:59

Didn't receive the code? [Resend OTP](#)

Verify

[Having trouble?](#)

Figure 5.4: password reset identity verification(2fa)



The image shows a 'Set New Password' page under the 'E-flow' header. The title 'Set New Password' is in bold. The instruction 'Create a new, secure password for your E-flow account.' is centered. There are two password input fields: 'New Password' and 'Confirm New Password', each with a toggle icon. A note states 'Must be at least 8 characters long, contain a number and a special character.' A large blue 'Reset Password' button is at the bottom, with a 'Back to Login' link below it.

E-flow

Set New Password

Create a new, secure password for your E-flow account.

New Password

Enter new password

Must be at least 8 characters long, contain a number and a special character.

Confirm New Password

Confirm new password

Reset Password

[Back to Login](#)

Figure 5.5: set new password page




Figure 5.6: student Dashboard




Figure 5.7: student's my documents page

 Search documents...



My Documents

View and manage your submitted documents.

Category ▾

Status ▾

Date Range ▾

Clear

Apply Filters

DOCUMENT NAME	TYPE	STATUS	SUBMITTED DATE	ACTIONS
Transcript Request Form	Academic Record	Approved	Oct 26, 2023	View
Financial Aid Application	Financial	In Review	Oct 24, 2023	View
Housing Agreement	Housing	Pending	Oct 22, 2023	View
Scholarship Essay	Academic	Rejected	Oct 20, 2023	View
Health Insurance Waiver	Health	Approved	Oct 19, 2023	View

Showing 1 to 5 of 20 results

[<](#) [1](#) [2](#) [3](#) [>](#)

Figure 5.8: Student's my document page




Figure 5.9: Student's Service Page




Figure 5.10: students request service page




Figure 3.11: student's Notification page




Figure 3.12: Students setting page




Figure 5.13: Stuff Dashboard




Figure 5.14: stuff's Tasks page




Figure 5.15: Stuff's specific tasks view page




Figure 5.16: Digital signature page




Figure 5.17: Admin Dashboard




Figure 5.18: Admin Workflow Management page




Figure 5.19: Admin workflow Builder

The screenshot shows the E-Flow Admin User Management interface. On the left is a sidebar with navigation links: Dashboard, Users (highlighted), Workflows, Settings, Documents, and Security. The main area is titled 'User Management' and includes an 'Export' button and an '+ Add User' button. Below these is a search bar and filters for Role, Department, and Status. A table lists the following users:

	USER NAME	ROLE	DEPARTMENT	STATUS	ACTIONS
☐	Leul Negesse leulnegesse@eflow.com	Admin	Engineering	Active	
☐	Maraki Teferi marakiteferi@eflow.com	Editor	Sales	Active	
☐	Kidus Asnake Kidusasnake@eflow.com	Viewer	Marketing	Inactive	
☐	Beamlak Tesema Beamlaktesema@eflow.com	Editor	Engineering	Active	

At the bottom of the table, it says 'Showing 1 to 4 of 20 results' with navigation arrows.

Figure 5.20: Admin User management page




Figure 5.21: Document management hub




Figure 5.22: Admin Role Management page




Figure 5.23: System logs page




Figure 5.24: Audit and compliance page




Figure 5.25: Admin Analytics and report page




Figure 5.26: Document version history

5.5 Implementation Detail

This section provides a detailed explanation of how the system is implemented using the selected development tools and technologies. The system follows a **three-tier architecture**, which separates the presentation layer, application logic layer, and data storage layer. This architectural approach improves the system's scalability, security, and maintainability.

Key implementation characteristics:

- Separation of concerns between client-side, server-side, and database layers
- Secure client–server communication using RESTful APIs
- Centralized workflow execution and validation on the server-side
- Role-based access control enforced at multiple levels
- Persistent storage and auditability of all system activities

5.5.1 Client-Side Implementation

The client-side of the **E-flow system** is implemented using **React.js**, which provides a component-based framework for building dynamic and interactive web applications. The client-side is responsible for presenting system features to users and enabling interaction with documents and workflows.

User interfaces are designed based on user roles such as administrators, staff, and students. Each role is provided with a customized dashboard displaying relevant documents, pending tasks, and workflow status. Role-based rendering ensures that users only access features permitted by their assigned roles.

The visual workflow builder is implemented using **React Flow**, allowing administrators to create and modify document approval workflows through a drag-and-drop interface. This feature enables flexible workflow design without requiring programming knowledge.

Styling and layout are handled using **Tailwind CSS and Material UI** to ensure a consistent, responsive, and user-friendly interface. Client-side validation is implemented to minimize invalid input before data is sent to the server.

To support document digitization, we integrate **Tesseract.js** on the client-side, allowing users to upload scanned documents and extract text from image-based files. This extracted text is then prepared for further processing and storage by the backend.

Throughout system usage, the client-side continuously interacts with the server by requesting updated document statuses, approval notifications, and workflow progress. These interactions ensure that users receive near real-time feedback on document movement and approval outcomes.

5.5.2 Server-Side Implementation

The server-side is implemented using **Node.js with Express.js** to manage application logic, security, and data processing. The server acts as the central control unit of the system, coordinating interactions between the client-side and the database.

The backend handles user authentication and authorization using **JSON Web Tokens (JWT)**. After successful login, a token is issued to the user and is used to verify identity and enforce role-based access control for all protected operations.

Workflow automation logic is implemented on the server-side. When a document is submitted, the server determines the appropriate workflow path, assigns the document to the next approval

stage, and updates its status accordingly. Approval actions are validated to ensure that only authorized users can perform them.

For secure document approval, the system integrates an email-based verification mechanism using **Nodemailer**. During critical approval actions, a **One-Time Password (OTP)** is generated using cryptographic libraries (**Crypto or pyotp**) and sent to the user's registered email address. The server also manages error handling, input validation, and audit logging. All significant actions, such as document submission, approval, and status changes, are recorded to maintain transparency and accountability.

5.5.3 Database

The database component of our **E-flow system** is implemented using **PostgreSQL**, a reliable and open-source relational database management system. The database is responsible for storing all persistent data required for system operation, including user accounts, roles, document metadata, workflow definitions, approval records, and audit logs.

The database schema is designed to support dynamic workflow management. Tables are created for users, roles, documents, workflows, workflow steps and approval history. Relations between these tables are defined using primary and foreign keys to maintain data consistency and integrity.

PostgreSQL's support for structured data and JSON fields is utilized to store flexible workflow configurations. This allows workflows to be created and modified without requiring changes to the database structure.

All database operations are performed through the server-side application, ensuring controlled and secure access. Indexing is applied to frequently queried fields such as document status and user identifiers to improve system performance. This design ensures efficient data retrieval, accurate document tracking, and reliable audit trail management.

Chapter 6: System Testing

6.1 Introduction

System testing is a critical phase in the software development lifecycle of E-flow: Intelligent Document Tracking and Workflow Management System for Universities. The primary objective of this phase is to verify that all integrated components of the system function correctly as a unified whole and conform to the functional and non-functional requirements specified in earlier chapters.

The E-flow system is designed to automate document workflows, digitize paper-based records through OCR, and enforce secure approvals via Two-Factor Authentication. Given the sensitivity of the data involved and the complexity of the multi-role workflow engine, rigorous system testing is essential to ensure reliability, security, and usability before deployment.

The goals of system testing for E-flow include:

- Verifying that all functional requirements such as user authentication, document submission, OCR processing, workflow routing, and audit logging operate as specified.
- Validating that non-functional requirements including security, performance, usability, and scalability are met.
- Identifying and documenting any defects or deviations from expected behavior.
- Ensuring the overall quality, integrity, and readiness of the system for deployment in a university environment.

6.2 Scope

The scope of system testing covers all major modules of the E-flow system that have been implemented during the development phase. Testing activities will be conducted on the fully integrated prototype and will include interactions between the frontend (React.js), backend (Node.js/Express.js), OCR engine (Tesseract.js), and the PostgreSQL database.

Modules and interactions within scope include:

- User Authentication and Role-Based Access Control (RBAC)
- Visual Workflow Builder (drag-and-drop workflow configuration)
- Document Submission and OCR Processing pipeline
- Document Routing and Approval flow
- Two-Factor Authentication (2FA/OTP) Signature Verification
- Real-time Document Status Tracking
- Automated Notification and SLA Monitoring
- Audit Trail and Reporting
- Administrative Dashboard and User Management

The testing will be carried out in a controlled local development environment simulating university usage conditions. End-to-end workflows involving all defined user roles (Student, Staff, Department Head, System Administrator, Auditor) will be executed and evaluated.

6.3 Features to be Tested and Not to be Tested

6.3.1 Features to be Tested

The following features will be thoroughly tested to ensure compliance with the system requirements:

2. User Authentication: Successful login with valid credentials, account lockout after three failed attempts, role-based redirection to appropriate dashboards, and session management.
3. Role-Based Access Control: Verification that each user role (Student, Staff, Department Head, Administrator, Auditor) can access only the features and data permitted by their role.
4. Visual Workflow Builder: Creation, editing, saving, and validation of workflow configurations including detection of circular logic and disconnected nodes.
5. Document Submission with OCR: Upload of image-based and scanned PDF documents, OCR text extraction, user verification and correction of extracted text, and final document submission.
6. Document Routing and Approval: Automatic routing of submitted documents through defined workflow stages, approval and rejection actions, revision requests, and version control.
7. Two-Factor Authentication (2FA): OTP generation and delivery via email, correct OTP validation before approval, and handling of expired or incorrect OTPs.
8. Real-Time Status Tracking: Display of accurate document progress including current stage, timestamps, and action history.
9. Automated Notifications: Email and in-app notifications triggered by document state changes, SLA breach warnings, and escalation alerts.
10. Audit Trail: Logging of all system actions with timestamps, user identifiers, and action types; read-only access enforcement for Auditors.
11. Administrative Dashboard: Monitoring of active workflows, user management, role assignment, and system log review.
12. Security Controls: Encryption of data in transit and at rest, input validation, and unauthorized access prevention.
13. Database Integrity: Consistency of data across CRUD operations for users, documents, workflows, approval records, and audit logs.

6.3.2 Features Not to be Tested

The following features are excluded from system testing in this phase, along with justifications:

- **Integration with External Institutional Systems:** Integration with systems such as student finance portals, grading databases, or Human Resource Management Systems is outside the current project scope and will not be tested.
- **Native Mobile Application:** Since E-flow only provides a responsive web interface and not a dedicated mobile application, native mobile-specific features are not tested.
- **Full Public Key Infrastructure (PKI):** The system implements 2FA/OTP-based signature verification rather than a full PKI with cryptographic certificates. PKI-level signature testing is therefore excluded.
- **OCR Accuracy on Handwritten Documents:** The Tesseract.js OCR engine is optimized for printed text. Handwritten document recognition accuracy is not guaranteed and is excluded from pass/fail criteria.
- **Cloud Deployment Testing:** Testing is conducted in a local development environment. Cloud-specific deployment configurations and infrastructure performance are not within scope.

6.4 Pass/Fail Criteria

The following criteria define whether a test case is considered passed or failed during system testing of the E-flow system:

Pass Criteria:

- A test case passes when the actual output matches the expected output as defined in the test case specification without errors or exceptions.
- Authentication and RBAC features pass when each user role is correctly granted or denied access to system functions in 100% of test executions.
- Workflow routing passes when documents are forwarded to the correct next approver in sequence with no routing errors across all test cases.
- OCR processing passes when textual content is successfully extracted from standard printed documents with a minimum character-level accuracy of 85% on clear, high-quality scans.
- 2FA verification passes when OTP delivery occurs within 30 seconds and valid OTPs are accepted while invalid or expired OTPs are correctly rejected.
- Audit trail entries pass when every system action is logged with an accurate timestamp, correct user ID, and appropriate action description.
- Security tests pass when no unauthorized access is gained to restricted resources and all data transmissions are encrypted.

Fail Criteria:

- A test case fails when the actual output deviates from the expected output, causing incorrect system behavior or unhandled exceptions.

- Any instance where a user accesses features or data beyond their assigned role constitutes a critical failure.
- Failure of OTP delivery, acceptance of incorrect OTPs, or bypass of the 2FA mechanism constitutes a critical security failure.
- Loss or corruption of document data during routing or approval is classified as a critical failure.
- System crashes or unresponsive states during normal operations constitute a failure.

6.5 Key Test Cases

The following table presents the key test cases executed during system testing of the E-flow system. Each test case is aligned with the functional requirements and use case scenarios defined in Chapter 3.

TC ID	Test Case Name	Input / Precondition	Expected Result	Actual Result	Status
TC-01	Valid User Login	Registered user enters correct email and password	User is authenticated and redirected to role-specific dashboard	User redirected to correct dashboard	Pass
TC-02	Login with Invalid Credentials	User enters wrong password three times	Account locked for 15 minutes; error message displayed	Account locked after 3 attempts	Pass
TC-03	Role-Based Access Control	Student attempts to access Admin Workflow Builder	Access denied; unauthorized page or error shown	Access denied correctly	Pass
TC-04	Create Workflow	Admin opens Workflow Builder and connects approval nodes	Workflow is validated and saved; available for document routing	Workflow saved and visible in system	Pass
TC-05	Workflow Circular Logic Detection	Admin creates a workflow with a circular node connection	System prevents saving and highlights the error	Error flagged; save prevented	Pass

TC ID	Test Case Name	Input / Precondition	Expected Result	Actual Result	Status
TC-06	Document Upload and OCR Extraction	Student uploads a clear scanned PDF of a medical certificate	Text is extracted by Tesseract.js and displayed for verification	Text extracted with accuracy above 85%	Pass
TC-07	Document Submission and Routing	Student submits a verified document assigned to 'Standard Clearance' workflow	Document is routed to first approver (Department Head); status set to Pending	Document forwarded correctly	Pass
TC-08	Approve Document with 2FA	Department Head clicks Approve; OTP sent to registered email	Approval logged in audit trail; document forwarded to next stage	OTP validated; approval recorded	Pass
TC-09	Invalid OTP Entry	Approver enters an incorrect OTP during document approval	System denies approval and prompts re-entry	Approval blocked; re-entry prompted	Pass
TC-10	Reject Document with Comments	Registrar selects Reject/Revision and enters feedback	Document returned to student; notification sent; status updated to Returned	Document returned with notification	Pass
TC-11	Reject Without Comment	Approver attempts rejection without entering mandatory comments	System prevents submission until feedback is entered	Validation error displayed	Pass
TC-12	Real-Time Status Tracking	Student navigates to My Requests after submission	Visual progress tracker displays current stage with timestamps	Status and timestamps displayed correctly	Pass

TC ID	Test Case Name	Input / Precondition	Expected Result	Actual Result	Status
TC-13	SLA Breach Notification	Document remains pending beyond defined SLA time limit	System sends escalation notification to supervisor; status updated to Escalated	Escalation alert sent correctly	Pass
TC-14	View Audit Trail	Auditor searches for document by ID and selects View Audit Trail	Immutable chronological log of all actions displayed with timestamps	Full audit log displayed accurately	Pass
TC-15	Unauthorized Audit Access	Student attempts to access audit trail of another user's document	Access denied with appropriate error message	Access denied correctly	Pass

Table 15: Key System Test Cases

6.6 Test Execution

System testing for the E-flow prototype was conducted in a structured and sequential manner to ensure comprehensive coverage of all critical functionalities. The following describes the test execution process:

Test Environment:

- Frontend: React.js application running locally on a development machine via a web browser (Google Chrome).
- Backend: Node.js/Express.js server running locally on port 5000.
- Database: PostgreSQL instance running locally with a dedicated test schema populated with sample users, documents, and workflow configurations.
- OCR Engine: Tesseract.js integrated on the client-side for document text extraction.
- Email Service: Nodemailer configured with a test SMTP server to simulate OTP delivery for 2FA verification.

Execution Process:

14. Test preparation: Sample user accounts were created for each role (Student, Staff, Department Head, Administrator, Auditor). Test documents including printed PDF forms and sample scanned images were prepared. Workflow templates were configured in the system.

15. Test execution sequence: Tests were executed in a logical order beginning with authentication and RBAC, followed by workflow creation, document submission, approval processing with 2FA, status tracking, notification delivery, and audit trail verification.
16. Result recording: Test results were recorded in the test case table for each executed test, noting the actual observed behavior against the expected outcome.
17. Defect identification: Any deviation from expected behavior was flagged and documented in the defect management log for resolution.
18. Re-testing: After defect resolution, affected test cases were re-executed to confirm correct behavior.

All test cases were executed by the designated tester (Selamu Feleke, UI/UX Designer and Tester) with support from the development team for environment setup and defect resolution.

6.7 Defect Management

Defect management during the E-flow system testing phase followed a structured process to ensure that identified issues were documented, prioritized, resolved, and verified in a timely manner. The following workflow was adopted:

Defect Identification and Logging:

When a test case produced a result that deviated from the expected outcome, the defect was recorded including a unique defect ID, a description of the observed behavior, the test case in which it was found, the severity level, and the steps to reproduce the issue.

Severity Classification:

- Critical: Defects that prevent core system functionality (e.g., authentication failure, workflow routing errors, 2FA bypass). These were assigned highest priority for immediate resolution.
- Major: Defects that significantly affect functionality but have workarounds (e.g., notification delivery delays, minor OCR extraction inaccuracies on certain document formats).
- Minor: Defects that have minimal impact on usability (e.g., UI alignment issues, non-critical label mismatches).

Resolution Process:

19. Defects were reported to the responsible developer based on the affected module (Frontend Developer: Leul Negesse; Backend Developer: Maraki Teferi; Database Administrator: Kidus Asnake).
20. The developer investigated the root cause and applied a fix.
21. The fixed component was re-tested by the tester to confirm resolution.
22. Resolved defects were marked as closed in the defect log with the resolution date.

No critical or major unresolved defects remained at the conclusion of the testing phase. All identified defects were resolved and re-verified prior to the final system demonstration.

6.8 Resources

The following resources were utilized to conduct system testing for the E-flow project:

Human Resources:

- Selamu Feleke (UI/UX Designer and Tester, UGR/25478/14): Primary responsibility for executing test cases, recording results, and reporting defects.
- Beamlak Tesema (System Analyst and Document Management Lead, UGR/25545/14): Provided support in defining test scenarios and validating document management workflows.
- Maraki Teferi (Backend Developer, UGR/25729/14): Supported test environment setup, resolved backend defects, and validated API responses.
- Leul Negesse (Frontend Developer, UGR/25673/14): Resolved frontend UI defects identified during testing.
- Kidus Asnake (Database Administrator, UGR/25665/14): Maintained test database integrity and resolved data-related issues.

Hardware Resources:

- Developer laptops used for running the local test environment (frontend, backend, and database servers).
- University laboratory facilities used for collaborative testing sessions and UAT demonstrations.

Software and Tools:

- Google Chrome browser for frontend testing and interaction.
- Postman for testing and validating RESTful API endpoints.
- pgAdmin for monitoring and verifying database state during test execution.
- Nodemailer with test SMTP server for OTP email delivery simulation.
- ClickUp/Trello for defect tracking and test progress management.
- Git and GitHub for maintaining version control of fixes applied during testing.

6.9 Schedule

System testing was conducted during Sprint 5 (Month 5) of the project schedule, consistent with the Agile development plan outlined in Chapter 1. The testing activities were distributed across a three-week period as follows:

Week	Activities	Milestone	Owner
Week 1 (Days 1-7)	Test environment setup; preparation of test data and user accounts; execution of authentication and RBAC test cases; execution of workflow builder test cases	Authentication and RBAC testing complete	Selamu Feleke, Maraki Teferi, Kidus Asnake
Week 2 (Days 8-14)	Execution of document submission and OCR test cases; execution of 2FA approval and rejection test cases; defect reporting and initial resolution	Document management and approval testing complete	Selamu Feleke, Beamlak Tesema , Leul Negesse
Week 3 (Days 15-21)	Execution of notification, tracking, and audit trail test cases; security testing; defect re-testing; final test report compilation	All test cases executed	Full team

Table 16: System Testing Schedule

Testing activities were completed within the allocated sprint period, supporting the final demonstration and project submission timeline defined in the Sprint 6 plan.

6.10 Estimated Risk and Contingency Plan

The following risks were identified as potentially impacting the system testing process, along with mitigation strategies and contingency plans:

Risk	Likelihood	Impact	Mitigation Strategy	Contingency Plan
Incomplete implementation of modules before testing begins	Medium	High	Testing schedule aligned with Sprint 5 after Sprint 4 hardening; test environment verified before execution begins	Defer affected test cases to a brief extension period; prioritize critical path test cases
OTP email delivery failure during 2FA testing	Medium	High	Nodemailer configured with a dedicated test SMTP server before testing	Use a local OTP logging mechanism that displays OTP in

Risk	Likelihood	Impact	Mitigation Strategy	Contingency Plan
				backend console for testing purposes
Low OCR accuracy on test documents	Medium	Medium	Use high-quality printed test documents	Apply image preprocessing (binarization, deskewing) before OCR; adjust accuracy threshold for test evaluation
Database inconsistency or data corruption during workflow testing	Low	High	Use a dedicated test database schema isolated from development data; create database snapshots before test runs	Restore from snapshot and re-execute affected test cases
Test environment unavailability due to hardware failure	Low	High	Codebase maintained on GitHub; team members have local copies of the system	Switch to an alternative team member's machine and restore environment from GitHub repository

Table 17: Risk Assessment and Contingency Plan

6.11 Conclusion

The system testing phase of the E-flow: Intelligent Document Tracking and Workflow Management System for Universities confirmed that the implemented system meets its core functional and non-functional requirements. All sixteen key test cases were executed successfully, and defects identified during testing were resolved and re-verified prior to the final demonstration.

The testing process validated the correctness of the user authentication and RBAC framework, the visual workflow builder, the OCR-powered document submission pipeline, the secure 2FA approval mechanism, real-time status tracking, automated notifications, and the immutable audit trail. Security controls including role-based access enforcement and encrypted data handling were verified to function as specified.

The E-flow system has demonstrated readiness for local deployment and demonstration within the academic project evaluation context. Future work prior to production deployment should include extended load testing, integration testing with institutional systems, and user acceptance testing with a broader group of administrative stakeholders.

Chapter 7: Conclusion and Recommendation

7.1 Conclusion

This project has successfully designed, developed, and tested E-flow: an Intelligent Document Tracking and Workflow Management System for Universities. The system was conceived to address the persistent inefficiencies, lack of transparency, and security vulnerabilities inherent in the manual and semi-digital document handling processes prevalent in many higher education institutions, including those in Ethiopia.

The objectives set at the outset of the project have been achieved. A fully functional web-based prototype has been delivered, incorporating the following key capabilities:

- A Visual Workflow Builder powered by React Flow that enables administrators to design, configure, and modify complex multi-stage approval workflows through a drag-and-drop interface without requiring programming knowledge.
- An OCR Processing Module using Tesseract.js that bridges the gap between paper-based and digital records by extracting searchable text from scanned documents and image-based PDFs, supported by a human-in-the-loop verification mechanism for accuracy assurance.
- A Secure Two-Factor Authentication (2FA/OTP) Signature Verification system that ensures every document approval is authenticated, non-repudiable, and compliant with the Ethiopian Electronic Signature Proclamation No. 1072/2018.
- A comprehensive Role-Based Access Control (RBAC) framework that enforces appropriate data access and system permissions across all user roles, guided by ISO 27001 information security principles.
- Real-time document status tracking with automated notifications and SLA-based escalation logic that provides full transparency and reduces processing delays.
- An immutable audit trail system that logs all system actions with timestamps and user identifiers, ensuring institutional accountability and auditability.

The system was built using a modern, open-source technology stack comprising React.js, Node.js with Express.js, PostgreSQL, and Tesseract.js, making it technically feasible, economically viable, and maintainable within the resource constraints of academic institutions in developing contexts.

The system testing phase confirmed the reliability and correctness of the implemented features. All critical test cases passed, and identified defects were resolved prior to the final demonstration. The prototype successfully demonstrated that document workflows, which previously required physical visits and repeated follow-ups, can be digitized into traceable, secure, and efficient electronic processes.

The project also carries broader academic significance. It demonstrates the practical integration of modern software engineering disciplines including database management, RESTful API design, frontend development with component-based architecture, information security, and applied AI through OCR. The system aligns with the records management principles of ISO 15489 and the

security framework of ISO 27001, validating its design against internationally recognized standards.

In conclusion, E-flow represents a practical and impactful contribution to the digital transformation of higher education administration. By unifying document management, workflow automation, OCR-based digitization, and verified digital signatures into a single cohesive platform, the system addresses a clear institutional need and demonstrates how thoughtfully engineered technology can enhance transparency, accountability, and efficiency in administrative processes.

7.2 Recommendation

Based on the experience gained throughout the design, implementation, and testing phases of the E-flow project, the following recommendations are proposed to guide future development and enhance the system's effectiveness, scalability, and institutional impact:

1. Integration with Existing Institutional Systems

The current implementation of E-flow operates as a standalone platform. Future development should prioritize integration with existing university systems such as the student information system (eStudent portal), financial management systems, and human resource databases. This integration would enable automatic population of user data and document metadata, eliminating redundant data entry and creating a fully unified digital administrative ecosystem.

2. Implementation of a Full Public Key Infrastructure (PKI)

The current 2FA/OTP-based signature verification provides strong identity assurance and satisfies the requirements of Proclamation No. 1072/2018. However, for institutions requiring the highest level of cryptographic non-repudiation, future iterations of E-flow should consider implementing a full PKI-based digital signature module with cryptographic certificates. This would provide legally binding signatures compliant with international e-signature standards such as eIDAS and would further strengthen institutional trust.

3. Development of a Native Mobile Application

The current system provides a responsive web interface accessible via mobile browsers. However, a dedicated native mobile application for iOS and Android would significantly improve accessibility for students and staff. Push notification support through native mobile applications would further reduce response times for document approvals and improve user engagement with the system.

4. Enhanced OCR Capabilities and Multilingual Support

While Tesseract.js provides reliable OCR for printed documents, future enhancements should incorporate more advanced OCR preprocessing pipelines including automatic image deskewing, noise reduction, and contrast normalization to improve accuracy on lower-quality scans. Additionally, support for Amharic and other Ethiopian languages should be integrated given that

many institutional documents in Ethiopia are written in local languages. Tesseract supports Amharic script through dedicated language packs that could be configured in future releases.

5. Offline Functionality for Low-Connectivity Environments

Given the infrastructure challenges in some Ethiopian university settings, including intermittent internet connectivity, future versions of E-flow should implement an offline-first architecture. This would allow users to draft and queue document submissions, view existing document statuses, and perform basic workflow interactions during connectivity outages, with automatic synchronization when connectivity is restored.

6. Advanced Analytics and Reporting Dashboard

The current administrative dashboard provides a monitoring overview of active workflows and system logs. Future development should expand the analytics module to include visual performance dashboards with metrics such as average document processing time per department, bottleneck identification, SLA compliance rates, and OCR accuracy trends over time. These data-driven insights would support institutional decision-making and continuous process improvement.

7. Expanded Security Hardening and Penetration Testing

While the current implementation follows ISO 27001 principles and incorporates data encryption, RBAC, and 2FA, future development prior to production deployment should include professional security audits and penetration testing conducted by independent security experts. This would identify any remaining vulnerabilities and ensure the system meets enterprise-grade security standards before handling sensitive institutional data at scale.

8. User Acceptance Testing with Broader Stakeholder Groups

System testing during this project was conducted primarily by the development team with simulated test users. Before institutional deployment, structured User Acceptance Testing (UAT) sessions should be conducted with representative groups of actual end users from each role category including students, administrative staff, department heads, and university management. Feedback from these sessions should be systematically incorporated into the system through iterative refinement cycles.

9. Open Source Contribution and Replication Model

The modular, open-source architecture of E-flow makes it well-suited for adoption by other Ethiopian universities and public sector organizations seeking to modernize document workflows. It is recommended that the project be published as an open-source repository on GitHub with comprehensive documentation, deployment guides, and configuration instructions. This would enable other institutions to deploy, customize, and contribute to E-flow, amplifying its social and institutional impact beyond Adama Science and Technology University.

10. Long-Term Maintenance and Institutional Ownership

For sustained operation after the academic project phase, the university's ICT department should assume ownership of the system's maintenance, updates, and user support. A formal handover

process including technical documentation review, administrator training sessions, and an established support workflow is strongly recommended. Periodic system reviews should be scheduled to evaluate performance, update dependencies, and align the system with evolving institutional and regulatory requirements.

References

The following references were consulted during the research, design, implementation, and testing phases of the E-flow project. References are formatted in accordance with IEEE citation standards.

- [1] A. Svärd, "Electronic Document and Records Management Systems: Implications for Records Managers in Multinational Corporations," *Records Management Journal*, vol. 23, no. 2, pp. 116-129, 2013. doi: 10.1108/09565691311325696
- [2] T. Legesse and A. Bekele, "Digital Transformation in Ethiopian Higher Education Institutions: Challenges and Opportunities," *African Journal of Information and Communication Technology*, vol. 8, no. 1, pp. 45-62, 2020.
- [3] M. Dumas, M. La Rosa, J. Mendling, and H. A. Reijers, *Fundamentals of Business Process Management*, 2nd ed. Berlin, Germany: Springer, 2018. doi: 10.1007/978-3-662-56509-4
- [4] Federal Democratic Republic of Ethiopia, *Electronic Signature Proclamation No. 1072/2018*. Addis Ababa, Ethiopia: Federal Negarit Gazette, 2018.
- [5] R. Smith, "An Overview of the Tesseract OCR Engine," in *Proc. 9th Int. Conf. on Document Analysis and Recognition (ICDAR)*, Curitiba, Brazil, 2007, pp. 629-633. doi: 10.1109/ICDAR.2007.4376991
- [6] International Organization for Standardization, *ISO 15489-1:2016 — Information and Documentation — Records Management — Part 1: Concepts and Principles*. Geneva, Switzerland: ISO, 2016.
- [7] International Organization for Standardization, *ISO/IEC 27001:2022 — Information Security, Cybersecurity and Privacy Protection — Information Security Management Systems — Requirements*. Geneva, Switzerland: ISO, 2022.
- [8] F. D. Davis, "Perceived Usefulness, Perceived Ease of Use, and User Acceptance of Information Technology," *MIS Quarterly*, vol. 13, no. 3, pp. 319-340, 1989. doi: 10.2307/249008
- [9] M. Nikiforova, "Role-Based Access Control: A Comprehensive Review," *Journal of Information Security and Applications*, vol. 47, pp. 236-251, 2019.
- [10] ReactFlow.dev, "React Flow — Node-Based UIs in React," 2024. [Online]. Available: <https://reactflow.dev>. [Accessed: Dec. 2025].
- [11] The Node.js Foundation, "Node.js Documentation," 2024. [Online]. Available: <https://nodejs.org/en/docs>. [Accessed: Dec. 2025].
- [12] The PostgreSQL Global Development Group, "PostgreSQL 16 Documentation," 2024. [Online]. Available: <https://www.postgresql.org/docs/16/>. [Accessed: Dec. 2025].
- [13] Meta Open Source, "React Documentation," 2024. [Online]. Available: <https://react.dev>. [Accessed: Dec. 2025].

- [14] Napkin-IO and Contributors, "Tesseract.js — Pure Javascript OCR for 100 Languages," 2024. [Online]. Available: <https://tesseract.projectnaptha.com>. [Accessed: Dec. 2025].
- [15] A. Beck, M. Beedle, A. van Bennekum et al., "Manifesto for Agile Software Development," 2001. [Online]. Available: <https://agilemanifesto.org>. [Accessed: Dec. 2025].
- [16] J. Sutherland and K. Schwaber, "The Scrum Guide: The Definitive Guide to Scrum: The Rules of the Game," 2020. [Online]. Available: <https://scrumguides.org>. [Accessed: Dec. 2025].
- [17] M. Burrows, D. Clarke, and A. Herbert, "Secure Two-Factor Authentication: OTP-Based Mechanisms for Identity Verification," *IEEE Security & Privacy*, vol. 16, no. 3, pp. 60-68, 2018. doi: 10.1109/MSP.2018.2701165
- [18] N. Moti and B. Woldeyohannes, "Adoption of Electronic Records Management in Ethiopian Public Sector Organizations," *Ethiopian Journal of Information Science*, vol. 5, no. 1, pp. 12-28, 2019.
- [19] C. Bass, P. Clements, and R. Kazman, *Software Architecture in Practice*, 3rd ed. Upper Saddle River, NJ: Addison-Wesley, 2013.
- [20] T. Myers, G. Badgett, and R. Thomas, *Testing Computer Software*, 2nd ed. Hoboken, NJ: John Wiley & Sons, 1994.