


St	Vorkommen	Element
		Danisa
		Request
M	1 1	xsd:sequence
0	0 1	changeOrderRequest
0	optional	codeTableVersion
M	required	- version
O M	optional	— testcase
	1 1	└┬ xsd:sequence ├── MsgHeader
M M	1 1	
O	1 1	xsd:sequence MsgSource
0	0 1	— MsgSource — MsgFormat
0	0 1	— User
Ö	0 1	– Password
M	1 1	MsgID
0	0 1	- ODOCID
M	1 1	— CreationDateTime
М	1 1	— Receiver
0	0 1	- CommunicationPartner
M	1 1	☐ SubmitterSMS
M	1 1	xsd:sequence
M	1 1	— CustID
Ö	0 1	- Name
0	0 1	Hand
M	1 1	xsd:sequence
Ö	0 1	- StreetName
Ö	0 1	- StreetNumber
Ö	0 1	— District
Ö	0 1	– Zip
Ö	0 1	CityName
Ö	0 1	
0	0 1	
M	1 1	xsd:sequence
0	0 1	
Ŏ	0 1	CityName
Ö	0 1	Postbox
Ö	0 1	
O	0 1	
0	0 unbounded	☐ ☐ Contact
M	1 1	xsd:sequence
Ö	0 1	- FirstName
Ö	0 1	- LastName
Ö	0 1	- Role
Ö	0 1	- Position
O	0 1	- Department
0	0 1	
M	1 1	T xsd:sequence
Ö	0 1	StreetName
Ö	0 1	- StreetNumber
Ö	0 1	District
Ö	0 1	Zip
ŏ	0 1	CityName
Ö	0 1	CC
-		

St = Status: M=Mandatory (Pflicht), O=Optional

Version: changeOrderRequest; 4.4; 09 Copyright DPAG®






St = Status: M=Mandatory (Pflicht), O=Optional

Version: changeOrderRequest; 4.4; 09
Copyright DPAG®

Druckdatum: 12.11.2018

Ausgabe: 16.11.2018

Seite:



St Vork	ommen Elemei	nt
O 0 M 1 O 0 O 0 O 0 O 0	1 1 1 1 1	Address xsd:sequence StreetName StreetNumber District Zip CityName CC
O 0 M 1 O 0 O 0 O 0 O 0 O 0	1 1 1 1	POBAddress xsd:sequence Zip CityName Postbox CC LargeCustZip
O 0 M 1 O 0 O 0 O 0 O 0 O 0	1 1 1 1 1	Contact xsd:sequence FirstName LastName Role Position Department
O 0 M 1 O 0 O 0 O 0 O 0 O 0 O 0	1 1 1 1 1	Address xsd:sequence StreetName StreetNumber District Zip CityName CC
O 0 M 1 O 0 O 0 O 0 O 0 O 0 O 0	1	POBAddress xsd:sequence Zip CityName Postbox CC Email Phone Fax
O 0 O 0 O 0 O 0 O 0 O 0 O 0 O 0 O 0 O 0 O 0 O 0 O 0 O 0 O 0	1 1 1 1 1 1 1 1 1 1 1 1	Producer xsd:sequence CustID Name Address xsd:sequence StreetName StreetNumber District Zip CityName CC POBAddress



C+	Vorkommen	Element
St	vorkommen	Element
M 0 0 0	1 1 0 1 0 1 0 1 0 1	xsd:sequence - Zip - CityName - Postbox - CC - LargeCustZip
O M O O O O O O O	0 1 1 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1 1 1 0 1 0 1 0 1	Contact
0 0 0 M 0 0 0	0 1 0 1 0 1 0 1 1 1 0 1 0 1 0 1 0 1 0 1	- Zip - CityName - CC - POBAddress - xsd:sequence - Zip - CityName - Postbox - CC - Email
0	0 1	Phone Fax
O M O O	0 1 1 1 0 1 0 1	- Submitter - xsd:sequence - CustID - Name
O M O O O O	0 1 1 1 0 1 0 1 0 1 0 1 0 1 0 1	Address xsd:sequence StreetName StreetNumber District Zip CityName CC
O M O O O O M O	0 1 1 1 0 1 0 1 0 1 0 1 0 1 1 1 0 1	POBAddress xsd:sequence Zip CityName Postbox CC LargeCustZip Contact xsd:sequence FirstName



St	Vorkommen	Element
St	Vorkommen 0 1 0 1 0 1 0 1 0 1 1 1 0 1	Element - LastName - Role - Position - Department - Address - xsd:sequence - StreetName - StreetNumber - District - Zip - CityName - CC - Zip - CityName - Postbox - CC - Email - Phone - Fax - Payer - xsd:sequence - CustID
O O M O O O O O	0 1 0 1 1 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1	Name Address xsd:sequence StreetName StreetNumber District Zip CityName CC POBAddress
M O O O O O O M O O O O O M O O O	1 1 0 1 0 1 0 1 0 1 0 1 0 1 1 1 0 1	xsd:sequence - Zip - CityName - Postbox - CC - LargeCustZip - Contact - xsd:sequence - FirstName - LastName - Role - Position - Department - Address - xsd:sequence - StreetName - StreetNumber - District



	ittai alagi aliilii	
St	Vorkommen	Element
0	0 1	│
0	0 1 0 1	│
M	1 1	xsd:sequence
0	0 1	│
0	0 1	CityName
0	0 1 0 1	Postbox CC
Õ	0 1	Email
0	0 1	Phone
0	0 1	Fax
0	0 unbounded	Contract
M O	1 1 0 1	xsd:sequence ContractID
Ö	0 1	ContractTypeCode
0	0 1	IssueDate IssueDate
0	0 1	PaymentMeans
M	1 1	xsd:sequence
0	0 1 0 1	─ Procedure─ Participation
Ö	0 1	- PostCardID
0	0 1	├── FinancialAccount
M	1 1	xsd:sequence
0	0 1	- AccountHolder
0	0 1 0 1	─ AccountID ─ IBAN
Ö	0 1	- FinancialInstitution
0	0 1	
0	0 1	- BankCode
0	0 1	│
O M	0 unbounded 1 1	xsd:sequence
0	0 1	Role
0	0 1	— CustID
0	0 1	— Name
O M	0 1 1 1	Address — xsd:sequence
O	0 1	- StreetName
Ö	0 1	- StreetNumber
0	0 1	— District
0	0 1	Zip
0	0 1 0 1	CC CityName
0	0 1	→ POBAddress
M	1 1	xsd:sequence
0	0 1	
0	0 1 0 1	— CityName
0	0 1	Postbox CC
Ö	0 1	LargeCustZip
0	0 unbounded	T Contact



St	Vorkommen	Element
		1 London maria
M O	1 1 0 1	xsd:sequence FirstName
Ö	0 1	- LastName
Ö	0 1	– Role
0	0 1	- Position
0	0 1	- Department
0	0 1	→ Address
M	1 1	xsd:sequence
0	0 1	- StreetName
0	0 1 0 1	StreetNumber District
0	0 1	– Zip
ŏ	0 1	CityName
O	0 1	└ cc
0	0 1	├ POBAddress
M	1 1	xsd:sequence
0	0 1	Zip
0	0 1	— CityName
0	0 1	Postbox CC
0	0 1	— Email
Ö	0 1	- Phone
0	0 1	└ Fax
0	0 1	⊤ Induction
M	1 1	xsd:sequence
0	0 1	- TransitDirectionCode
0	0 1	├─ ProductionPlantID ├─ Address
O M	0 1 1 1	xsd:sequence
Ö	0 1	- StreetName
Ö	0 1	- StreetNumber
0	0 1	─ District
0	0 1	
0	0 1	- CityName
0	0 1 0 1	│
0	0 1	LatestDateTime
0	0 unbounded	→ ShipmentItem
M	1 1	xsd:sequence
0	0 unbounded	├─ Shipment
0		updateMethod
M	1 1	xsd:sequence
0	0 1	- ShipmentID
0	0 1 0 1	Desc Type
0	0 1	├─ Type ├─ GWM
M	required	- value
Ö	optional	Lunit
0	0 1	│
0	0 1	- AdditionalQty
0	0 1	TotalQty
0	0 1	☐ MachineProcessable

St = Status: M=Mandatory (Pflicht), O=Optional



St	Vorkommen	Element
0	0 1	│
ŏ	0 1	- Addressed
0	0 unbounded	☐ CodeApplied
M	required	— value
0	optional	L type
0	0 1	IndividualWeight
M	required	
0	optional 0 1	Format
0	0 1	Length
M	required	- value
0	optional	
0	0 1	│
M	required	
0	optional	
O	0 1	Thickness
M O	required optional	
0	0 1	
M	required	- value
O	optional	currency
0	0 1	│
M	required	— value
0	optional	☐ ☐ currency
0	0 1	── NonDeliveryDisposition ☐───────────────────────────────────
O M	0 unbounded required	
O	optional	
0	0 unbounded	│
M	1 1	xsd:sequence
0	0 1	- SupplementID
0	0 1	— Desc
0	0 1	Type
0	0 1	IndividualWeight
M O	required optional	
0	0 1	Thickness
M	required	— value
0	optional .	│
0	0 . 1	— Qty
0	0 unbounded	OtherAttribute
M	required	type
0	optional .	│
O M	0 1 1 1	xsd:sequence
Ö	0 1	— Type
0	0 1	Amount
M	required	- value
0	optional .	L currency
0	0 1	AmountShipment
M	required	

St = Status: M=Mandatory (Pflicht), O=Optional



St = Status: M=Mandatory (Pflicht), O=Optional



St	Vorkommen	Element
0 0 0 0 M	0 1 0 1 0 1 0 1 1 1 0 1	Fax ProductName DeliveryChoice Content xsd:sequence SenderReference
0000000	0 1 0 1 0 1	→ NatureOfGoods gift doc sample returnedGood other Explication Comment
O M O O	0 1 required optional 0 1	- GWM - value - unit - TotalValue - value
0 0 0	0 1	☐ currency ☐ PostageAmount ☐ currency ☐ value
0	0 unbounded	Document type ref
000000000	0 unbounded	ContentPiece - num - qty - desc - value - currency - weight - unit - origin - hstariff
0 0	0 1 optional	RefDst — prec
M O O	1 1 0 unbounded optional optional	☐ ¬ xsd:sequence ☐ ☐ Range ☐ from ☐ to
O M O O M O	0 unbounded 1 1 0 1 0 1 required optional	Item xsd:sequence ItemID TotalAmount value currency
O M O M	0 unbounded 1 1 0 1 1 1	Ref xsd:sequence RefOrder xsd:sequence

St = Status: M=Mandatory (Pflicht), O=Optional



St	Vorkommen	Element
<u> ગ</u>	vorkommen	Element
0	0 1	│
0	0 1	CustOrderID
M	1 1	T xsd:sequence
M	1 1	CustID
0	0 1	─ SystemName
0	0 1	SystemID
0	0 unbounded	RefShipment
M	1 1	xsd:sequence
0	0 1	- RefShipmentID
0	0 unbounded	- RefSupplementID
0	0 1	— Qty
O	0 unbounded	Range
M M	required required	from to
 M	1 unbounded	T LineItem
M	1 unbounded 1 1	
Ö	0 1	- ProductNumber
Ö	0 unbounded	- Variant
Ö	0 1	- EarliestDateTime
0	0 1	 LatestDateTime
0	0 unbounded	└┬ OtherAttribute
M	required	— type
0	optional	└─ value
0	0 1	├─ Packaging
0		— updateMethod
M	1 1	xsd:sequence
0	0 1	— <u>SlotQty</u>
0	0 1	— Type
0	0 1	├─ Qty ├─ Package
0	unbounded optional	— packageID
Ö	optional	— productGroup
Ö	optional	— format
Ö	optional	- sortMethod
0	optional	— refPackage
0	optional	— type
0	optional .	— stackable
0	optional	— frameQty
0	optional	— zipDst — deliveryBase
0	optional optional	— deliverybase — zipFrom
Ö	optional	— zipTo
M	1 1	
0	0 1	⊤ GWM
М	required	— value
0	optional .	└─ unit
0	0 1	├─ NWM
М	required	— value
0	optional	
0	0 unbounded	Ref
M	1 1	└── xsd:sequence
0	0 1	RefOrder



