


St	Vorkommen	Element
		Daniel
		Request
M	1 1	xsd:sequence
0	0 1	└── createOrderRequest
0	optional	— codeTableVersion
M	required	- version
0	optional	— testcase
M	1 1	└── xsd:sequence
M	1 1	MsgHeader
M	1 1	xsd:sequence
0	0 1	- MsgSource
0	0 1	─ MsgFormat─ User
0	0 1	- Password
M	1 1	— MsgID
Ö	0 1	- ODOCID
M	1 1	- CreationDateTime
М	1 1	— Receiver
O	0 1	- CommunicationPartner
M	1 1	☐ SubmitterSMS
М	1 1	xsd:sequence
М	1 1	CustID
0	0 1	⊢ Name
0	0 1	H Address
М	1 1	xsd:sequence
0	0 1	─ StreetName
0	0 1	- StreetNumber
0	0 1	─ District
0	0 1	
0	0 1	CityName
0	0.1	<u>CC</u>
0	0 1	POBAddress
M	1 1	xsd:sequence
0	0 1	Zip
0	0 1	- CityName
0	0 1 0 1	Postbox CC
0	0 1	☐ ☐ CC ☐ ☐ LargeCustZip
0		Largecustzip
M	0 unbounded 1 1	xsd:sequence
O	0 1	- FirstName
Ö	0 1	- LastName
Ö	0 1	Role
O	0 1	- Position
0	0 1	- Department
0	0 1	→ Address
М	1 1	xsd:sequence
0	0 1	─ StreetName
0	0 1	- StreetNumber
0	0 1	☐ District
0	0 1	
0	0 1	CityName
0	0 1	

St = Status: M=Mandatory (Pflicht), O=Optional







St Vor	kommen Eleme	ent
M 1 O 0 O 0 O 0	1	Address xsd:sequence StreetName StreetNumber District Zip CityName CC
O 0 M 1 O 0 O 0 O 0 O 0	1 1 1 1	POBAddress xsd:sequence Zip CityName Postbox CC LargeCustZip
M 1 O 0 O 0 O 0 O 0	1 1 1 1	Contact xsd:sequence FirstName LastName Role Position Department
M 1 O 0 O 0 O 0 O 0	1 1 1 1 1 1 1	Address xsd:sequence StreetName StreetNumber District Zip CityName CC
O 0 M 1 O 0 O 0 O 0 O 0 O 0	1 1 1 1 1 1 1 1	POBAddress xsd:sequence Zip CityName Postbox CC Email Phone Fax
O 0 M 1 M 1 O 0 O 0 O 0 O 0 O 0 O 0 O 0	1 1 1 1 1 1 1 1 1 1 1 1 1	Producer xsd:sequence CustID Name Address xsd:sequence StreetName StreetNumber District Zip CityName CC POBAddress

Ausgabe: 16.11.2018 Copyright DPAG®




24 14 1 2 2 2 2 2	-
St Vorkommen	Element
M 1 1 O 0 1 O 0 1 O 0 1 O 0 1 O 0 1 O 0 1 M 1 1	xsd:sequence Zip CityName Postbox CC LargeCustZip Contact xsd:sequence
O 0 1 O 0 1 O 0 1 O 0 1 O 0 1	 FirstName LastName Role Position Department
M 1 1 O 0 1 O 0 1 O 0 1 O 0 1 O 0 1 O 0 1	xsd:sequence - StreetName - StreetNumber - District - Zip - CityName - CC
O 0 1 M 1 1 O 0 1	POBAddress xsd:sequence Zip CityName Postbox CC Email Phone Fax
0 0 1	⊤ Submitter
M 1 1 M 1 1 O 0 1	xsd:sequence CustID Name
O 0 1 M 1 1 O 0 1 O 0 1 O 0 1 O 0 1 O 0 1 O 0 1	xsd:sequence - StreetName - StreetNumber - District - Zip - CityName - CC
O 0 1 M 1 1 O 0 1 O 0 1 O 0 1 O 0 1 O 0 1 O 0 1 O 0 1 M 1 1 O 0 1	POBAddress xsd:sequence Zip CityName Postbox CC LargeCustZip Contact xsd:sequence FirstName



St	Vorkommen Elei	ment
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 1 0 1 0 1 0 1 0 1 1 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1	LastName Role Position Department Address xsd:sequence StreetName StreetNumber District Zip CityName CC POBAddress xsd:sequence Zip CityName Postbox CC Email Phone Fax
M O O	1 1 1 1 0 1 0 1	xsd:sequence CustID Name Address
0 0	1 1 0 1 0 1 0 1 0 1 0 1	xsd:sequence - StreetName - StreetNumber - District - Zip - CityName - CC
	0 1 1 1	POBAddress xsd:sequence
0 0 0 0	0 1 0 1 0 1 0 1 0 1	 Zip CityName Postbox CC LargeCustZip
M 0 0 0 0 0 0 0 0	0 1 1 1 0 1 0 1 0 1 0 1 0 1 0 1 1 1 0 1 0 1 0 1 0 1	Contact xsd:sequence FirstName LastName Role Position Department Address xsd:sequence StreetName StreetNumber District



	ittai alagi allilli	
St	Vorkommen	Element
0	0 1	│
0	0 1 0 1	│
M	1 1	xsd:sequence
0	0 1	│
0	0 1	CityName
0	0 1 0 1	Postbox CC
ő	0 1	- GG
0	0 1	Phone
0	0 1	Fax
0	0 unbounded	Contract
M O	1 1 0 1	xsd:sequence ContractID
Ö	0 1	ContractTypeCode
0	0 1	│
0	0 1	PaymentMeans
M	1 1	xsd:sequence
0	0 1 0 1	─ Procedure─ Participation
ő	0 1	- PostCardID
0	0 1	FinancialAccount
М	1 1	xsd:sequence
0	0 1	- AccountHolder
0	0 1 0 1	─ AccountID ─ IBAN
0	0 1	FinancialInstitution
O	0 1	
0	0 1	- BankCode
0	0 1	
O M	0 unbounded 1 1	OtherParty xsd:sequence
Ö	0 1	Role
M	1 1	- CustID
0	0 1	- Name
0	0 1	Address
M O	1 1 0 1	xsd:sequence StreetName
0	0 1 0 1	- StreetName - StreetNumber
Ö	0 1	- District
0	0 1	├─ Zip
0	0 1	- CityName
0	0 1	□ □ CC
O M	0 1 1 1	POBAddress xsd:sequence
Ö	0 1	– Zip
Ö	0 1	├─ CityName
0	0 1	— Postbox
0	0 1	L CC
0	0 1	├─ LargeCustZip
0	0 unbounded	Contact



St	Vorkommen	Element
М	1 1	├─ xsd:sequence
Ö	0 1	- FirstName
0	0 1	- LastName
0	0 1	— Role
0	0 1	- Position
0	0 1	- Department
0	0 1	Address
M	1 1	xsd:sequence
0	0 1	- StreetName
0	0 1 0 1	StreetNumberDistrict
ő	0 1	Zip
Ö	0 1	CityName
O	0 1	│
0	0 1	→ POBAddress
M	1 1	xsd:sequence
0	0 1	☐ Zip
0	0 1	— CityName
0	0 1	Postbox
0	0 1 0 1	└─ CC ├─ Email
0	0 1	— Phone
ŏ	0 1	Fax
0	0 1	⊤ Induction
M	1 1	xsd:sequence
0	0 1	 TransitDirectionCode
0	0 1	- ProductionPlantID
0	0 1	Address
M	1 1	☐ xsd:sequence
0	0 1	— StreetName
0	0 1 0 1	- StreetNumber - District
Ö	0 1	- Zip
Ö	0 1	CityName
0	0 1	
М	1 1	— EarliestDateTime
0	0 1	☐ LatestDateTime
М	1 unbounded	ShipmentItem
M	1 . 1	
0	0 unbounded	Shipment
М О	1 1 0 1	xsd:sequence ShipmentID
0	0 1	— Snipmentib — Desc
Ö	0 1	Type
0	0 1	T GWM
M	required	- value
0	optional	Lunit
0	0 1	U Current Control Cont
0	0 1	- AdditionalQty
0	0 1	— TotalQty
0	0 1	Machine Processable
0	0 1	─ MachineReadable



St	Vorkommen	Element
0	0 1	Addressed
0	0 unbounded	CodeApplied
M	required optional	│
0	0 1	
M	required	— value
Ö	optional	unit
0	0 1	- Format
0	0 1	│
M	required	— value
0	optional	_ _ L unit
0	0 1	Width
M	required	- value
0	optional	│
O M	0 1 required	- value
O	optional	
0	0 1	│
M	required	— value
0	optional	│
0	0 1	│
M	required	
0	optional	☐ currency
0	0 1	├─ NonDeliveryDisposition ├─ OtherAttribute
O M	0 unbounded	
O	required optional	
0	0 unbounded	
M	1 1	xsd:sequence
Ο	0 1	- SupplementID
0	0 1	— Desc
0	0 1	│
0	0 1	
M	required optional	│
0	0 1	- um
M	required	- value
Ö	optional	Lunit
0	0 [′] 1	│
0	0 unbounded	│
M	required	— type
0	optional	L value
0	0 1	Postage
M	1 1 0 1	xsd:sequence
0	0 1	│
M	required	- value
Ö	optional	currency
0	0 1	│
M	required	- value
0	optional	│



St = Status: M=Mandatory (Pflicht), O=Optional



St	Vorkommen	Element
0 0 0 M 0 0 0 0 0 0	0 1 0 1 0 1 1 1 0 1	ProductName DeliveryChoice Content xsd:sequence SenderReference NatureOfGoods - gift - doc - sample - returnedGood - other
O O M O	0 1 0 1 0 1 required optional	- Explication - Comment - GWM - value - unit
0 0 0 0	0 1	TotalValue - value - currency - PostageAmount - currency
0 0 0	0 unbounded	☐ value ☐ Document ☐ type ☐ ref ☐ ContentPiece
0000000000	0 unbounded	- num - qty - desc - value - currency - weight - unit - origin - hstariff
0 0 M 0 0	0 1 optional 1 1 0 unbounded optional optional	RefDst - prec - xsd:sequence - Range - from - to
M M O O M	1 unbounded 1 1 0 1 0 1 required	Item
O M O M	optional 0 unbounded 1 1 0 1 1 1 0 1	Ref xsd:sequence RefOrder xsd:sequence OrderID

St = Status: M=Mandatory (Pflicht), O=Optional



St	Vorkommen	Element
0	0 1	- CustOrderID
M	1 1	+ xsd:sequence
М	1 1	- CustID
0	0 1	- SystemName
0	0 1	SystemID
0	0 unbounded	│
M	1 1	xsd:sequence
0	0 1	- RefShipmentID
0	0 unbounded	- RefSupplementID
0	0 1	— Qty
0	0 unbounded	Range
М	required	from
M	required	L to
M	1 unbounded	LineItem
M	1 1 0 1	xsd:sequence ProductNumber
0	0 unbounded	- Variant
Ö	0 1	- EarliestDateTime
Ö	0 1	- LatestDateTime
0	0 unbounded	→ OtherAttribute
M	required	— type
0	optional	value
0	0 1	+ Packaging
M	1 1	_ xsd:sequence
0	0 1	─ SlotQty
0	0 1	— Type
0	0 1	— Qty
0	0 unbounded	├─ Package
0	optional 	— packageID
0	optional	— productGroup — format
0	optional optional	— sortMethod
Ö	optional	— refPackage
Ŏ	optional	— type
0	optional	– stackable
0	optional	— frameQty
0	optional	— zipDst
0	optional 	— deliveryBase
0	optional optional	— zipFrom — zipTo
M	1 1	T xsd:sequence
0	0 1	- GWM
М	required	— value
Ö	optional	unit
O	0 1	 NWM
М	required	— value
0	optional	unit
0	0 unbounded	├─ Ref
М	1 1	xsd:sequence
0	0 1	⊤ RefOrder
М	1 1	xsd:sequence
0	0 1	- OrderID



St	Vorkommen	Element
O M M O	0 1 1 1 1 1 0 1	CustOrderID xsd:sequence CustID SystemName SystemID
0 M 0	0 unbounded 1 1 0 1	RefShipment xsd:sequence RefShipmentID
О М М	0 1 0 unbounded required required	Range - from to